

Functions & Procedures For Mysql, Mariadb

- description : DB, Mysql
- author :
- email : dhan@repia.com
- lastupdate : 2022-05-18

Case Study

HTML

```
SET GLOBAL log_bin_trust_function_creators=1;
DROP FUNCTION IF EXISTS fnStripTags;
DELIMITER |
CREATE FUNCTION fnStripTags( Dirty VARCHAR(4000) )
RETURNS VARCHAR(4000)
DETERMINISTIC
BEGIN
    DECLARE iStart, iEnd, iLength INT;
    WHILE Locate( '<', Dirty ) > 0 AND Locate( '>', Dirty, Locate( '<',
Dirty )) > 0 DO
        BEGIN
            SET iStart = Locate( '<', Dirty ), iEnd = Locate( '>', Dirty,
Locate( '<', Dirty ));
            SET iLength = ( iEnd - iStart ) + 1;
            IF iLength > 0 THEN
                BEGIN
                    SET Dirty = INSERT( Dirty, iStart, iLength, '' );
                END;
            END IF;
        END;
    END WHILE;
    RETURN Dirty;
END;
|
DELIMITER ;
SELECT fnStripTags('this <html>is <b>a test</b>, nothing more</html>');
```

Ref

- [Re: Removing HTML tags using mysql](#)
, DB, mariadb, mysql, ,

Last update: 2022/05/18 09:37
wiki:maria**db**:
http://rwiki.repia.com/doku.php?id=wiki:maria**db**:%EC%9C%A0%EC%9A%A9%ED%95%9C_%EC%82%AC%EC%9A%A9%EC%9E%90_%EC%A0%95%EC%9D%98_%ED%95%A8%EC%88%98&rev=1652834222

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link:
[http://rwiki.repia.com/doku.php?id=wiki:maria**db**:%EC%9C%A0%EC%9A%A9%ED%95%9C_%EC%82%AC%EC%9A%A9%EC%9E%90_%EC%A0%95%EC%9D%98_%ED%95%A8%EC%88%98&rev=1652834222](http://rwiki.repia.com/doku.php?id=wiki:mariadb:%EC%9C%A0%EC%9A%A9%ED%95%9C_%EC%82%AC%EC%9A%A9%EC%9E%90_%EC%A0%95%EC%9D%98_%ED%95%A8%EC%88%98&rev=1652834222)

Last update: **2022/05/18 09:37**