

Code Conventions for the Java Programming Language

- description : URLEncoder And URLDecoder
- author :
- email : shlim@repia.com
- lastupdate : 2022-04-15 Fri

5.

Java 가 가 . /*...*/ //

C++ . javadoc (“ ”) Java HTML .

가 가

가

가

가

Note:

(*)

5.1 (Implementation Comment Formats)

(block), (single-line), (trailing) (end-of-line) 가

가

5.1.1 (Block Comments)

```
/*  
 *  
 */
```

/*-

```
/*-  
 *  
 *  
 *   one  
 *   Two  
 *   Three  
 */
```

5.1.2 (Single-line Comments)

Java

```
if (condition) {  
    /*  
    ...  
 */  
}
```

5.1.3 (Trailing Comments)

Java :

```

if (a == 2) {
    return TRUE;           /*          */
} else {
    return isPrime(a);    /* a가          */
}

```

5.1.4 (End-Of-Line Comments)

//
가

```

if (foo > 1) {
    // Do a double-flip.
    ...
}
else {
    return false;        // Explain why here.
}
//if (bar > 1) {
//
//    // Do a triple-flip.
//    ...
//}
//else {
//    return false;
//}

```

5.2 (Documentation Comments)

Note : `java` “

```
        (@return, @param, @see)      가      javadoc
    “
        Java
    ...*/
```

```
/**
 * The Example class provides ...
 */
public class Example { ...
```

```
1          가
          (**)
          (
4          5          ).
          ;
          ,
          ,
          ,
          가
          ;
```

Java

Ref Site

[Code Conventions for the Java Language 5 - Comments](#)

„ [Comments](#)

From: <http://rwiki.repia.com/> -

. - 2023.12

Permanent link: http://rwiki.repia.com/doku.php?id=wiki:miscellaneous:code_conventions:comments&rev=1650241802



Last update: 2022/04/18 09:30