```
description :author :email : kimmk@repia.comlastupdate : 2020-03-10
```

### ls

[www@www tmp]\$ ls -alhS | more

Find and delete the zero size files and empty directories

[www@www tmp] \$ find ./ -type f -size 0 -delete

### du

```
[www@www tmp]$ du | sort -nr
```

#### sed

```
[www@www tmp]$ sed -i 's|/hello/|/Hello Word|g' *.conf
/hello ,/Hello Word ,*.conf 가 conf
```

#### crontab

```
[www@www tmp]$ crontab -e
#Repia_Search_RealRank
0,10,20,30,40,50 8-20 * * * /opt/search/RSA/bin/realRank.sh
0 7 * * * /opt/search/RSA/bin/acsctl.sh restart
0,10,20,30,40,50 8-20 * * * su - search -c /opt/search/RSA/bin/realRank.sh
0 7 * * * su - search -c /opt/search/RSA/bin/acsctl.sh restart
     , -l
 -e
 www
            crontab -e
                             www
 crontab
*00000*00000*00000*
 (0-59)
              (0-23)
                      (1-31)
                                    (1-12)
                                                  (0-7)
              (Linux Crontab)
```

# tar

```
[www@www tmp]$ tar fczvh search.tar.gz search

f: tar , c: tar , z: gzip , v: View , h(
 ): フト
```

http://rwiki.repia.com/ Printed on 2025/10/25 16:14

[www@www tmp]\$ tar cvfz front\_changwon.tar.gz front --exclude "\*.mp4"

# Ref

- How can I sort du -h output by size
  - , , , , , ls, find, seq, crontab, tar