

bashrc

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-01-31

Environment()

```
# date
D_YMD=`date +%Y%m%d`
D_Y-M-D=`date +%Y-%m-%d`
#
TMOUT=0
export TMOUT D_YMD D_Y-M-D
```

export		가	
date	Value	,	!!

Alias

~/.bashrc 가

```
# 2020-02-10, Repia
alias rlog='tail -n200 -f ${RSA_ROOT}/logs/javaLog/log_${D_YMD}.txt'
alias tlog='tail -n200 -f ${TOMCAT_ROOT}/logs/localhost.${D_Y-M-D}.log'
alias search='cd ${RSA_ROOT}/bin'
alias sfront='cd ${RSA_ROOT}/bin/html'
```

#

Shell

```
$> source ~/.bashrc
or
$> . ~/.bashrc
```

alias

```
[www@dev tmp]$ alias
alias egrep='egrep --color=auto'
alias fgrep='fgrep --color=auto'
alias grep='grep --color=auto'
```

```
alias l.='ls -d .* --color=auto'  
alias ll='ls -l --color=auto'  
alias ls='ls --color=auto'  
alias vi='vim'  
alias which='alias | /usr/bin/which --tty-only --read-alias --show-dot --  
show-tilde'  
[www@dev heqms.repia.com]$
```

가

Example

```
# .bashrc  
  
# User specific aliases and functions  
alias rm='rm -i'  
alias cp='cp -i'  
alias mv='mv -i'  
  
# Source global definitions  
if [ -f /etc/bashrc ]; then  
    . /etc/bashrc  
fi
```

Ref

, [bash](#), [bashrc](#)

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link: <http://rwiki.repia.com/doku.php?id=wiki:os:linux:bashrc&rev=1587532036> 

Last update: **2022/03/10 19:52**