

- description :
- author :
- email : dhan@repi.com
- lastupdate : 2022-03-10

## Case Study

- bash( ,

```
#!/bin/sh

cd /volume1/dhan/synology/
date >> backup.log

WIKI_BACKUP_SOURCE=/volume1/web/dokuwiki/data/media/wiki/backup
WIKI_BACKUP_TARGET="/volume1/homes/[resources]/rwiki backup"
YESTERDAY=`date -d '1 day ago' +%Y%m%d`

#1.
echo "${WIKI_BACKUP_SOURCE}/dw-backup-${YESTERDAY}*.tar
${WIKI_BACKUP_TARGET}" >> backup.log
mv "${WIKI_BACKUP_SOURCE}"/dw-backup-${YESTERDAY}*.tar
"${WIKI_BACKUP_TARGET}"

#2. 180
echo "find ${WIKI_BACKUP_TARGET} -name dw*tar -mtime +180 -exec rm -f {} \;"
>> backup.log
find "${WIKI_BACKUP_TARGET}" -name dw*tar -mtime +180 -exec rm -f {} \;
#find "${WIKI_BACKUP_TARGET}" -name dw*tar -mtime +180 -ls
```

- 

## Example

, , sh

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:programming:shell&rev=1676013671>



Last update: **2023/02/10 16:21**