Sass @import

• description : Sass @import and Partials

• author:

email : shlim@repia.comlastupdate : 2021-04-08

Ref

Sass @import and Partials

Sass Nested Rules

Sass Importing Files

Sass Import Syntax

```
@import filename;

Tip:
 가 . Sass .sass .scss 가

CSS 가 .@import ,
 (mixins) (the main file)
```

가

```
@import "variables";
@import "colors";
@import "reset";

: "reset.scss" reset 가 .
```

SCSS Syntax (reset.scss)

```
html,
body,
ul,
ol {
    margin: 0;
    padding: 0;
}
```

```
"reset.scss" "standard.scss" .
: @import 가 ;
```

SCSS Syntax (standard.scss):

```
@import "reset";
body {
   font-family: Helvetica, sans-serif;
   font-size: 18px;
   color: red;
}
```

, "standard.css" , CSS .

CSS output (standard.css)

```
html, body, ul, ol {
```

http://rwiki.repia.com/ Printed on 2025/12/02 17:04

2025/12/02 17:04 3/4 Sass @import

```
margin: 0;
padding: 0;
}

body {
  font-family: Helvetica, sans-serif;
  font-size: 18px;
  color: red;
}
```

Sass Partials

```
, Sass .scss , (underscore)
Sass Sass Sass partials

partial Sass (leading underscore) .(ex, _globals.scss)
```

Sass Partial Syntax

Last update: 2022/03/10 19:52

From:

http://rwiki.repia.com/ - . - 2023.12

Permanent link:

http://rwiki.repia.com/doku.php?id=wiki:sass:sass_import&rev=1626871048

Last update: 2022/03/10 19:52



http://rwiki.repia.com/ Printed on 2025/12/02 17:04