

Sass Tutorial

- description : Sass Nested Rules and Properties
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-08

Ref

[Sass Nested Rules and Properties](#)

Sass Nested Rules




SCSS Syntax

```

nav {
  ul {
    margin: 0;
    padding: 0;
    list-style: none;
  }
  li {
    display: inline-block;
  }
  a {
    display: block;
    padding: 6px 12px;
    text-decoration: none;
  }
}

```



CSS Syntax

```

nav ul {
  margin: 0;
  padding: 0;
  list-style: none;
}

nav li {
  display: inline-block;
}

nav a {
  display: block;
  padding: 6px 12px;
  text-decoration: none;
}

```

Sass , CSS .

Sass Nested Properties

CSS font-family, font-size font-weight text-align, text-transform text-overflow (prefix)가 .

Sass CSS .

SCSS Syntax

```

font: {
  family: Helvetica, sans-serif;
  size: 18px;
  weight: bold;
}

text: {
  align: center;
  transform: lowercase;
  overflow: hidden;
}

```

Sass (transpiler) SCSS CSS :

CSS Output

```
font-family: Helvetica, sans-serif;  
font-size: 18px;  
font-weight: bold;  
  
text-align: center;  
text-transform: lowercase;  
text-overflow: hidden;
```

,, [Sass](#), [Nested](#), [Rules](#), and, [Properties](#)

From:

<https://rwiki.repia.com/> -

. - 2023.12

Permanent link:

https://rwiki.repia.com/doku.php?id=wiki:sass:sass_nesting



Last update: **2023/01/13 18:44**