

Querydsl

- description : Querydsl
- author :
- email : dhan@repia.com
- lastupdate : 2022-05-18

Intro

Case Study

Spring Boot QueryDSL

Term

Tip

```
@ManyToOne                (fetch = FetchType.LAZY)

Entity                    가

toString

Querydsl

Querydsl                    JQPL
use_sql_comments: true <- jqpl

count                    count, contents

                        Tuple        <-

                        leftJoin      .

                        :

                        :                    (from                    )

select                    가
```

```
from
1.      join      .(      가      가      )
2.      2      .
3. nativeSQL      .

SQL AntiPatterns ( )
가      가      .

      : select

Tuple      querydsl      .      repository      !!

@QueryProjection
Dto  Q File      (compile      )

      Predicate

      ,      ,      (Dirty Checking)
      DB      ,      가      ,      가
      가
incompatible read
em.flush();
em.clear();

      Transactional

sql function      (dialect      ,      )
```

```
      .      가
(      limit      )
Predicate      BooleanExpression      composition 가
DB      가
      가      .
```

JPA

- [\[QueryDsl\] Can not find symbol](#)

Troubleshooting

Ref

- [Querydsl Official Site](#)

- [Spring Boot](#) [QueryDSL](#)

, , [2013](#) , [2014](#)

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:spring:jpa:querydsl&rev=1664367275>

Last update: **2022/09/28 21:14**

