

Querydsl

- description : Querydsl
- author :
- email : dhan@repia.com
- lastupdate : 2022-05-18

Intro

Case Study

Spring Boot QueryDSL

Term

Tip

```

@ManyToOne                (fetch = FetchType.LAZY)
Entity                    가
toString
Querydsl

Querydsl                  JQPL
use_sql_comments: true <- jqpL

count                    count, contents

                        Tuple    <-
                        leftJoin  .

                        :

                        :                    (from                    )
select                  가

```

```

from
1.      join      .(      가      가      )
2.
3. nativeSQL      .

SQL AntiPatterns ( )
      가      가      .

      : select

Tuple      querydsl      .      repository      !!

@QueryProjection
Dto Q File      (compile      )

      Predicate

      ,      ,      (Dirty Checking)
      DB      ,      가      ,      가
      가
incompatible read
em.flush();
em.clear();

      Transactional

sql function      (dialect      ,      )

```

```

(      limit      )      가
Predicate      BooleanExpression      composition      가
DB      가
      가

```

JPA

```

(0      )
QuerydslPredicateExecutor(      )
      JPA가      Querydsl      (
)
      가      left join      가
*      가 Querydsl      (      Querydsl      가      )
Querydsl Web      (      )
      Predicate      가
      QuerydslBinderCustomizer      (가      가      )


```

```

가 Querydsl
QuerydslRepositorySupport
:
  EntityManager
: Querydsl 3.x
  from 가 (select가 )
  가 .

```

Querydsl ()




- [\[QueryDsl\] Can not find symbol](#)

Troubleshooting

Ref

- [Querydsl Official Site](#)
 - [Spring Boot QueryDSL](#)
- , , 2013 , 2014

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link: <http://rwiki.repia.com/doku.php?id=wiki:spring:jpa:querydsl&rev=1664436238> 

Last update: **2022/09/29 16:23**