

Querydsl

- description : Querydsl
- author :
- email : dhan@repia.com
- lastupdate : 2022-05-18

Intro

Case Study

Spring Boot QueryDSL

Term

Tip

```
@ManyToOne                (fetch = FetchType.LAZY)

Entity                    가

toString

Querydsl

Querydsl                    JQPL
use_sql_comments: true <- jqpl

count                    count, contents

                        Tuple        <-

                        leftJoin      .

                        :

                        :                    (from                    )

select                    가
```

```
from
1. join .( 가 가 )
2. 2 .
3. nativeSQL .

SQL AntiPatterns ( )
가 가 .

: select

Tuple querydsl . repository !!

@QueryProjection
Dto Q File (compile )

Predicate

, , (Dirty Checking)
DB , 가 , 가
가
incompatible read
em.flush();
em.clear();

Transactional

sql function (dialect , )
```

```
. 가
( limit )
Predicate BooleanExpression composition 가
DB 가
가 .
```

```
JPA

(0 )
QuerydslPredicateExecutor( )
JPA가 Querydsl (
)
가 left join 가
* 가 Querydsl ( Querydsl 가 )
Querydsl Web (
Predicate 가
QuerydslBinderCustomizer (가 가 )
```

가 Querydsl

QuerydslRepositorySupport

:

EntityManager

: Querydsl 3.x

from (select가)
가 .

Querydsl ()

- [\[QueryDsl\] Can not find symbol](#)

Troubleshooting

Ref

- [Querydsl Official Site](#)
- [Spring Boot QueryDSL](#)

, , 2013 , 2014

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:spring:jpa:querydsl&rev=1673603051>



Last update: **2023/01/13 18:44**