

# JSTL

- description : JSTL
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-19

## Rule

```
<c:if test='${"string" eq name }'></c:if>
```

```
<td>${entry.key.class }</td>
```

single 가	quotation	string	double quotation	.
{	},	space	.	.

## c:out

[\[JSP\] JSTL c:out](#)

## Choose

[\[JSTL\]choose when, otherwise](#)

## Length

List Size

```
<%@ taglib uri="http://java.sun.com/jsp/jstl/functions" prefix="fn" %>
${resultList.size } X
${fn:length(resultList) } 0
```

## Map

LIST

```
<c:forEach var="entry" items="${resultMap }" varStatus="status">
<tr>
```

```

        <td>${entry.key }</td>
        <td>${entry.value }</td>
        <td>${entry.key.class }</td>
    </tr>
</c:forEach>

```

1

```
<c:out value='${resultMap["${key}"]}' />
```

2

```

<c:set var='idAsString'>${resultInfo.id }</c:set>
<c:out value='${resultMap[idAsString].id }' />

```

JSTL MAP , (KEY )

## Test

[JSTL] eq, ne, empty eq

```

null: <c:if test='${ null eq name }'></c:if>
      : <c:if test='${ 0 eq name }'></c:if>
      : <c:if test='${ 'string' eq name }'></c:if>

```

ne or !=

```

null: <c:if test='${ null ne name }'></c:if>
      : <c:if test='${ 0 eq name }'></c:if>
      : <c:if test='${ "string" eq name }'></c:if>

```

empty

```

      : <c:if test='${empty map }'></c:if>
      : <c:if test='${!empty map }'></c:if>

```

## Tip

## Trouble shooting

## Ref

- [34] JSTL core : [<c:set>](#) [<c:remove>](#)
- JSTL c tag [eq, ne null check](#)

, [JSTL](#), [jstl](#)

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:spring:jstl&rev=1585615606>



Last update: **2022/03/10 19:52**