

# Mybatis( ) ,

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-01-31

## mapper.xml

SELECT

```
<select id="boardList" resultType="BoardDto" useCache="true">
  select * from tbl_board order by pos asc
</select>
```

resultType .

UPDATE

```
<update id="readCount" parameterType="int">
  update tbl_board set count = count + 1 where seq = #{seq}
</update>
```

parameterType .

DELETE

```
<delete id="deleteBoard" parameterType="map">
  delete from tbl_board where seq=#{seq} and password=#{storPass}
</delete>
```

parameterType .

MYBATIS DB

INSERT

```
<INSERT id="insertStudents" useGeneratedKeys="true" keyProperty="id"
parameterType="Student">
  INSERT INTO Students ( name, email )
  VALUES ( #{name}, #{email} )
</insert>
```

selectKey 가

```

<INSERT id="insertStudents" parameterType="Student">
  <selectKey keyProperty="id" resultType="int" ORDER="BEFORE">
    SELECT SEQ_ID.nexyval FROM DUAL
  </selectKey>
  INSERT INTO Students
  (id, name , email)
  VALUES
  (#{id}, #{name}, #{email})
</insert>

```

[Mapper XML](#)

[mybatis insert/update](#)

[가](#)

[myBatis parameterType="String"](#)

## (Batch) /

[\[Mybatis/MariaDB\] foreach](#)

[\[Java / Mybatis\]](#)

[\(Batch\)](#)

[/](#)

[Insert](#)

[\(Insert/Update\)](#)

## choose

[\[Mybatis\] if else](#)

## Null (ibatis )

Mybatis

```

<if test="stringProperty != null">
</if>

```

ibatis

```

<isNotNull property="stringProperty">
</isNotNull>

```

[mybatis ibatis](#)

[ibatis to mybatis](#)

[MyBatis 가](#)

# ResultHandler

[\[Excel POI\] Mybatis ResultHandler](#)

## ResultType & ResultMap

[\[MyBatis\] resultMap](#)    [resultType \(resultClass\)](#)

### Test

Mybatis if

<if />    ...

### Tip

- DBCP

<property name="initialSize" value="0"/>

```

<property name="maxActive" value="8"/>
<property name="maxIdle" value="8"/>
<property name="minIdle" value="0"/>
<property name="maxWait" value="-1"/>

```

initialSize:	0
maxActive:	8
maxIdle:	8
minIdle:	0
maxWait:	-1

# Troubleshooting

DAO VO가 SQL

pom.xml mybatis, mybatis-spring

## Ref

- [mybatis-spring](#) - dataSource (DBCP)
  - [mybatis parameterType="String"](#)
  - [Mybatis, Dynamic SQL](#)
- [mybatis](#), [eleven](#), [mybatis](#)

From:  
<https://125.132.25.164/dokuwiki/> -  
2023.12

Permanent link:  
<https://125.132.25.164/dokuwiki/doku.php?id=wiki:spring:mybatis>

Last update: **2023/01/13 18:44**

