2025/12/13 05:07 1/3 temp

```
TB_ORGAN
CREATE CACHED TABLE "PUBLIC"."TB_ORGAN"(
    "OFCFS_CODE" VARCHAR(16),
    "OFCPS_NM" VARCHAR(100),
    "DEPT_CODE" VARCHAR(16),
    "DEPT_NM" VARCHAR(100),
    "USER_NM" VARCHAR(100),
    "OFFM_TELNO" VARCHAR(32),
    "EMAIL" VARCHAR(100),
    "JOB_DC" CLOB,
    "ORDR" NUMBER
);
```

java -Dlogback.configurationFile=resources/logback.xml -cp .:./resources/ jar openapiclient-0.0.1-SNAPSHOT.jar HRD ORGAN refresh

```
api.properties :
# 1. key = value
# 2. key
                        가, value
                       가, value
 3. key
#
              기
                            フト( '\'
                                                             '\\'
  4.
                           : '\\' or '/' ('\'
  5. Windows
 6. Unix
#
#
 7.
              #
                      가
 8. value
trim()
                     properties
database.type=h2
database.driver=org.h2.Driver
database.jdbcurl=jdbc:h2:tcp://127.0.0.1:9092/~/rsa41
database.user=sa
database.password=fpvldk!@#
ORGAN.table=TB ORGAN
```

```
logback.xml
<?xml version="1.0" encoding="UTF-8"?>
<!--
[Layout]
%m :
%p : trace > debug > info > warn > error priority
%c: ) 가 a.b.c
                                     %c{2} b.c가
%n :
                          기
                                  \cdot \setminus r \setminus n \setminus n
%d:
      フト
                                                          .)
 ) %d{HH:mm:ss} %d{dd MMMM yyyy HH:mm:ss}
%C:
```

```
가 org.apache.xyz.SomeClass
                                                      %C{2} xvz.SomeClass →
%M:
                 method
%F :
%1:
                 caller
%L:
                  caller
%X :
                 thread
                                NDC(nested diagnostic context)
                               MDC(mapped diagnostic context)
%X :
                 thread
%%:%
              기
%t:
- ->
<configuration scan="true" scanPeriod="30 seconds">
   <appender name="ROLLING"</pre>
class="ch.qos.logback.core.rolling.RollingFileAppender">
        <rollingPolicy</pre>
class="ch.gos.logback.core.rolling.TimeBasedRollingPolicy">
            <!-- rollover daily -->
            <fileNamePattern>logs/openapiclient-%d{yyyy-MM-
dd}.%i.log.zip</fileNamePattern>
            <timeBasedFileNamingAndTriggeringPolicy</pre>
class="ch.qos.logback.core.rolling.SizeAndTimeBasedFNATP">
                <!-- or whenever the file size reaches 100MB -->
                <maxFileSize>100MB</maxFileSize>
            </timeBasedFileNamingAndTriggeringPolicy>
        </rollingPolicy>
        <encoder>
            <pattern>%d{HH:mm:ss.SSS} %-5level %logger{36} -
%msg%n</pattern>
        </encoder>
    </appender>
    <appender name="STDOUT" class="ch.qos.logback.core.ConsoleAppender">
        <layout class="ch.qos.logback.classic.PatternLayout">
            <Pattern>%d{HH:mm:ss.SSS} [%-5level] - %msg%n</Pattern>
        </layout>
    </appender>
   <!-- Loggers -->
   <le><logger name="org.apache.catalina" level="ERROR">
   </logger>
   <le><logger name="org.apache.commons" level="ERROR">
    </logger>
   <le><logger name="org.springframework" level="DEBUG" >
    </logger>
   <le><logger name="java.sql" level="DEBUG">
    </logger>
    <le><logger name="org.mybatis.spring" level="DEBUG">
```

http://rwiki.repia.com/ Printed on 2025/12/13 05:07

2025/12/13 05:07 3/3 temp

From:

http://rwiki.repia.com/ -2023.12

Permanent link:

http://rwiki.repia.com/doku.php?id=wiki:user:dhan:temp&rev=1630413957



