

CBD

- [Component-Based Development,]
-

CD

- [Continuous Deploy or Delivery]
- 가 가
-
- [CI/CD ?](#)

CDN

- Content Delivery Network Content Delivery Network
-
- 가
-
- html css, javascript 가
- 가 , 가 가 .Bootstrap jQuery 가 CDN 가 CDN
- 가 .

CDO

- CDO (Chief Data Officer,)
-
-

CI

- [Continuous Integration,]
-
-

-
-

CLI

- CLI (Command Line Interface,)
-

COO

- COO (Chief Operating Officer,)
-
-

CPO

- [Chief Privacy Officer,]
-
-
-

CTO

- CTO (Chief Technology Officer,)
-
-

E

EDA

- Exploratory Data Analysis,
- ()

F

FaaS

- Function as a Service, 가
- (serverless)
- FaaS

Favicon []

- favorite + icon
- .

FOUC

- Flash Of Unstyled Content
- CSS 가
- ,

FP

- Function Point,
-
-

G

G-

- IT ,

GNU

- [GNU's Not Unix]
- GNU's Not Unix, “GNUs 가 ”
- GNU : ' 가 ' FSF(Free Software Foundation, GPL(General Public License) .

GoF, Gang of Four

- Design Patterns: Elements of Reusable Object-Oriented Software 4 - (Erich Gamma), (Richard Helm), (Ralph Johnson), (John Vlssides) -
- Design Patterns 가 23 . C++ , Smalltalk .

GPL

- [General Public License]
 - GNU FSF() GPL .FSF GNU GPL 가
- 1.
 - 2.
 - 3.
 - 4.
 5. GPL .

I

IEEE

- Institute Electrical and Electronics Engineers (人

- (
-
- 가

ISTQB

-
- [International Software Testing Qualification,]
- ISTQB 가 ISTQB
- Ref [ISTQB](#)

J

JPA

- Java Persistence API, API
- ORM , JAVA API .
-
- JPA 가 Hibernate() .

JSON

- Javascript Object Notation
-
- XML, JSON 가 가 ,
- JSON .
- ' ' ' ' ' ' .

K

KERIS

- Korea Education and Research Information Service

-
- , 가

KIER

- Korea Institute of Energy Research []

KRISS

- [Korea Research Institute of Standards and Science]
- 가 가 ,
- 가 , 가 ,
- / 가 (CRM) . , ,
- 가 , .

KSTQB

-
- Korean Software Testing Qualifications Board
- 2005 ISTQB

KVM

- Keyboard, Video Monitor, Mouse
- , , KVM
- , KVM
- , KVM
- , KVM

L

LMS

- LMS, Learning Management System,
-
-

가

M

MDB

- Microsoft Access Database
- Microsoft Access ()

MINIST

- [Modified National Institute of Standards and Technology database]
- []
-

MSE

- [Mean Squared Error]

RMSE

- [Root Mean Squared Error]

MAC Address

- Media Access Control Address
- () , PC
- 16 , 6 (XX-XX-XX-XX-XX-XX) . MAC
- 0~9 , A~F
- 6 3 , OUI(Organizational Unique Identifier) 3
- ref (mac address)

MVC

- Model, View, Controller
- 가
- Model
 - 가 .
 - , 가
 - , , , ,
 - 가
 - 1. 가 가 .
 - 2. .
 - 3. , .
- View
 - , , UI .
 - input , .
 - , .
 -
 - 1. 가 .
 - 2. .
 - 3. , .
- Controller
 - .
 - (,)
 -
 - 가 , “ ”
 - 1. .()
 - 2. .
 - 3. 가 .

- Ref
 - - - (Model-View_Controller MVC)
 - MVC

N

N/A

- not available not applicable [,]
-

NaN

- Not a Number
- . . .

NIST

- [National Institute of Standards and Technology]
- - , ,

NCS

- 가 [NCS, National Competency Standards ,]
- , , 가가

NCSA

- [National Center for Supercomputing Applications]
- ,
-
- .

- FTP .

NIPA

- National It Industry Promotion Agency,

NLP

- NLP, Natural Language Processing,
-
- (Natural Language) 가
- , , , (,) ,
- 가 .

NPM

- Node Package Manager,
-
- 가 .
- [npm-Build amazing things](#)

O

OCR

- Optical Character Recognition,
-

OOP

- Object-Oriented Programming,
-
-

ORM

- Object Relational Mapping,

-

가

“가 ”

OSS

- Open Source Software,

-

OTT

- Over The Top

-

3

- Top TV

,

TV

-

가 가

, PC,

,

- OTT

TV

,

,

, UGC (User Generated Contents)

P

PID

- Process Identifier (

,

)

ping

- [Packet Internet Grouper]

-

-

가

-

R

REPL

- [Read-Eval-Print Loop]
- 가() ,
- 가(,) , 'REPL(Read-Eva-Print Loop)'
- + (가) + +

REST API

- REST API, RESTful API,
- REST
- Representational State Transfer
- REST API (RESTful API, API) ?

S

SASS

- Syntactically Awesome Style Sheets
- CSS pre-processor(-) CSS CSS (Extension) 가
- Sass ,

SCSS

- Sassy CSS [CSS]
- CS, Sass CSS 가
- Sass SCSS

SRP

- Single Responsibility Principle,
-

SSL

- Secure Sockets Layer,
-

SWRL

- Semantic Web Rule Language []

T

TCP

- Transmission Control Protocol
- IP ,
- , (Full Duplex) 가 ,

TDD

- [Test Driven Development,]
- 가 .
- , . TDD .(:)

TFT

- Task Force Team

-

TLS

- Transport Layer Security,
-
- (SSL, Secure Socket Layer)가
- 가 , 가

TUI

- Text-based User Interface, ,
-
- CLI 가 GUI

U

UAT

- User Acceptance Testing,
- 가 가 가 가 가

UDP

- User Datagram Protocol
- ,

UUID

- [Universally Unique IDentifier,]

- ()

UML

- [Unified Modeling Language,]
- .

V

VCS

- Version Control System :

W

WAR file

- [Web Application Resource or Web application ARchive]
- , JAR-files, JavaServer Pages, Java Servlets, Java classes, XML , (HTML)

WHATWG

- Web Hypertext Application Technology Working Group,
- HTML
- 4 (, , ,)
- (living) HTML .

, [abbr](#), [wordbook](#)

From:
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:
<http://rwiki.repia.com/doku.php?id=wiki:user:emblem98:abbr&rev=1621848877>

Last update: **2022/03/10 19:52**

