





- 
- 

## CLI

- CLI ( Command Line Interface, )
- 

## COO

- COO ( Chief Operating Officer, )
- 
- 

## CPO

- [Chief Privacy Officer, ]
- 
- 
- 

## CTO

- CTO ( Chief Technology Officer, )
- 
- 

## E

### EDA

- Exploratory Data Analysis,
- ( )
- John Tukey ( , )



# F

## FaaS

- Function as a Service, 가
- (serverless)
- FaaS

## Favicon [ ]

- favorite + icon
- .

## FOUC

- Flash Of Unstyled Content
- CSS 가
- ,

## FP

- Function Point,
- 
- 

# G

## G-

- IT ,

## GNU

- [GNU's Not Unix]
- GNU's Not Unix, “GNUs 가 ”
- GNU : ' 가 ' , FSF(Free Software Foundation, GPL(General Public License) .

## GoF, Gang of Four

- Design Patterns: Elements of Reusable Object-Oriented Software 4 - (Erich Gamma), (Richard Helm), (Ralph Johnson), (John Vlssides) -
- Design Patterns 가 23 . C++ , Smalltalk .

## GPL

- [General Public License]
- GNU FSF( ) GPL .FSF GNU GPL 가

- 1.
- 2.
- 3.
- 4.
5. GPL .

## I

## IEEE

- Institute Electrical and Electronics Engineers ( )
- (
- 가

## ISTQB

- [International Software Testing Qualification, ]
- ISTQB 가 ISTQB
- Ref [ISTQB](#)

## J

### JPA

- Java Persistence API, API
- ORM , JAVA API .
- JPA 가 Hibernate( ) .

### JSON

- Javascript Object Notation
- XML, JSON 가 가 ,
- JSON .

## K

### KERIS

- Korea Education and Research Information Service
- , 가



가

# M

## MDB

- Microsoft Access Database
- ( ) Microsoft Access ( )

## MINIST

- [Modified National Institute of Standards and Technology database]
- [ ]
- ,

## MSE

- [ Mean Squared Error ]

## RMSE

- [ Root Mean Squared Error ]

## MAC Address

- Media Access Control Address
- ( ) , PC
- 16 , 6 (XX-XX-XX-XX-XX-XX) . MAC
- 0~9 , A~F
- 6 3 , OUI(Organizational Unique Identifier) 3
- ref (mac address)

# MVC

- Model, View, Controller

- , 가

- Model

- 가 . 가
- , 가 , , ,
- , 가 , , ,
- 가 가
- 1. 가 가 .
- 2. .
- 3. , .

- View

- , , UI .
- input , .
- , .
- 
- 1. 가 .
- 2. .
- 3. , .

- Controller

- . ( , )
- ( , )
- 가 , “ ”
- 1. .( )
- 2. .
- 3. 가 .

- Ref

- - - (Model-View\_Controller MVC)
- MVC

# N

### N/A

- not available not applicable [ , ]
- 

### NaN

- Not a Number
- 

### NIST

- [National Institute of Standards and Technology]
- 

### NCS

- 가 [NCS, National Competency Standards , ]
- , 가가

### NCSA

- [National Center for Supercomputing Applications]
- 
- 
- 
- FTP

### NIPA

- National It Industry Promotion Agency,







## PWA

- Progressive Web App [ ]
- 

## R

### R&I

- Research and Innovation,

### REPL

- [Read-Eval-Print Loop]
- 가( ) ,
- , 가( , ) , 'REPL(Read-Eva-Print Loop)'
- + ( 가) + +

### REST API

- REST API, RESTful API,
- REST
- Representational State Transfer
- [REST API \(RESTful API, API\) ?](#)

## S

### SASS

- Syntactically Awesome Style Sheets
- CSS pre-processor( - ) CSS (Extension) 가
- [Sass](#) ,

## SCSS

- Sassy CSS [ CSS ]
- CS, Sass CSS 가
- Sass SCSS

## SEO

- [Search Engine Optimization, ]
- 
- 
- 

## SEM

- [Search Engine Marketing, ]
- 가 (SERP, Search Engine Results Pages) SEO
- 가 ,

## SI

- [System Integration, ]
- , 가

## SM

- [System Management, ]
- , SI

## SPA

- Single Page Application,
- . SPA

HTML

(

X),

JSON

- SPA

## SRE

- Site Reliability Engineering,
- ,
- 
- 가
- 

## SRP

- Single Responsibility Principle,
- 

## SSL

- Secure Sockets Layer,
- 

## STT

- Speech To Text
- 가 ,
- (Speech Recognition)

## SWRL

- Semantic Web Rule Language [ ]

# T

## TCP

- Transmission Control Protocol
- IP
- (Full Duplex) 가 ,

## TDD

- [Test Driven Development, ]
- 가 .
- . TDD .
- .( : )

## TFT

- Task Force Team
- 

## TLS

- Transport Layer Security,
- 
- (SSL, Secure Socket Layer)가 .
- 가 , 가

## TUI

- Text-based User Interface, ,
- 
- CLI 가 GUI

# U

## UAT

- User Acceptance Testing, . , 가 가 가 가 . 가
- . , .

## UDP

- User Datagram Protocol
- . , .

## UUID

- [Universally Unique Identifier, ]
- ( )

## UML

- [Unified Modeling Language, ]
- .

# V

## VCS

- Version Control System :

# W

