

Agile Software Development

-
-
-
- 1 4 가 .
- ref 가 가 .

Boilerplate code

- boilerplate code() boilerplate() .

[Cloud Native]

- ,
- 가 ,

Dead Link

- (broken link) (dead link) . 가 가 가 가 DNS 가 404 .
- ,

Design Pattern,

- . , . (:) ,

2.

logging []

Interpreter []

(interpreter) 가 .

meme

- (Internet Meme) (Meme)
-

Proxy Server []

- 가
- (Proxy) , 가
- 가
- 가
-
- (Proxy Server)

pseudo-code[]

- (疑 / 似 | Pseudo : 가) 가 (
-)
-

QD, Quantum Dot []

- [量子點] wlfmadl 2~10nm(: 10 1m)

- [\[100% \]](#)

Refactoring [100%]

- [\[100% \]](#)
- [\[100% \]](#) 가 가

Sandbox [100%]

- [\[100% \]](#)
- [ITWorld](#) | [\(SandBox\)](#)

Snippet

- [\[100% \]](#)
- [\[100% \]](#) 가 가
- [\[100% \]](#) 가 , , .() 가

SOLID

- [\[100% \]](#) 가 가
1. S : SRP [Single Responsible Principle,]
 - [\[100% \]](#) 가
 2. O : OCP [Open/Closed Principle, -]
 - [\[100% \]](#) .
 3. L : LSP [Liskov-substitution Principle,]
 - [\[100% \]](#) .
 4. I : ISP [Interface Segregation Principle,]
 - [\[100% \]](#) 가 .
 5. D : DIP [Dependency Inversion Principle,]
 - [\[100% \]](#) “ ”

tokenizer []

- tokenization [] : Token() .
- Token 가 .

Use Case

- , 가
- .
- ,
- ref (Use Case)

Upper Case, Lower Case

- Uppercase [] : = capital letter []
- Lowercase [] : = small letter []
- upper case, lower case

Wireframe

- UI
- PENCIL PROJECT

, IT,

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:user:emblem98:terms&rev=1612487470>



Last update: **2022/03/10 19:52**