Agile Software Development

-
-

-

- 1 4 .
  .
- ref

Boilerplate code

- boilerplate code(   )   boilerplate(   )
  .

[Cloud Native]

- ,
- ,

Dead Link

- _____(broken link)   _____(dead link)
  .
                                                              404   .
                                          DNS   .
  ,
-

Design Pattern,

-   .
  ,
      .(:   )

Docker

- Container-based Virtualization System [   ]
-

FinOps [   ]

- Financial Operation   -
-                              ,   ,
                              .   ,
        .
-   ,   ,   .
-   ...'   '

Framework

- "   ”
                                                                              .

Functional Programming

-                          ,
-   ,
              .   .
                                                                              .   ,
                                                            x   f
          f(x)   .(:   )

GraphQL

- Graph Query Language
- Server API   Query Language
- GraphQL API   Endpoint   .
- GraphQL API   Query   .

IEEE 754

- IEEE . + O, -O
    (Infinity), NaN (Not a Number)
        .

In-Memory Computing

-
- (system of record)

- , (stash)

- stash[- : ( ) [ ]
-

log [,]

1. , , , ,
    ,
    , .
2.
    . , .

logging [ ]

Interpreter [ ]

    .
    (interpreter) .

meme

- (Internet Meme) (Meme)
-

Proxy Server [   ]

-
-           (Proxy)   '   '
-

-
-
-                      (Proxy Server)

pseudo-code[   ]

-     (/ | Pseudo :   )
-   (
)   .
-

QD, Quantum Dot [   ]

-         [   ]   wlfmadl 2~10nm(: 10   1m   ]
                 ,
-

Refactoring [   ]

-   .
-
          .

REST, RESTful

- REST : REpresentational State Transfer
-      Resource(, User,...)   Endpoint   ,   Endpoint   Resource

-      REST   API   RESTful API   ,   API
  RESTful   .
- GraphQL   RESTful API

Sandbox [　　　　　]

-
  - [ITWorld　　　|　　　(SandBox)](#)

Snippet

-
-
  　　　　　　　　　　　　　　　　.
- 　　　　　　　　　,　　　,　　　　　　　　　　　　　　　　　　　　　　　　　.
  　　　　　　　　　　　　　　　　　　　　　.(　　　　　　)

SOLID

-

1. S : SRP [Single Responsible Principle,　　　　　　　　　]
   ○　　　　　　　　　　　　　　　　　　.
2. O : OCP [Open/Closed Principle,　　-　　　　]
   ○　　　　　　　　　　　　　　　　　　　　　　　.
3. L : LSP [Liskov-substitution Principle,　　　　　　　　]
   ○
   　　.
4. I : ISP [Interface Segregation Principle,　　　　　　　]
   ○　　　　　　　　　　　　　　　　　　　　　.
5. D : DIP [Dependency Inversion Principle,　　　　　　]
   ○ "　　　　　　　　　　　　　　　　　　"

tokenizer [　　　　　　]

- tokenization [　　　　　　] :
- 　　　　　　　　　　,　　　　　　Token(　　)　　　　　　　　　　　　.
- Token　　　　　　　　　　　　　　　　　　　.

Use Case

-
- 　　　　　　　　　　　　　　　　　　,

-
- ref   (Use Case)

Upper Case, Lower Case

- Uppercase [   ] :   = capital letter [   ]
- Lowercase [   ] :   = small letter [   ]
-               upper case,   lower case

Wireframe

-
-                UI
- PENCIL PROJECT

  , IT,