

Agile Software Development

-
-
-
- 1 4 가 .
- ref 가 가 .

Boilerplate code

- boilerplate code() boilerplate() .

[Cloud Native]

- ,
- 가 ,

Dead Link

- (broken link) (dead link) 가 가 가 DNS 가 404 .
- ,

Design Pattern,

- . , . (:) ,

Docker

- Container-based Virtualization System []
- 가

FinOps []

- Financial Operation -
- , , 가
- .
- , ,
- ... ' ' .

Framework

- “ 가 ”

Functional Programming

- , 가
- ,
- .
- x f ' ,
- f(x) 가 .(:)

GraphQL

- Graph Query Language
- Server API
- GraphQL API Endpoint Query Language
- GraphQL API Query 가 .

Hang

- hang freeze System hang ,
가 .
- () , ,
- System Hang Panic

IEEE 754

- IEEE 가 . +0, -0
(Infinity), NaN (Not a Number)

In-Memory Computing

-
- (system of record)
- , (stash)
- stash[- : () []
- 가

log [,]

1. , , , , ,
2. , .

logging []

Interpreter []

(interpreter) 가 .

- Resource(, User,...) Endpoint , Endpoint Resource
- REST API RESTful API , API
- GraphQL RESTful API

Sandbox []

- ITWorld | (SandBox)

Snippet

- 가
- 가
- 가 , , .() 가

SOLID

- 가 가

1. S : SRP [Single Responsible Principle,]
 - 가 .
2. O : OCP [Open/Closed Principle, -]
 - .
3. L : LSP [Liskov-substitution Principle,]
 - .
4. I : ISP [Interface Segregation Principle,]
 - 가 .
5. D : DIP [Dependency Inversion Principle,]
 - “ ”

tokenizer []

- tokenization [] :
- , Token() .
- Token 가 .

Use Case

-
- , 가
-
- ref (Use Case)

Upper Case, Lower Case

- Uppercase [] : = capital letter []
- Lowercase [] : = small letter []
- upper case, lower case

Wireframe

-
- UI
- PENCIL PROJECT

, IT,

From:
<http://rwiki.repia.com/> - . - 2023.12

Permanent link:
<http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:terms&rev=1620609842>

Last update: 2022/03/10 19:52

