

Agile Software Development

-
-
-
- 1 4 가 .
- ref 가 가 .

Boilerplate code

- boilerplate code() boilerplate() .

[Cloud Native]

- ,
- 가 ,

Dead Link

- (broken link) 가 (dead link) 가 . 가 DNS 가 404 .
- ,

Design Pattern,

- .(:) ,

Docker

- Container-based Virtualization System []
- 가

FinOps []

- Financial Operation -
- , , 가
- , , 가
- ...!

Framework

- “ 가 ”

Functional Programming

- , 가
- , 가
- $f(x)$ 가 $(:)$ x f

GraphQL

- Graph Query Language
- Server API
- GraphQL API Endpoint Query Language
- GraphQL API Query 가

Hang

meme

- (Internet Meme) (Meme)
-

Proxy Server []

- 가
- (Proxy) 가
- 가
- 가
-
- (Proxy Server)

pseudo-code[]

- (疑 / 似 | Pseudo : 가) 가 (
-)
-

QD, Quantum Dot []

- [量子點] wlfmadl 2~10nm(: 10 1m)
-

Refactoring []

- 가
- 가

REST, RESTful

- REST : REpresentational State Transfer

- Resource(, User,...) Endpoint , Endpoint Resource
- REST API RESTful API , API
- GraphQL RESTful API

Sandbox []

- ITWorld | (SandBox)

Snippet

- 가 가
- 가 , , .() 가

SOLID

- 가 가
1. S : SRP [Single Responsible Principle,]
 - 가 .
 2. O : OCP [Open/Closed Principle, -]
 - .
 3. L : LSP [Liskov-substitution Principle,]
 - .
 4. I : ISP [Interface Segregation Principle,]
 - 가 .
 5. D : DIP [Dependency Inversion Principle,]
 - “ ”

Statically typed Language ()

(Statically typed Language)

가

가
Java, C, C++, C#, Scala, Fortran, Haskell, ML, Pascal

:

가

:

Dynamically typed Language ()

(Dynamically typed Language)

tokenizer []

- tokenization [] :
- , Token()
- Token 가

Use Case

- , 가
- , 가
- ref (Use Case)

Upper Case, Lower Case

- Uppercase [] : = capital letter []
- Lowercase [] : = small letter []
- upper case, lower case

Wireframe

-

- UI
- [PENCIL PROJECT](#)

, [IT](#),

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:terms&rev=1621300200>



Last update: **2022/03/10 19:52**