

Agile Software Development

- -
 -
 -
 - ref

Boilerplate code

- boilerplate code() boilerplate()

Brute force attack

- •
•
IP

Local Brute Force Protection

가

Newwork Brute Force Protection

11

Cloud Native

Dead Link

Design Pattern,

Docker

- Container-based Virtualization System []
 - 가

FinOps []

- Financial Operation
 - , , , , 가
 - , , , ,
 - , , , ,

Framework

Functional Programming

- ,
• , 가

GraphQL

- Graph Query Language
 - Server API
 - GraphQL API
 - GraphQL API

Query Language
Endpoint
Query
가

Hang

- hang freeze System hang
가
 - () ,
 - System Hang Panic

HTS

- Home Trading System
 - PC

IEEE 754

- IEEE 가 . +0, -0
(Infinity), NaN (Not a Number)

In-Memory Computing

- (system of record)
 - , (stash)
 - stash[- : () []
• 가

Kanban[,]

> Kanban .\\
(看板) , (가 “
Kanban , “ ” ,
kaizen(, 改善()) , keiretsu(, 系列()) 3-K ,
. (: Naver)

* Ref Link Kanban ?

log [, **]**

logging []

Interpreter []

가
(interpreter)

meme

- (Internet Meme) (Meme)
-

Memory DataBase ()

- RDBMS(Relational Database Management System,)
-

MTS

- Mobile Trading System
-

Proxy Server []

- 가
- (Proxy) 가
- 가
- 가
- (Proxy Server)

pseudo-code[]

- (疑 / 似 | Pseudo : 가) 가 ()
-
-

QD, Quantum Dot []

- [量子點] wlfmadl 2~10nm(: 10 1m)

Refactoring []

-
- 가 가

REST, RESTful

- REST : REpresentational State Transfer
- Resource(, User,...) Endpoint , Endpoint Resource
- REST API RESTful API , API
- RESTful
- GraphQL RESTful API

RTDB

- Real Time DataBase,
-
- (RDB, Relation DataBase)'

Sandbox []

-
- ITWorld | (SandBox)

Snippet

-

- 가 가
- 가 , , .() 가

SOLID

- 가 가
- 1. S : SRP [Single Responsible Principle,]
 - 가
- 2. O : OCP [Open/Closed Principle,]
 -
- 3. L : LSP [Liskov-substitution Principle,]
 -
- 4. I : ISP [Interface Segregation Principle,]
 - 가
- 5. D : DIP [Dependency Inversion Principle,]
 - “ ”

Statically typed Language ()

(Statically typed Language)

가

가

Java, C, C++, C#, Scala, Fortran, Haskell, ML, Pascal

Dynamically typed Language ()

(Dynamically typed Language)

tokenizer [

- tokenization [] :
• , Token()
• Token 가

Use Case

Upper Case, Lower Case

- Uppercase [] : = capital letter []
 - Lowercase [] : = small letter []
 - **upper case, lower case**

Wireframe

- -
 - **PENCIL PROJECT**

, IT,

From: <http://rwiki.repia.com/> -

· - 2023.12

Permanent link:

<http://rwiki.requia.com/doku.php?id=wiki:user:emblim98:terms&rev=1666846325>

Last update: **2022/10/27 13:52**

