

# A

a bunch of :

a collection of : ~

a range of :

abbreviate [  $\in$  ] : ~ ,

abbreviated [ ] :

abide by [ ] : ~ [ , ]

abort [  $\in$  ] : [ ] , , ( )

absent [  $\in$  ] :

above : [ ] [ ] [ ]

accessor [ ] :

active :

adjacent [  $\in$  ] : , 가 ,

administration [ ] = admin : , [ ]

afresh [ ] :

aggregate [ ] : , , ,

aggregation [ ] : , , ,

aggregator [ ] :

agile [ ' / ] : , ,

algebra [ ] :

all at once : , [ ]

allow for A : A [ , ] , A [ ]

alternate [ ] : [ ]

alternatively [ ] : , (... ) (instead)

anchor [ ] : , , , , ~

ancillary [ ] :

annotation [ ] :

anonymous [ ] :

anon [ ] :

1. , ,

2. anonymous [ ]

append [ ] : ~ , 가

applicable [ ] :

application [ ] : ,

appropriate [  $\in$  ] : , , , ,

arbitrary [ ] : , , , ,

architecture [ ] : [ ] , , , ,

archive [ ] : , [ ] ,

argument [ ] :

arithmetic expression :

arity [ ] : 가 . (n-

ray) n . (degree) - : TTA  
 artefact = artifact [ ] : , ,  
 as it were : [ ]  
 as required = according to need :  
 ASAP [ ] : As soon as possible, 가  
 assemble [ ] : ( ) [ ] .  
 assert [ ] : , , ,  
 associate A with B : A B [ , , ] ,  
 assume [ ] : 가 , , [ ], ~ , ( , ) [ , ]  
 asynchronous [ ] : ( )  
 at most [ ] : ,  
 at scale [ ] :  
 at the end of the day : 가 (the most important thing), (ultimately)  
 atomic [ ] : , , , [ , ]  
 attribute [ ∈ ] : ,  
 augment [ ] : , 가  
 authoritative [ ] : , , ,  
 authority [ ] : \_\_\_\_\_, [ pl]  
 axiom [ ] : , 가 가 .

## B

backward = backwards [ ≅ ] : / ,  
 backwards compatibility :  
 be better off than before :  
 be concerned with A [ ] : A 가 . A .  
 behavior [ ] : ( ) , , , , ,  
 benign [ ~ ] : , , ,  
 • having no significant effect : harmless

best practice [ ] :  
 beware [ ] : ( ) [ ]  
 binary [ ] : 2 , 2  
 blank node [ ] : ( )  
 boilerplate [ ] : ( ) ,  
 boot [ ∈ ] : ( [가]) [ ]  
 bracket [ ] : ( ),  
 brevity [ ] : , ,  
 bring in : ~ 가  
 broadly [ ] : , , , , , ,  
 BTW : by the way,  
 building block :  
 by extension [ ] : 가



## C

cache [     ] : (                    ),  
 call :                    ,  
 callee :                    ,  
 canonical [                    ] : [     ]                    ,                    ,                    ,  
 canonicalization [                    ] :                    ,  
 capability [                    ] :                    ,                    ,  
 capitalize [                    ] : (                    )                    , (                    )                    ,  
 capture [     ] :                    [     ]                    ,                    ,                    ,                    ,  
 case :                    ,  
 case-sensitive [                    ≡ ] : (                    )  
 case-insensitive [                    ≡ ] :                    ,  
 cast [     ] : (                    ) , (                    )  
 caret [     ] :                    ( ^ ),  
 cascading [                    ] :                    ,                    ,  
 character [                    ] :                    ,  
 cheap :                    ,  
 claim [     ] :                    ,                    ,  
 coalesce [                    ] : (                    )                    ,                    , [     ]                    (                    )  
 coarse-grained [                    ] :                    ,                    ,                    (                    )  
 coercion [     ≡ ] :                    ,                    ,  
 cohort [                    ] : (                    )                    ,                    (                    )  
 command line application [                    ] :                    ,  
 commonplace [                    ] :                    ,                    /                    ,                    /                    ,  
 compactly [                    ] :                    ,  
 compatibility [                    ] : [     ]가                    , (                    )  
 compatible [                    ] :                    ,  
 complete [                    ] :                    ,  
 complication [                    ] : (                    ) , (                    )  
 compound [                    ] :                    ,  
 compute [                    } ] :                    ,  
 concatenate [                    ] : (                    ,                    )  
 concrete [                    ] :                    ,                    , [     ] ,  
 concurrent [                    ] :                    ,  
 condition : <                    > [     ]                    . ~                    . <                    > [     ]

configurable [                    ] :                    가  
 configure [                    ] : <                    ,                    >                    , ...                    .  
 configuration [                    ] :                    ,  
 conform [     ~ ≡ ] : (                    ,                    )                    , [     ] (to, with)  
 conformable [                    ] :                    ,                    ,                    ,  
 conformance [                    ] :                    ,                    ,  
 conformant [                    ] : (                    )                    ,                    -> conforming, conformable  
 consideration [                    ] :                    ,                    ,                    ,                    , [     ]  
 consistency [                    ] :                    ,  
 consolidate [                    ≡ ] :                    ,                    ,                    ,                    ,  
 constant [                    ] :                    ,                    ,                    ,                    ,                    ,                    /

constitute [  $\equiv$  ] :  
 constraint [ ] : ,  
 construct [  $\equiv$  ] : ,  
 consume [ ] : ~ [ ]  
 consumption [  $\pi$  ] : [ ] ( )  
 contextual [ ] : ( ) ,  
 contract [ ] : ,  
 contribute [  $\equiv$  ] : [ ] , [ ]  
 contiguous [ ] : , / ,  
 conundrum [ ] : , (=niddle)  
 conventional [ ] : , [ ] , ,  
 conversion [ ] : , , ,  
 corresponding [ ] : ~ [ ] , ,~  
 counterintuitive [ ] : ,  
 cover : ,  
 coverage [ ] : ( ) , , ( ) , craving [ ] : ,  
 credentials [ ] : , ,  
 cumbersome [ ] : , , ,  
 custom [ ] : , ,

## D

deadlock [ ] : ( ) , ( )  
 deep dive [ ] : ( )  
 de facto [ ] : [ ] [ ]  
 default [ ] : ( , , )/  
 deflation [ ] : , 가 , [가 ] ,  
 denote [  $\equiv$  ] : , .  
 depend on A [ ] : A , A , A  
 deployment [ ] : , , \_\_\_ (  )  
 describe [ ] : ( ) . ( ) ,  
 description [ ] : , , , ,  
 detail [ ] : / ,  
 detailed [ ] : ,  
 detrimental [ ] : (damaging), (to)  
 difference [ ] : ,  
 digestible [ ] : , , ,  
 direct : ~ ..  
 directed [ ] : , , —> ?  
 directed graph [ ] : < >  
 disparate [ ] : , , ,  
 distinct [ ] : [ ] , , ,  
 distinction [ ] : ( ) [ ] , , ,  
 distribution [ ] : \_\_\_ (  .exe ? )  
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,

document [ ] : ~ , ( )  
documentation [ ] : , , , , ,  
domain-specific [ ] : ( )  
dormant [ ] : (休止)  
double quote, double quotation marks :  
dry : , , ,  
dry stuff :  
dump [ ] :  
(copy)  
dungeon [ ] : ( ) ,  
duplicate [ ≡ ] : , / , ,  
duration [ ] : ,  
dwell on/upon A [ ] : A [ ], A [ ], A

### E

edge [ ㅅ ] : 가  
e.g.: ( exempli gratia[美 - / 英 - ]  
ellipse [ ] :  
embed : ~ , , ,  
enable [ ] :  
enclose [ ] : [ ] ,  
encode [ ] : ,  
encoding [ ] : ,  
endeavour[英] = endeavor [美] [ ] : , / , (to)  
endpoint [ ] : (線分 ) , ,  
ensure [ ] : ~ [ ] ,  
entail [ ] : , , ,  
entailment [ ] : , , ?  
entity [ ] : , , , , ,  
entry [ ] : , 가 , , , , ,  
equivalent [ ] : , 가 [ ] , , , , ,  
Equivalently [ ] : , , 가  
eradicate [ ≡ ] : , (=wipe out)  
error handler [ ] :  
ethnography [ ] : , 가  
  
evident [ ] : , ,  
excessive [ ] : ,  
executable [ ] : ( ) ,  
existentially [ ] :  
existing [ ] : ,  
explicit [ ( ) ≡ ] : , ,  
exponentiation [ ] :  
expressiveness [ ] : , , ,  
expressivity [ ] : , , , ,  
extension [ ] : , , ( ) ( ) , ( ) ( )  
extensive [ ] : , , ,  
external [ ] : , (...) , (to)

# F

facade [        ] : (        ) ,        ,        ,        ,        ,  
 fallback [     ] : (        ) ,        ,        ,        [     ]  
 feature [ ~ ] :        ,        ,        ,        ,        ,        ,  
 federate [        ≡ ] :        ,        ,        ,        ,        ,  
 feed [ ~ ] :        ,        ,        ,        ,        ,        ,  
 fetch [     ] : 가        [     /     ] , ( 가        )  
 fine grain [        ] :        ,        ,        ,        ,        ,  
 fine-grained [        ] :        ,        ,        (        )  
 finite [        ] :        ,        ,        ,        ,        ,  
 first order logic : 1        [     ]  
 flag [     ] :        (        ,        ,        ,        )  
 flexible [        ] : changeable        , 가        ,        ,        ,  
 for now :        ,        ,        ,        ,        ,        ,  
 format [     ] : ~        /        ,        ,        ,        ,        ,  
 formulate [        ≡ ] : ~        [     ,        ]        [     ] , ~        [     ]  
 fragment [        ] :        ,        /        , XML  
 fraught [     ≡ ] :        ,        , ~        (with)  
 from scratch [        ] :        [     ] ,        ,        ,  
 frustration [        ] :        ,        ,        ,        ,        ,  
 function-like operators [        ] :        ,        ,        ,        ,  
 functionality [        ] :        (        )  
 further [     ] :        , 가        /        ,        , 가        ,        ,

# G

general-purpose language [        ] :        ,        ,        ,        ,        ,  
 generic [     ] :        ,        ,        (汎用)  
 get one's foot in the door :        , ~        (        )  
 given A : ~        , ~        가        , ~        , ~        가        , ~        ,  
 glyphicons [        ] :        ,        ,        ,        ,        ,        ,  
 glossary [     ~     ] :        ,        ,        ,        ,        ,        ,  
 go through : ~        [     ] ,        [     ] ,        [     ]  
 ground :        ,        ,        ,        ,        ,        ,

# H

hands-on [        ] : [        ] (        )        [     ]  
 hierarchy [        ] :        ,        ,        ,        ,        ,        ,

hipster [            ] : 1940

horizontal [            ] : (    ) , 가

how-to or howto :            ,            , (實用) /            ,

**I**

identifier [            ] :

idiom [            ] :            ,            ,

identical [            ] :            ,            (to/with sb/sth)

identify [            ] :

i.e. = id est [            ,            ] :            ,            ,

if not for = without = in the absence of sth/sb

if preferred [            ] :

illustrative [            ≡ ] :            (實例)가            ,

illustration [            ] : [            ] ,            ,            ,

immutable [            ] :            ,            ,

implementation [            ] :            ,            ,

implication [            ] : (            )            ,            ,            ,

implicit [            ≡ ] :            ,            ,            ,

impractical [            ] :            ,            ,            ,            ,            ,            ,  
가

in combination with A : A            [            ]

in conjunction with A : A

in favor of A : A            , A            [            ]

in line with A : A            , A            , A            , A            , A            , A

in no way : [            ] ~            (not ~ at all)

in place :            (    ) , 가            , 가            가            ,

in preference to A : A            , A

in response to A [            ] : A            [            ]

in the case of : ~            , ~            , ~            , ~

in turn :            ,

incompatible [            ] :            ,            ,            ,            ,

incorporate [            ≡ ] :            ,            , (            )            ,            ,

indentation [            ] :            ,            ,

indeterminate [            ≡ ] : [            ]가 [            ]            ,            ,            ,

index [            ] :            ,            ,            [            ].

indicate [            ≡ ] :            ,            .

inefficient [            ] :            ,            ,            ,

infamous [            ] :            ,            ,            ,            ,

inform :            ,            ,            [            ]

initial value:

initialize [            ] :            .

initialization [            /            ] :            ,            ,

initiate [            ≡ ] :            ,            ,            , 가 [            ]

inline [            ] :

Infrequently [            ] :            ,            ,            ,

inputstream [            ] by TTA :            ,            ,            ,

가

2.

insecure [ ] : , ,  
instructive [ ] : , , , ,  
integrate [ ≡ ] : ,  
interoperable [ ] : 가 , , 가  
interfere [ ] : . , (with)  
interoperability [ ] : , ( 가 )  
interpret [ ] : intersection [ ] : , ,  
intervene [ ] : [가 ], [ ], [ ]  
intervening [ ] : ( , , ) [ ]  
inventory [ ] : , , , ,  
invert [ ○ ] : ( ) , ( ) , [ ] ,  
investigate [ ≡ ] : [ , ]  
invocation [ ] : \_\_\_\_\_, [ ], [ ], , [ ]  
invoke : ( ) [ ]  
involve [ ~ ] : , , [ ]  
iterate [ ≡ ] : ( , )  
iterator [ ] :

J

job board :  
jumbotron : ( ),

K

keystone [ ] : , , , , ,

L

label [ ] : f , ( )  
large numbers of ~ : ~  
layered [ ] : ,  
leaderboard [ ] : ( ) , ,  
가  
legacy [ ] : ( , ) , ' ' ,  
legal [ ] :  
leverage [ ] : , , , , , ,  
life cycle [ ] : , ,  
line-break : [ ]



literacy [ ] : , ( , ) ,  
 literal : , / plain literal :  
 log : , , , , ,  
 (TTA)/  
 logging [ ] :  
 look in A : A  
 loop [ ] : , ( )  
 lowercase [ ] : ( ) , ( )

### M

machinery [ ] : , , ,  
 malignant [ ≡ ] : ( , ) , , ,  
 match A against B : A B [ ]  
 materialize [ ] : , ,  
 merge [ ≡ ] : ~ ,  
 membership : ( , ) , ( , )  
 metaphysical [ ] : , , ,  
 migrate [ ≡ ] : [ ] , ( , . )  
 mix and match : ( )  
 moderate [ ] : , , , , ,  
 moderator [ ] : , , ,  
 moderation [ ] : , , , ( , ) [ ]  
 morpheme [ ] : ( )  
 morphological [ ] : ( )  
 morphological analyzer [ ] :  
 mostly [ ] : ,  
 much of A : A , A  
 mung [ ] : < > , [ , ] ,

### N

namely [ ] : ,  
 namespace : ,  
 native [ ] : < > , ,  
 navigate [ ≡ ] : , , [ ]  
 NB [N.B] : (nota bene, = note well,  
 necessarily [ ] : , , ,  
 negation [ ] : , , , ( 가)  
 nestable [ ] : , ( 가)  
 nested [ ] :  
 nesting [ ] :  
 negate [ ] : , , [ ] ,  
 note : ~ [ ] . ( ) , , ~  
 notation [ ] :  
 notwithstanding [ ] : ~ , ,

numeronym [                    ] :                    , ex) i18n - internationalization, L10n - Localization  
numeric [                    꺾 ] = numerical [                    ] :                    ,                    ,

## O

obfuscation [                    ] :                    ,                    , code obfuscation :

object :                    ,

obsolete [                    ≡ ] :                    가                    ,                    out of date

occur [                    ] :                    ,                    /                    ,

occurrence [                    ] :                    [                    /                    ]                    ,                    ,                    ,                    ,

on one's own :                    ,                    ,

OMW : On My Way, 가                    ~, 가                    ~

on shaky ground [                    ] :                    (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [                    ] : (                    )                    ,

opaque [                    ] :                    ,                    ,                    ,

operation [                    ] :                    ,                    ,                    ,                    ,

optimization [                    ] :                    (最適化)

optimize, optimise [                    ] : ~                    [                    ]                    [                    ],

ordinal [                    ] :

other than A = except A [                    ] : A

otherwise [                    ] :                    ,                    ,

outline [                    ] :                    [                    ]                    ,                    ,

output [                    ] :                    ,                    /

out of the box :                    ,

outside of : {                    } ~                    (except)

outstanding [                    ] :                    ,                    ,                    ,                    ,                    ,                    ,

overflow [                    ] :

override [                    ] : (                    )가 (                    )                    , (                    )                    [                    ]

overview [                    ] :                    ,                    ,

overwrite [                    ] :                    ,                    ,

## P

pack : [                    ]

pagination [                    ] :

pare [                    ] : (                    )                    [                    ],                    [                    ]                    ,                    (down, away)

parse [                    ] : (                    )

pass in :                    ,

peculiar [                    ] :                    ,                    , (                    )                    ,                    ,

performant [                    ] :                    ,

perimeter [                    ] :                    ,

permission [                    ] :                    , 가,                    ,

per se [ ] : < > , ,  
 persist [ ] : [ ] , (in)  
 persistent [ ≡ ] : , / , ,  
 plain : , ,  
 plain English [ ] : ( ) [ ]  
 pointless [ ] : , 가 가 , ,  
 portable [ ] : ( ) 가 ,  
 portability [ ] : [ ] ( ) (가 ) ,  
 power: (ex) 4 to the power of 3 is 64  
 practioner [ ] : , 가 , ,  
 precede [ ] : ~ , 가 , ,  
 precedence [ ] : ( ) , , , , , , ,  
 predicate [ ] : ( ) ,  
 preemptive [ ] : , , [ ]  
 preface [ ] : ,  
 preliminary [ ] : , / , , ,  
 primary [ ] : , ,  
 primer [ ] : , /  
 procedure [ ] :  
 procedural [ ] : ,  
 procedural language [ ] :  
 process [ ] : [ ] , , 가 [ ]  
 product [ ≡ ] : ( ) ,  
 project : ~ ( ... ) , ,  
 property [ ] : ( ) [ ] / ,  
 prototyping [ ] : ,  
 provide A with B = provide B for[to] A: A B  
 provided [ ] : < > ( ) ~  
 provision [ ] : , , , , ,  
 proxy [ ] : .

### Q

qualified [ ] : ( ) [ ] ,  
 quantum [ ] : [ ] (量子)  
 query [ ] : ( ) .  
 quote [ ≡ ] :

### R

rarely if ever : ...  
 reasoning [ ] : ,  
 reasonably [ ] : ,  
 recommendation [ ] :  
 refer to A as B : A B [ ]

refer to A : A [ ] , A [ ] .  
 reference [ ] : , /  
 refine [ ] : [ ] , ,  
 reflect [  $\equiv$  ] : , , [ ] , [ ] ,  
 registry [ ] : , ,  
 regularity [ ] : , , ,  
  
 relation [ ] : ,  
 relationship [ ] : \_\_\_\_\_  
  
 relative URI reference [ ] : URI  
 remedy [ ] : , [ ]  
 reminder [ ] : [ ] , ,  
 replica [ ] : , , ,  
 representation [ ] : , , /  
 require [ ] : ~ , ~ [ ]  
 required [ ] : (必修)  
 requirement [ ] : , , , ,  
 reside [ ] : vi. ~ [ ] , , [ ]  
 resolve : , [ ] , [ / ]  
 resolve to A [ ] : A ,  
 resolver [ ] :

•

(by TTA)'

respect [ ] : ( , ) .  
 result from A : A , A . “ + result from + ”

- result from = be caused by
  - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
  - This plane crash resulted in the death of 10 passengers.

10

retain [ ] : [ ]  
 retrieve [ ] : , / ( \_\_\_\_\_ )  
 reverse [ ] : , [ ] , , [ ]  
 risk [ ] : ~ , ~  
 robust [ ] : , , [ ]  
 runtime : ( , ) )

## S

salvage [ ] : , , [ ]  
 selvage [ ,美] : selvedge ( )가 , ( , 가 )  
 sanitize [ ] : , , , .  
 scalable [ ] : , 가  
 scheme [ ] : \_\_\_\_\_, ,  
 schema [ ] : ( , ) [ ], , ( )  
 script [ ] :  
 searchable [ ] : ( 가) 가 , [ ]  
 secondary [ ] : , , ,  
 secure [ ] : , ,  
 segmentation [ ] : , , ,  
 selective [ ] : , , , , [ ], ,  
 semantics [ ] : , , ( )  
 separate A from B : ,  
 separator [ ] : , ,  
 serialization [ ] :  
 shaky [ ] : ( , , ) [ ], , , ,  
 shell command path [ ] :  
 shortcut : ,가 가  
 shorthand [ ≡ ] : , ,  
 significance [ ] : , , ,  
 silently [ ] : , ,  
 similarly [ ] : 가 , ,  
 simultaneous [ ] : ,  
 signal [ ] : , [ ] .  
 single quote, single quotation marks :  
 skip on to A : A 가  
 snippet [ ] : , ,  
 so long as + A : A , A , A  
 somehow [ ] : , ,  
 sophistication [ ] : , / ,  
 sort of : , , ( ) ?  
 specialize [ ] : , specialize [ ],  
 specify [ ] : , , ,  
 specification [ ] : ( ) , (仕様), , ,  
 spot [ ] : .  
 square [ ] : , ,  
 stash [ ] : ( ) 가[ .  
 statistics [ ] : [ ] , , [ ]  
 standard [ ≡ ] :  
 stand-alone [ ] : ,  
 steering committee [ ] :  
 stopword [ ] : < > (不用語)  
 stream [ ] : ( )  
 strict [ ] : , , ,  
 subclass [ ≡ ] : / ~ ,  
 subject [ ≡ ] : / , / , / ,  
 subject to A : A [ ], A [\_\_\_\_\_]

submission [ ] : , , ( , )  
 subsequent [ ] : , , ,  
 subsidiary [ ] : , ,  
 substrate [ ≡ ] : ,  
 subtract [ ] : ( , ) , ,  
 subtype [ ] :  
 suffice [ ] : ~ . (for, to do)  
 sufficient [ ≡ ] : != insufficient [ ≡ ]  
 suppress [ ~ ] : [ ] , = forcibly put an end to A, ~ [ ]  
 swap [ ≡ ] : , [ ] , < >  
 switch on/off : ( ) (~ ) /  
 synonym [ ] : ,

## T

tabular [ ] : , , , [ ]  
 take notice of A : A ,  
 take no notice of A : A  
 take A into consideration : A [ ]  
 take the description : .  
 target [ ≡ ] : , , , , . [ ]  
 taste : , , , [ ] , , ,  
 ternary [ ] : , , ,  
 terse [ ] : [ ]  
 testimonial [ ] : ,  
 the first time : , < > ~ , ~  
 the same is true for[of] A : A 가 , A  
 think of sth/sb :  
 throughput [ ] : ( ) [ ]  
 tightly [ ] : , , , ,  
 timeout : < > ( )  
 timezone :  
 tinker [ ] : ,  
 tortuous [ ≡ ] :  
 transaction [ ] : , , , ( )  
 transactional [ ] : [ ] ,  
 transitive [ ] : , , , [ ] , ,  
 traverse [ ] : 가 , , ,  
 traversal [ ] : \_\_\_\_\_, 가 ,  
 typically [ ] : , / ,

## U

unary [ ] : , 1 ,  
 underlying [ ] : , , ,  
 unified [ ] : ,

unify [            ] :        [        ] ,        ,  
uniform :        ,        ,        ,        ,  
union :        ,  
unpack [        ] :        ,  
unqualified [            ] :        ,        ,        ,        ,  
unwieldy [            ] :        (        ) ,        [        ]  
uppercase [            ] : (        )        ,        (        )  
use [        ] :        ,        ,

## V

variant [            ] :        ,        , /        ,        ,        ,  
variation [            ] :        ,        ,  
vary [        ] :        ,        ,        ,        ,        ,  
value [        ] :        ,  
verbose [            ] :        ,        ,        가  
versus [            ] : ~        [        ] , ... (對)  
via A [            ] : A        , (        ,        )  
virtualization [            ] : (        ) 가        , 가  
voucher [        ] :        ,        ,        , a sales voucher(        ) , a hotel voucher(        ) , a  
luncheon voucher(        )

## W

wherever possible [            ] : 가  
whitelist [            ] :        ,

- ,

white space :  
whole number: [        ]  
widespread [            ] :        ,        , A        ,        , A        , A  
without regard to[for] A : A        , A        , A        , A  
with respect to A : A  
withstand [            ] : ~        .        ,        .  
work for A : A        , ~        , A        .  
workaround [            ] : 2        ,        ,  
wrap up something : ~  
write out : ~        (        )

## Tip

- \*
- !!!

- 

, [wordbook](#)

From:

<https://125.132.25.164/dokuwiki/> -  
- 2023.12

Permanent link:

<https://125.132.25.164/dokuwiki/doku.php?id=wiki:user:emblim98:wordbook>

Last update: **2023/01/13 18:44**

