

A

a bunch of : ,
a collection of : ~
a range of :
abbreviate [Ξ] : ~ ,
abbreviated [] : ,
abide by [] : ~ [,]
abort [Ξ] : [] , , , ()
absent [Ξ] : , , , ,
above : [] [] []
accessor [] :
active : , ,
adjacent [Ξ] : , 가 ,
administration [] = admin : , []
afresh [] : ,
aggregate [] : , , ,
aggregation [] : , , , ,
aggregator [] :
/
agile [' ' / ' '] : , , ,
algebra [] :
all at once : , []
allow for A : A [,] , A []
alternate [] : []
alternatively [] : , (...) (instead)
anchor [] : , , , , , , ~

ancillary [] : ,
annotation [] :
anonymous [] : , ,
anon [] :

1. , ,
2. anonymous []

append [] : ~ , 가
applicable [] :
application [] : ,
appropriate [Ξ] : , , , , ,
arbitrary [] : , , , , ~
architecture [] : [] , , , ,
[]
archive [] : , [] ,
argument [] :
arithmetic expression :
arity [] : 가 . (n-

ray) n . (degree) - : TTA
artefact = artifact [] : , ,
as it were : []
as required = according to need :
assemble [] : () [] .
assert [] : , , , ,
associate A with B : A B [, ,] , ,
assume [] : 가 , , [], ~ , (,) [,]
asynchronous [] : ()
at most [] : ,
at scale [] :
at the end of the day : 가 (the most important thing), (ultimately)
atomic [] : , , , [,]
attribute [≡] : ,
augment [] : , 가
authoritative [] : , , ,
authority [] : _____, [pl]
axiom [] : , 가 가 .

B

backward = backwards [≡] : / ,
backwards compatibility :
be better off than before :
be concerned with A [] : A 가 . A .
behavior [] : () , , , , ,
benign [~] : , , ,

- having no significant effect : harmless

best practice [] :
beware [] : () []
binary [] : 2 , 2
blank node [] : ()
boilerplate [] : () ,
boot [≡] : ([가]) []
bracket [] : (),
brevity [] : , ,
bring in : ~ 가
broadly [] : , , , , ,
building block :
by extension [] : 가

C

cache [] : (),
 call : ,
 callee : ,
 canonical [] : [] , , ,
 canonicalization [] : ,
 capability [] : , ,
 capitalize [] : () , () ,
 capture [] : [] , , , ,

 case : ,
 case-sensitive [$\models$] : ()

 case-insensitive [$\models$] :

 cast [] : (), ()
 carat [] : , 10 = 2
 caret [] : (^),
 cascading [] : , ,
 character [] :
 cheap : ,
 claim [] : , ,
 coalesce [] : () , , []
 coarse-grained [] : , , ()
 cohort [] : () , ()
 가 , ,)
 command line application [] :
 commonplace [] : , / , / ,
 compactly [] :
 compatibility [] : []가 , ()
 compatible [] :
 complete [] : ,
 complication [] : (), , ()
 compound [] : ,
 compute [] : ,
 concatenate [] : (,)
 concrete [] : , , [] ,
 concurrent [] : ,
 condition : < > [] . ~ . < > []

 configurable [] : 가
 configure [] : < , > ,
 configuration [] : ,
 conform [~ $\square$] : (,) , [] (to, with)
 conformable [] : , , ,
 conformance [] : , ,
 conformant [] : () , -> conforming, conformable
 consideration [] : , , , , []
 consistency [] :
 consolidate [$\equiv$] : , , , ,
 constant [] : , , , , , /
 constitute [$\equiv$] :
 constraint [] : ,

construct [Ξ] : ,
 consume [] : ~ []
 consumption [π] : [] ()
 contract [] : ,
 contribute [Ξ] : [] , []
 contiguous [] : , / ,
 conundrum [] : , (=niddle)
 conventional [] : , [] , ,
 conversion [] : , , ,
 corresponding [] : ~ [] , ,~
 cover : ,
 coverage [] : () , , () , craving [] : ,
 credentials [] : , ,
 cumbersome [] : , , ,
 custom [] : , ,

D

deadlock [] : () , , ()
 deep dive [] : ()
 de facto [] : [] []
 default [] : (, ,)/
 deflation [] : , 가 , , [가] ,
 denote [Ξ] : , .
 depend on A [] : A , A , A
 deployment [] : , , ____ ()
 describe [] : () . () ,
 description [] : , , , ,
 detail [] : / ,
 detailed [] : ,
 detrimental [] : (damaging), (to)
 difference [] : ,
 digestible [] : , , ,
 direct : ~ ..
 directed [] : , , —> ?
 directed graph [] : < >
 disparate [] : , , , ,
 distinct [] : [] , , , ,
 distinction [] : () [] , , , ,
 distribution [] : ____ ( .exe ?)
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,
 document [] : ~ , ()
 documentation [] : , , , , ,
 domain-specific [] : ()
 dormant [] : , (休止)

double quote, double quotation marks :

dry : , , ,

dry stuff :

dump [] :
(copy)

dungeon [] : () ,

duplicate [≡] : , / , ,

duration [] : ,

dwell on/upon A [] : A [], A [], A

E

edge [엣지] : 가 , , , ,

e.g.: (exempli gratia[美 - / 英 -]

ellipse [] :

embed : ~ , ,

enable [] :

enclose [] : [] ,

encode [] : ,

encoding [] : ,

endeavour[英] = endeavor[美] [] : , / , (to)

endpoint [] : (線分) , ,

ensure [] : ~ [] ,

entail [] : , , ,

entailment [] : , , ?

entity [] : , , , , ,

entry [] : , 가 , , , , ,

equivalent [] : , 가 [] , , , , ,

Equivalently [] : , , 가

eradicate [≡] : , (=wipe out)

error handler [] :

ethnography [] : , 가

evident [] : , ,

excessive [] : ,

executable [] : () ,

existentially [] :

existing [] : ,

explicit [() ≡] : , ,

exponentiation [] :

expressiveness [] : , , ,

expressivity [] : , , , ,

extension [] : , , () () , () ()

extensive [] : , ,

external [] : , (...) , (to)

F

facade [] : () , , , , ,
fallback [] : () , , []
feature [~] : , ,
federate [≡] : ,
feed [~] : , .
fetch [] : 가 [/] , (가)
fine grain [] :
fine-grained [] : , ()
finite [] : ,
first order logic : 1 []
flag [] : (, ,)
flexible [] : changeable , 가 ,
for now : , ,
format [] : ~ / , ,
formulate [≡] : ~ [,] [], ~ []
fragment [] : , / , XML

fraught [≡] : , , ~ (with)
from scratch [] : [] ,
frustration [] : ,
function-like operators [] :
functionality [] : ()
further [] : , 가 / , 가

G

general-purpose language [] :
generic [] : ,
get one's foot in the door : , ~ ()

given A : ~ , ~ 가 , ~ , ~ 가 , ~
glossary [~] : ,
go through : ~ [], [] , []
ground : ,

H

hands-on [] : [] () []
horizontal [] : () , 가
how-to or howto : , , (實用) / ,
hierarchy [] : , ,

identifier [] :
 idiom [] : , ,
 identical [] : , (to/with sb/sth)
 identify [] :
 i.e. = id est [] : , ,
 if not for = without = in the absence of sth/sb
 if preferred [] :
 illustrative [] : (實例)가 ,
 illustration [] : [], , ,
 immutable [] : , ,
 implementation [] : ,
 implication [] : () , , ,
 implicit [≡] : , , ,
 impractical [] : , , , , , ,
 가
 in combination with A : A []
 in conjunction with A : A
 in favor of A : A , A []
 in line with A : A , A , A , A , A
 in no way : [] ~ (not ~ at all)
 in place : (), 가 , 가 가 ,
 in preference to A : A , A
 in response to A [] : A []
 in the case of : ~ , ~ , ~
 in turn : ,
 incompatible [] : , , () ,
 incorporate [≡] : , , () ,
 indentation [] : ,
 indeterminate [≡] : []가 [] , , ,
 index [] : , , , [].
 indicate [≡] : , .
 inefficient [] : , , ,
 infamous [] : , , , ,
 inform : , , []
 initialize [] : .
 initialization [] : / [] :
 initiate [≡] : , , , 가 []
 inline [] :
 Infrequently [] : ,
 inputstream [] by TTA :

1. 가 .
2. .

insecure [] : , , ,
 instructive [] : , , , ,
 integrate [≡] : ,

interoperable [] : 가 , 가
interfere [] : . , (with)
interoperability [] : , (가)
interpret [] : intersection [] : , ,
intervene [] : , [가] , [] , []
intervening [] : (, ,) []
inventory [] : , , , ,
invert [○] : () , () , [] ,
investigate [≡] : [,]
invocation [] : —, [] , [] , , []
invoke : () []
involve [~] : , , []
iterate [≡] : (,)
iterator [] :

J

job board :

L

label [] : f , ()
large numbers of ~ : ~
layered [] : ,
leaderboard [] : () , ,
가
legacy [] : (,) , ' , ,
legal [] :
leverage [] : , , , , , ,
life cycle [] : , ,
literacy [] : , (,) ,
literal : , / plain literal :
log : , , , , ,
(TTA)/
logging [] :
look in A : A
loop [] : , ()
lowercase [] : () , ()

M

machinery [] : , , ,
malignant [≡] : (,) , , ,
match A against B : A B []
materialize [] : , ,

merge [$\cong$] : ~ ,
 membership : (,) , (,)
 metaphysical [] : , , ,
 migrate [$\equiv$] : [] , (, .)
 mix and match : ()
 moderate [] : , , , , ,
 moderator [] : , , ,
 moderation [] : , , , (,) []
 morpheme [] : ()
 morphological [] : ()
 morphological analyzer [] :
 mostly [] : ,
 much of A : A , A
 mung [] : < > , [,] ,

N

namely [] : ,
 namespace : ,
 native [] : < > , ,
 navigate [$\equiv$] : , , []
 NB [N.B] : (nota bene, , = note well,
 necessarily [] : , , ,
 negation [] : , , ,
 nestable [] : , (가)
 nested [] :
 nesting [] :
 negate [] : , [] ,
 note : ~ [] . () , , ~
 notation [] :
 notwithstanding [] : ~ , ,
 numeronym [] : , ex) i18n - internationalization, L10n - Localization
 numeric [$\Rightarrow$] = numerical [] : , ,

O

obfuscation [] : , , , code obfuscation :
 object : ,
 obsolete [$\equiv$] : 가 , , out of date
 occur [] : , / ,
 occurrence [] : [/] , , , ,
 on one's own : , ,
 on shaky ground [] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with

another task

onwards = onward [] : () ,
opaque [] : , , ,
operation [] : , , , ,
optimization [] : (最適化)
optimize, optimise [] : ~ [] [],
ordinal [] :
other than A = except A [] : A
otherwise [] : , , ,
outline [] : [] , ,
output [] : , , /
out of the box : ,
outside of : {] ~ (except)
outstanding [] : , , , , , ,
overflow [] : , , ,
override [] : ()가 () , () []
overview [] : , ,
overwrite [] : , , ,

P

pack : []
pare [] : () [], [] , (down, away)
parse [] : ()
pass in : ,
peculiar [] : , , , () , ,
performant [] : ,
perimeter [] : ,
permission [] : , 가, ,
per se [] : < > , ,
persist [] : [] , (in)
persistent [≡] : , / , ,
plain : , ,
pointless [] : , 가 가 , ,
portable [] : () 가 ,
portability [] : [] () (가) ,
practioner [] : , 가, ,
precede [] : ~ , 가 , ,
precedence [] : (), , , , , ,
predicate [] : () ,
preemptive [] : , , []
preface [] : ,
preliminary [] : , / , , ,
primary [] : , ,
primer [] : , /
procedure [] :
procedural [] : ,
procedural language [] :

process [] : [], , 가 []
 project : ~ (...) , ,
 property [] : () [] / ,
 prototyping [] : ,
 provide A with B = provide B for[to] A: A B
 provided [] : < > () ~
 provision [] : , , , , ,
 proxy [] :

===== Q ===== <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&do=> qualified

[] : () [] ,
 quantum [] : [] (量子)
 query [] : ()
 quote [≡] :

R

rarely if ever : ...
 reasoning [] : ,
 reasonably [] : ,
 recommendation [] :
 refer to A as B : A B []
 refer to A : A , A [] , A []
 reference [] : , /
 refine [] : [] , ,
 reflect [≡] : , , [] , [] ,
 registry [] : , ,
 regularity [] : , , ,
 relation [] : ,
 relationship [] : _____

relative URI reference [] : URI
 remedy [] : , []
 reminder [] : [] , ,
 replica [] : , , ,
 representation [] : , , /
 require [] : ~ , ~ []
 required [] : (必修)
 requirement [] : , , , ,
 reside [] : vi. ~ [] , , []
 resolve : , [] , [/]
 resolve to A [] : A ,
 resolver [] :

•

(by TTA)'

respect [] : (,) .
result from A : A , A . “ + result form + ”

- result from = be caused by
 - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
 - This plane crash resulted in the death of 10 passengers.

10

retain [] : []
retrieve [] : , / ()
reverse [] : , [] , , []
risk [] : ~ , ~
robust [] : , , []
runtime : (,)

S

salvage [] : , , []
selvage [, 美] : selvedge ()가 , (, 가)
sanitize [] : , , .

scalable [] : , 가

scheme [] : ____, ,
schema [] : (,) [], , ()

script [] :
searchable [] : (가) 가 , []
secondary [] : , , ,
secure [] : , ,
segmentation [] : , ,
selective [] : , , , , [], ,

semantics [] : , , ()

separate A from B : ,

separator [] : , ,

serialization [] :

shaky [] : (, ,) [], , , ,

shell command path [] :

shortcut : , 가 가

shorthand [≡] : , ,

significance [] : , , ,

silently [] : , ,

similarly [] : 가 , ,

simultaneous [] : ,
 signal [] : , [] .
 single quote, single quotation marks :
 skip on to A : A 가
 snippet [] : , ,
 so long as + A : A , A , A
 somehow [] : ,
 sophistication [] : , / ,
 sort of : , , () ?
 specialize [] : , ,
 specify [] : , , ,
 specification [] : () , (仕様), , ,
 spot [] : .
 square [] : , ,
 statistics [] : [] , , []
 standard [≡] :
 stand-alone [] : ,
 steering committee [] :
 stopword [] : < > (不用語)
 stream [] : ()
 strict [] : , , ,
 subclass [≡] : / ~ ,
 subject [≡] : / , / , / ,
 subject to A : A [] , A [_____]]
 submission [] : , , (,)
 subsequent [] : , , ,
 subsidiary [] : , ,
 substrate [≡] : ,
 subtract [] : (,) , ,
 subtype [] :
 suffice [] : ~ . (for, to do)
 sufficient [≡] : != insufficient [≡]
 suppress [~] : [] , = forcibly put an end to A, ~ []
 swap [≡] : , [] , < >
 switch on/off : () (~) /
 synonym [] : ,

T

tabular [] : , , , []
 take notice of A : A ,
 take no notice of A : A
 take A into consideration : A []
 take the description : .
 target [≡] : , , , , []
 taste : , , , [] , ,
 ternary [] : , , ,
 terse [] : []
 testimonial [] : ,

the first time : , < > ~ , ~
the same is true for[of] A : A 가 , A
think of sth/sb :
throughput [] : () []
tightly [] : , , , ,
timeout : < > ()
timezone :
tinker [] : ,
tortuous [≡] :
transaction [] : , , , ()
transactional [] : [] ,
transitive [] : , , [] , ,
traverse [] : 가 , ,
traversal [] : _____, 가 ,
typically [] : , / ,

U

unary [] : , 1 ,
underlying [] : , , ,
unified [] : ,
unify [] : [] , ,
uniform : , , , , ,
union : ,
unpack [] : ,
unqualified [] : , , , ,
unwieldy [] : () , []
uppercase [] : () , ()
use [] : , ,

V

variant [] : , , / , , ,
variation [] : , ,
vary [] : , , , , ,
value [] : ,
verbose [] : , , 가
versus [] : ~ [] , ... (對)
via A [] : A , (,)
virtualization [] : () 가 , 가
voucher [] : , , , a sales voucher() , a hotel voucher() , a
luncheon voucher()

