

# A

a bunch of :

a collection of : ~

a range of :

abbreviate [  $\equiv$  ] : ~ ,

abbreviated [ ] : ,

abide by [ ] : ~ [ , ]

abort [  $\equiv$  ] : [ ] , , ( )

absent [  $\equiv$  ] : , , ,

above : [ ] [ ] [ ]

accessor [ ] :

active :

adjacent [  $\equiv$  ] : , 가 ,

administration [ ] = admin : , [ ]

afresh [ ] :

aggregate [ ] : , , ,

aggregation [ ] : , , ,

aggregator [ ] :

agile [ ' / ] : , ,

algebra [ ] :

all at once : , [ ]

allow for A : A [ , ] , A [ ]

alternate [ ] : [ ]

alternatively [ ] : , (... ) (instead)

anchor [ ] : , , , , ~

ancillary [ ] : ,

annotation [ ] :

anonymous [ ] : , ,

anon [ ] :

- 1. , ,
- 2. anonymous [ ]

append [ ] : ~ , 가

applicable [ ] :

application [ ] : ,

appropriate [  $\equiv$  ] : , , , ,

arbitrary [ ] : , , , ,

architecture [ ] : [ ] , , , ,

archive [ ] : , [ ] ,

argument [ ] :

arithmetic expression :

arity [ ] : 가 . (n-

ray) n . (degree) - : TTA  
 artefact = artifact [ ] : , ,  
 as it were : [ ]  
 as required = according to need :  
 assemble [ ] : ( ) [ ] .  
 assert [ ] : , , ,  
 associate A with B : A B [ , , ] ,  
 assume [ ] : 가 , , [ ], ~ , ( , ) [ , ]  
 asynchronous [ ] : ( )  
 at most [ ] : ,  
 at scale [ ] :  
 at the end of the day : 가 (the most important thing), (ultimately)  
 atomic [ ] : , , , [ , ]  
 attribute [ ≡ ] : ,  
 augment [ ] : , 가  
 authoritative [ ] : , , ,  
 authority [ ] : \_\_\_\_\_, [ pl]  
 axiom [ ] : , 가 가 .

## B

backward = backwards [ ≡ ] : / ,  
 backwards compatibility :  
 be better off than before :  
 be concerned with A [ ] : A 가 . A .  
 behavior [ ] : ( ) , , , , ,  
 benign [ ~ ] : , , ,

- having no significant effect : harmless

best practice [ ] :  
 beware [ ] : ( ) [ ]  
 binary [ ] : 2 , 2  
 blank node [ ] : ( )  
 boilerplate [ ] : ( ) ,  
 boot [ ≡ ] : ( [가]) [ ]  
 bracket [ ] : ( ),  
 brevity [ ] : , ,  
 bring in : ~ 가  
 broadly [ ] : , , , , ,  
 building block :  
 by extension [ ] : 가

## C

cache [     ] : (            ),  
call :            ,  
callee :            ,  
canonical [            ] : [     ]            ,            ,            ,  
canonicalization [            ] :            ,  
capability [            ] :            ,            ,  
capitalize [            ] : (            )            , (            )            ,  
capture [     ] :            [     ]            ,            ,            ,            ,  
  
case :            ,  
case-sensitive [            ⊃ ] : (            )            ,  
  
case-insensitive [            ⊃ ] :            ,  
  
cast [     ] : (            ), (            )            ,  
carat [     ] :            , 10            = 2  
caret [     ] : ( ^ ),  
cascading [            ] :            ,            ,  
character [     ] :            ,  
cheap :            ,  
claim [     ] :            ,            ,  
coalesce [            ] : (            )            ,            , [     ]            ,  
coarse-grained [            ] :            ,            ,            (            )            ,  
cohort [            ] : (            )            ,            (            )            ,  
가            ,            (            )            ,  
command line application [            ] :            ,  
commonplace [            ] :            , /            ,            /            ,            ,  
compactly [            ] :            ,  
compatibility [            ] : [     ]가            , (            )            ,  
compatible [            ] :            ,  
complete [            ] :            ,  
complication [            ] : (            ),            , (            )            ,  
compound [            ] :            ,  
compute [     ] :            ,  
concatenate [            ] : (            ,            )            ,  
concrete [            ] :            ,            , [     ]            ,  
concurrent [            ] :            ,  
condition : <            > [     ]            . ~            . <            > [     ]            ,  
  
configurable [            ] :            가            ,  
configure [            ] : <            ,            >            , ...            .  
configuration [            ] :            ,            ,  
conform [     ~ □ ] : (            ,            )            , [     ] (to, with)            ,  
conformable [            ] :            ,            ,            ,  
conformance [            ] :            ,            ,  
conformant [            ] : (            )            ,            -> conforming, conformable  
consideration [            ] :            ,            ,            ,            , [     ]            ,  
consistency [            ] :            ,  
consolidate [            ⊃ ] :            ,            ,            ,            ,  
constant [            ] :            ,            ,            ,            ,            ,            , /  
constitute [            ⊃ ] :            ,  
constraint [            ] :            ,

construct [ ㅅ ] : ,  
 consume [ ] : ~ [ ]  
 consumption [ ㅍ ] : [ ] ( )  
 contract [ ] : ,  
 contribute [ ㅅ ] : [ ] , [ ]  
 contiguous [ ] : , / ,  
 conundrum [ ] : , (=niddle)  
 conventional [ ] : , [ ] , ,  
 conversion [ ] : , , ,  
 corresponding [ ] : ~ [ ] , ,~  
 cover : ,  
 coverage [ ] : ( ) , , ( ) , craving [ ] : ,  
 credentials [ ] : , ,  
 cumbersome [ ] : , , ,  
 custom [ ] : , ,

## D

deadlock [ ] : ( ) , ( )  
 deep dive [ ] : ( )  
 de facto [ ] : [ ] [ ]  
 default [ ] : ( , )/  
 deflation [ ] : , 가 , [가 ] ,  
 denote [ ㅅ ] : , .  
 depend on A [ ] : A , A , A  
 deployment [ ] : , , \_\_ (  )  
 describe [ ] : ( ) . ( ) ,  
 description [ ] : , , , ,  
 detail [ ] : / ,  
 detailed [ ] : ,  
 detrimental [ ] : (damaging), (to)  
 difference [ ] : ,  
 digestible [ ] : , , ,  
 direct : ~ ..  
 directed [ ] : , , -> ?  
 directed graph [ ] : < >  
 disparate [ ] : , , , ,  
 distinct [ ] : [ ] , , , ,  
 distinction [ ] : ( ) [ ] , , , ,  
 distribution [ ] : \_\_ (  .exe ? )  
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,  
 document [ ] : ~ , ( )  
 documentation [ ] : , , , , ,  
 domain-specific [ ] : ( )  
 dormant [ ] : , (休止)

double quote, double quotation marks :

dry : , , ,

dry stuff :

dump [ ] : (copy)

dungeon [ ] : ( ) ,

duplicate [ ≡ ] : , / , ,

duration [ ] : ,

dwell on/upon A [ ] : A [ ], A [ ], A

### E

edge [ 스 ] : 가 , , ,

e.g.: ( exempli gratia[美 - / 英 - ]

ellipse [ ] :

embed : ~ , ,

enable [ ] :

enclose [ ] : [ ] ,

encode [ ] : ,

encoding [ ] : ,

endeavour[英] = endeavor [美] [ ] : , / , (to)

endpoint [ ] : (線分 ) , ,

ensure [ ] : ~ [ ] ,

entail [ ] : , ,

entailment [ ] : , , ?

entity [ ] : , , , , ,

entry [ ] : , 가 , , , , ,

equivalent [ ] : , 가 [ ] , , , , ,

Equivalently [ ] : , , 가

eradicate [ ≡ ] : , (=wipe out)

error handler [ ] :

ethnography [ ] : , 가

evident [ ] : , ,

excessive [ ] : ,

executable [ ] : ( ) ,

existentially [ ] :

existing [ ] : ,

explicit [ ( ) ≡ ] : , ,

exponentiation [ ] :

expressiveness [ ] : , , ,

expressivity [ ] : , , , ,

extension [ ] : , , ( ) ( ) , ( ) ( )

extensive [ ] : , ,

external [ ] : , (... ) , (to)



I

identifier [ ] :

idiom [ ] :

identical [ ] : (to/with sb/sth)

identify [ ] :

i.e. = id est [ ] :

if not for = without = in the absence of sth/sb

if preferred [ ] :

illustrative [ ] : (實例)가 ,

illustration [ ] : [ ], , ,

immutable [ ] :

implementation [ ] :

implication [ ] : ( ) , , ,

implicit [ ] : , ,

impractical [ ] : , , , , , , ,

가

in combination with A : A [ ]

in conjunction with A : A

in favor of A : A , A [ ]

in line with A : A , A , A , A , A

in no way : [ ] ~ (not ~ at all)

in place : ( ), 가 , 가 가 ,

in preference to A : A , A

in response to A [ ] : A [ ]

in the case of : ~ , ~ , ~

in turn :

incompatible [ ] :

incorporate [ ] : , , ( ) ,

indentation [ ] :

indeterminate [ ] : [ ]가 [ ] , , ,

index [ ] : , , , [ ] .

indicate [ ] : , .

inefficient [ ] :

infamous [ ] :

inform : , , [ ]

initialize [ ] :

initialization [ ] / [ ] :

initiate [ ] : , , , 가 [ ]

inline [ ] :

Infrequently [ ] :

inputstream [ ] by TTA :

1. 가 ,

2. .

insecure [ ] :

instructive [ ] : , , , ,

integrate [ ] : ,

interoperable [ ] : 가 , 가  
interfere [ ] : (with)  
interoperability [ ] : ( 가 )  
interpret [ ] : intersection [ ] : , ,  
intervene [ ] : [가 ], [ ], [ ]  
intervening [ ] : ( , ) [ ]  
inventory [ ] : , , ,  
invert [ ] : ( ) , ( ) , [ ] ,  
investigate [ ] : [ , ]  
invocation [ ] : \_\_\_\_\_, [ ], [ ], , [ ]  
invoke : ( ) [ ]  
involve [ ~ ] : , , [ ]  
iterate [ ] : ( , )  
iterator [ ] :

## J

job board :

## L

label [ ] : f , ( )  
large numbers of ~ : ~  
layered [ ] : ,  
leaderboard [ ] : ( ) , ,  
가  
legacy [ ] : ( , ) , ' , ' ,  
legal [ ] :  
leverage [ ] : , , , , , ,  
life cycle [ ] : , ,  
line-break : [ ]  
literacy [ ] : , ( , ) ,  
literal : , / plain literal :  
log : , , , , ,  
(TTA)/  
logging [ ] :  
look in A : A  
loop [ ] : , ( )  
lowercase [ ] : ( ) , ( )

## M

machinery [ ] : , , ,  
malignant [ ] : ( , ) , , ,  
match A against B : A B [ ]

materialize [ ] : , ,  
 merge [ ≅ ] : ~ ,  
 membership : ( , ) , ( , )  
 metaphysical [ ] : , , ,  
 migrate [ ≡ ] : [ ] , ( , . )  
 mix and match : ( )  
 moderate [ ] : , , , , ,  
 moderator [ ] : , , ,  
 moderation [ ] : , , , ( , ) [ ]  
 morpheme [ ] : ( )  
 morphological [ ] : ( )  
 morphological analyzer [ ] :  
 mostly [ ] : ,  
 much of A : A , A  
 mung [ ] : < > , [ , ] ,

## N

namely [ ] : ,  
 namespace : ,  
 native [ ] : < > , ,  
 navigate [ ≡ ] : , , [ ]  
 NB [N.B] : (nota bene, , = note well,  
 necessarily [ ] : , , ,  
 negation [ ] : , , ,  
 nestable [ ] : , ( 가)  
 nested [ ] :  
 nesting [ ] :  
 negate [ ] : , , [ ] ,  
 note : ~ [ ] . ( ) , , ~  
 notation [ ] :  
 notwithstanding [ ] : ~ , ,  
 numeronym [ ] : , ex) i18n - internationalization, L10n - Localization  
 numeric [ ≙ ] = numerical [ ] : , ,

## O

obfuscation [ ] : , , , code obfuscation :  
 object : ,  
 obsolete [ ≡ ] : 가 , , out of date  
 occur [ ] : , / ,  
 occurrence [ ] : [ / ] , , , ,  
 on one's own : , ,  
 on shaky ground [ ] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [            ] : (            )            ,  
opaque [            ] :            ,            ,            ,            ,  
operation [            ] :            ,            ,            ,            ,  
optimization [            ] :            (最適化)  
optimize, optimise [            ] : ~            [            ]            [            ] ,  
ordinal [            ] :  
other than A = except A [            ] : A  
otherwise [            ] :            ,            ,            ,  
outline [            ] :            [            ]            ,            ,  
output [            ] :            ,            ,            /  
out of the box :            ,  
outside of : {            } ~            (except)  
outstanding [            ] :            ,            ,            ,            ,            ,            ,  
overflow [            ] :            ,            ,            ,            ,  
override [            ] : (            )가 (            )            , (            )            [            ]  
overview [            ] :            ,            ,            ,  
overwrite [            ] :            ,            ,            ,            ,

## P

pack : [            ]  
pare [            ] : (            )            [            ] ,            [            ]            ,            (down, away)  
parse [            ] : (            )  
pass in :            ,  
peculiar [            ] :            ,            ,            , (            )            ,            ,  
performant [            ] :            ,            ,  
perimeter [            ] :            ,            ,  
permission [            ] :            ,            가,            ,            ,  
per se [            ] : <            >            ,            ,            ,  
persist [            ] :            [            ]            ,            (in)  
persistent [ ≒            ] :            ,            /            ,            ,            ,  
plain :            ,            ,  
pointless [            ] :            ,            가            가            ,            ,            ,  
portable [            ] : (            )            가            ,            ,  
portability [            ] : [            ] (            )            (가            ) ,  
practioner [            ] :            ,            가,            ,            ,  
precede [            ] : ~            ,            가            ,            ,            ,  
precedence [            ] : (            ) ,            ,            ,            ,            ,            ,  
predicate [            ] : (            )            ,            ,  
preemptive [            ] :            ,            ,            ,            [            ]  
preface [            ] :            ,            ,            ,  
preliminary [            ] :            ,            /            ,            ,            ,  
primary [            ] :            ,            ,            ,  
primer [            ] :            ,            ,            /  
procedure [            ] :            ,            ,  
procedural [            ] :            ,            ,

procedural language [ ] :  
 process [ ] : [ ], , 가 [ ]  
 project : ~ ( ... )  
 property [ ] : ( ) [ ] / ,  
 prototyping [ ] :  
 provide A with B = provide B for[to] A: A B  
 provided [ ] : < > ( ) ~  
 provision [ ] : , , , , ,  
 proxy [ ] :

==== Q ===== <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&do=qualified>

[ ] : ( ) [ ] ,  
 quantum [ ] : [ ] (量子)  
 query [ ] : ( )  
 quote [ ≡ ] :

## R

rarely if ever : ...  
 reasoning [ ] : ,  
 reasonably [ ] : ,  
 recommendation [ ] :  
 refer to A as B : A B [ ]  
 refer to A : A , A [ ] , A [ ] .  
 reference [ ] : , /  
 refine [ ] : [ ] , ,  
 reflect [ ≡ ] : , , [ ] , [ ] ,  
 registry [ ] : , ,  
 regularity [ ] : , , ,  
 relation [ ] : ,  
 relationship [ ] : \_\_\_\_\_  
 relative URI reference [ ] : URI  
 remedy [ ] : , [ ]  
 reminder [ ] : [ ] , ,  
 replica [ ] : , , ,  
 representation [ ] : , , /  
 require [ ] : ~ , ~ [ ]  
 required [ ] : (必修)  
 requirement [ ] : , , , ,  
 reside [ ] : vi. ~ [ ] , , [ ]  
 resolve : , [ , ] , [ / ]  
 resolve to A [ ] : A ,  
 resolver [ ] :

•

(by TTA)

respect [ ] : ( , ) .  
result from A : A , A . “ + result form + ”

- result from = be caused by
  - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
  - This plane crash resulted in the death of 10 passengers.

10

retain [ ] : [ ]  
 retrieve [ ] : , / ( )  
 reverse [ ] : , [ ] , , [ ]  
 risk [ ] : ~ , ~  
 robust [ ] : , , [ ]  
 runtime : ( , )

## S

salvage [ ] : , , [ ]  
 selvage [ , 美 ] : selvedge ( )가 , ( , 가 )  
 sanitize [ ] : , , , .  
 scalable [ ] : , 가  
 scheme [ ] : \_\_\_\_\_ ,  
 schema [ ] : ( , ) [ ] , ( )  
 script [ ] :  
 searchable [ ] : ( 가) 가 , [ ]  
 secondary [ ] : , , ,  
 secure [ ] : , ,  
 segmentation [ ] : , , ,  
 selective [ ] : , , , , [ ] , ,  
 semantics [ ] : , , ( )  
 separate A from B : ,  
 separator [ ] : , ,  
 serialization [ ] :  
 shaky [ ] : ( , , ) [ ] , , , ,  
 shell command path [ ] :  
 shortcut : ,가 가  
 shorthand [ ≡ ] : , ,  
 significance [ ] : , , ,

silently [ ]: , ,  
 similarly [ ]: 가 , ,  
 simultaneous [ ]: ,  
 signal [ ]: , [ ] .  
 single quote, single quotation marks :  
 skip on to A : A 가  
 snippet [ ]: , ,  
 so long as + A : A , A , A  
 somehow [ ]: , ,  
 sophistication [ ]: , / ,  
 sort of : , , ( ) ?  
 specialize [ ]: , , ,  
 specify [ ]: , , ,  
 specification [ ]: ( ) , (仕様), , ,  
 spot [ ]: .  
 square [ ]: , ,  
 statistics [ ]: [ ] , , [ ]  
 standard [ ≡ ]: ,  
 stand-alone [ ]: ,  
 steering committee [ ]: ,  
 stopword [ ]: < > (不用語)  
 stream [ ]: ( )  
 strict [ ]: , , ,  
 subclass [ ≡ ]: / ~ ,  
 subject [ ≡ ]: / , / , / ,  
 subject to A : A [ ] , A [ \_\_\_\_\_ ]  
 submission [ ]: , , ( , )  
 subsequent [ ]: , , ,  
 subsidiary [ ]: , , ,  
 substrate [ ≡ ]: ,  
 subtract [ ]: ( , ) , ,  
 subtype [ ]: ,  
 suffice [ ]: ~ . (for, to do)  
 sufficient [ ≡ ]: != insufficient [ ≡ ]  
 suppress [ ~ ]: [ ] , = forcibly put an end to A, ~ [ ]  
 swap [ 互 ]: , [ ] , < >  
 switch on/off : ( ) (~ ) /  
 synonym [ ]: ,

# T

tabular [ ]: , , , [ ]  
 take notice of A : A ,  
 take no notice of A : A  
 take A into consideration : A [ ]  
 take the description : .  
 target [ ≡ ]: , , , , [ ]  
 taste : , , , [ ] , ,  
 ternary [ ]: , , ,

terse [ ] : [ ]  
testimonial [ ] : ,  
the first time : , < > ~ , ~  
the same is true for[of] A : A 가 , A  
think of sth/sb :  
throughput [ ] : ( ) [ ]  
tightly [ ] : , , , ,  
timeout : < > ( )  
timezone :  
tinker [ ] : ,  
tortuous [ ≒ ] :  
transaction [ ] : , , , ( )  
transactional [ ] : [ ] ,  
transitive [ ] : , , [ ] , ,  
traverse [ ] : 가 , ,  
traversal [ ] : \_\_\_\_\_, 가 ,  
typically [ ] : , / ,

## U

unary [ ] : , 1 ,  
underlying [ ] : , , ,  
unified [ ] : ,  
unify [ ] : [ ] , ,  
uniform : , , , , ,  
union : ,  
unpack [ ] : ,  
unqualified [ ] : , , , , ,  
unwieldy [ ] : ( ) , [ ]  
uppercase [ ] : ( ) , ( )  
use [ ] : , ,

## V

variant [ ] : , , / , , ,  
variation [ ] : , ,  
vary [ ] : , , , , ,  
value [ ] : ,  
verbose [ ] : , , 가  
versus [ ] : ~ [ ] , ... (對)  
via A [ ] : A , ( , )  
virtualization [ ] : ( ) 가 , 가  
voucher [ ] : , , , a sales voucher( ) , a hotel voucher( ) , a luncheon voucher( )

# W

wherever possible [ ] : 가  
whitelist [ ] :

- ,

white space :

widespread [ ] : , , A , A , A  
without regard to[for] A : A , A , A , A

with respect to A : A

withstand [ ] : ~ , . , .  
work for A : A , , ~ , A .

workaround [ ] : 2 , ,

wrap up something : ~

write out : ~ ( )

## Tip

\* !!!

- -
- , [wordbook](#)

From:  
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:  
<http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1616026033>



Last update: **2022/03/10 19:52**