

A

a bunch of :

a collection of : ~

a range of :

abbreviate [\equiv] : ~ ,

abbreviated [] : ,

abide by [] : ~ [,]

abort [\equiv] : [] , , ()

absent [\equiv] : , , ,

above : [] [] []

accessor [] :

active :

adjacent [\equiv] : , 가 ,

administration [] = admin : , []

afresh [] :

aggregate [] : , , ,

aggregation [] : , , ,

aggregator [] :

agile [' /] : , ,

algebra [] :

all at once : , []

allow for A : A [,] , A []

alternate [] : []

alternatively [] : , (...) (instead)

anchor [] : , , , , ~

ancillary [] : ,

annotation [] :

anonymous [] : , ,

anon [] :

1. , ,
2. anonymous []

append [] : ~ , 가

applicable [] :

application [] : ,

appropriate [\equiv] : , , , ,

arbitrary [] : , , ,

architecture [] : [] , , , ,

archive [] : , [] ,

argument [] :

arithmetic expression :

arity [] : 가 . (n-

ray) n . (degree) - : TTA
artefact = artifact [] : , ,
as it were : []
as required = according to need :
assemble [] : () [] .
assert [] : , , , ,
associate A with B : A B [, ,] ,
assume [] : 가 , , [], ~ , (,) [,]
asynchronous [] : ()
at most [] : ,
at scale [] :
at the end of the day : 가 (the most important thing), (ultimately)
atomic [] : , , , [,]
attribute [≡] : ,
augment [] : , 가
authoritative [] : , , ,
authority [] : _____, [pl]
axiom [] : , 가 가 .

B

backward = backwards [≡] : / ,
backwards compatibility :
be better off than before :
be concerned with A [] : A 가 . A .
behavior [] : () , , , , ,
benign [~] : , , ,

- having no significant effect : harmless

best practice [] :
beware [] : () []
binary [] : 2 , 2
blank node [] : ()
boilerplate [] : () ,
boot [≡] : ([가]) []
bracket [] : (),
brevity [] : , ,
bring in : ~ 가
broadly [] : , , , , ,
building block :
by extension [] : 가

C

cache [] : (),
call : ,
callee : ,
canonical [] : [] , , ,
canonicalization [] : ,
capability [] : , ,
capitalize [] : () , () ,
capture [] : [] , , , ,

case : ,
case-sensitive [≡] : ()



case-insensitive [≡] : ,

cast [] : () , ()
carat [] : , 10 = 2
caret [] : (^),
cascading [] : , ,
character [] : ,
cheap : ,
claim [] : , ,
coalesce [] : () , , [] ,
coarse-grained [] : , , ()
cohort [] : () , ()
가 ,)
command line application [] : ,
commonplace [] : , / , / ,
compactly [] : ,
compatibility [] : []가 , ()
compatible [] : ,
complete [] : ,
complication [] : () , ()
compound [] : ,
compute [} : ,
concatenate [] : (,)
concrete [] : , , [] ,
concurrent [] : ,
condition : < > [] . ~ . < > []

configurable [] : 가
configure [] : < , > ,
configuration [] : ,
conform [~ ≡] : (,) , [] (to, with)
conformable [] : , , ,
conformance [] : , ,
conformant [] : () , -> conforming, conformable
consideration [] : , , , , []
consistency [] : ,
consolidate [≡] : , , , ,
constant [] : , , , , , /
constitute [≡] : ,
constraint [] : ,

construct [\equiv] : ,
 consume [] : ~ []
 consumption [π] : []()
 contextual [] : () ,
 contract [] : ,
 contribute [\equiv] : [] , []
 contiguous [] : , / ,
 conundrum [] : , (=niddle)
 conventional [] : , [] , ,
 conversion [] : , , ,
 corresponding [] : ~ [] , ,~
 cover : ,
 coverage [] : () , () , craving [] : ,
 credentials [] : , ,
 cumbersome [] : , , ,
 custom [] : , ,

D

deadlock [] : () , ()
 deep dive [] : ()
 de facto [] : [] []
 default [] : (,)/
 deflation [] : , 가 , [가] ,
 denote [\equiv] : , .
 depend on A [] : A , A , A
 deployment [] : , , ___()
 describe [] : () . () ,
 description [] : , , , ,
 detail [] : / ,
 detailed [] : ,
 detrimental [] : (damaging), (to)
 difference [] : ,
 digestible [] : , , ,
 direct : ~ ..
 directed [] : , , —> ?
 directed graph [] : < >
 disparate [] : , , ,
 distinct [] : [] , , ,
 distinction [] : () [] , , ,
 distribution [] : ___( .exe ?)
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,
 document [] : ~ , ()
 documentation [] : , , , ,
 domain-specific [] : ()

F

facade [] : () , , , ,
 fallback [] : () , , []
 feature [~] : , ,
 federate [≡] : ,
 feed [~] : , .
 fetch [] : 가 [/] , (가)
 fine grain [] :
 fine-grained [] : , ()
 finite [] : ,
 first order logic : 1 []
 flag [] : () , ,)
 flexible [] : changeable , 가 ,
 for now : , ,
 format [] : ~ / , ,
 formulate [≡] : ~ [,] [] , ~ []
 fragment [] : , / , XML
 fraught [≡] : , , ~ (with)
 from scratch [] : , [] ,
 frustration [] : ,
 function-like operators [] :
 functionality [] : ()
 further [] : , 가 / , 가

G

general-purpose language [] :
 generic [] : , (汎用)
 get one's foot in the door : , ~ ()
 given A : ~ , ~ 가 , ~) , ~ 가 , ~
 glossary [~] : ,
 go through : ~ [] , [] , []
 ground : ,

H

hands-on [] : [] () []
 horizontal [] : () , 가
 how-to or howto : , , (實用) / ,
 hierarchy [] : , ,

I

identifier [] :

idiom [] : , ,

identical [] : , (to/with sb/sth)

identify [] :

i.e. = id est [] : , ,

if not for = without = in the absence of sth/sb

if preferred [] :

illustrative [] : (實例)가 ,

illustration [] : [], , ,

immutable [] : , ,

implementation [] : ,

implication [] : () , , ,

implicit [≡] : , ,

impractical [] : , , , , , , , 가

in combination with A : A []

in conjunction with A : A

in favor of A : A , A []

in line with A : A , A , A , A , A

in no way : [] ~ (not ~ at all)

in place : () , 가 , 가 가 ,

in preference to A : A , A

in response to A [] : A []

in the case of : ~ , ~ , ~

in turn : ,

incompatible [] : , , () ,

incorporate [≡] : , , () ,

indentation [] : ,

indeterminate [≡] : []가 [] , , ,

index [] : , , , [] .

indicate [≡] : , .

inefficient [] : , , ,

infamous [] : , , , ,

inform : , , []

initial value:

initialize [] : .

initialization [/] :

initiate [≡] : , , , 가 []

inline [] :

Infrequently [] : ,

inputstream [] by TTA :

1. 가 ,
2. 가 .

insecure [] : , , ,

instructive [] : , , , ,

integrate [\in] : , , 가 , 가
interoperable [] : 가 , , 가
interfere [] : . , , (with)
interoperability [] : , (가)
interpret [] : intersection [] : , ,
intervene [] : , [가], [], []
intervening [] : (, ,) []
inventory [] : , , , ,
invert [\circ] : () , () , [] ,
investigate [\in] : [,]
invocation [] : , [], [], , []
invoke : () []
involve [\sim] : , , []
iterate [\in] : (,)
iterator [] :

J

job board :

L

label [] : f , ()
large numbers of \sim : \sim
layered [] : ,
leaderboard [] : () , , , 가
legacy [] : (,) , ' , ' ,
legal [] :
leverage [] : , , , , , ,
life cycle [] : , ,
line-break : []
literacy [] : , (,) ,
literal : , / plain literal :
log : , , , , , (TTA)/
logging [] :
look in A : A
loop [] : , ()
lowercase [] : () , ()

M

machinery [] : , , ,
malignant [\in] : (,) , , ,

match A against B : A B []
 materialize [] : , ,
 merge [≅] : ~ ,
 membership : (,) , (,)
 metaphysical [] : , , ,
 migrate [≡] : [] , (, .)
 mix and match : ()
 moderate [] : , , , , ,
 moderator [] : , ,
 moderation [] : , , , (,) []
 morpheme [] : ()
 morphological [] : ()
 morphological analyzer [] :
 mostly [] : ,
 much of A : A , A
 mung [] : < > , [,] ,

N

namely [] : ,
 namespace : ,
 native [] : < > , ,
 navigate [≡] : , , []
 NB [N.B] : (nota bene, = note well,
 necessarily [] : , , ,
 negation [] : , , ,
 nestable [] : , (가)
 nested [] :
 nesting [] :
 negate [] : , , [] ,
 note : ~ [] . () , , ~
 notation [] :
 notwithstanding [] : ~ , ,
 numeronym [] : , ex) i18n - internationalization, L10n - Localization
 numeric [≙] = numerical [] : , ,

O

obfuscation [] : , , , code obfuscation :
 object : ,
 obsolete [≡] : 가 , , out of date
 occur [] : , / ,
 occurrence [] : [/] , , , , ,
 on one's own : , ,
 on shaky ground [] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [] : () ,
opaque [] : , , , ,
operation [] : , , , ,
optimization [] : (最適化)
optimize, optimise [] : ~ [] [] ,
ordinal [] :
other than A = except A [] : A
otherwise [] : , , ,
outline [] : [] , ,
output [] : , , /
out of the box : ,
outside of : { } ~ (except)
outstanding [] : , , , , , ,
overflow [] : , , , ,
override [] : ()가 () , () []
overview [] : , , ,
overwrite [] : , , , ,

P

pack : []
pare [] : () [] , [] , (down, away)
parse [] : ()
pass in : ,
peculiar [] : , , , () , ,
performant [] : , ,
perimeter [] : , ,
permission [] : , 가, , ,
per se [] : < > , , ,
persist [] : [] , (in)
persistent [≒] : , / , , ,
plain : , ,
pointless [] : , 가 가 , , ,
portable [] : () 가 , ,
portability [] : [] () (가) ,
practioner [] : , 가, , ,
precede [] : ~ , 가 , , ,
precedence [] : () , , , , , ,
predicate [] : () , ,
preemptive [] : , , , []
preface [] : , , , ,
preliminary [] : , / , , ,
primary [] : , , ,
primer [] : , , /
procedure [] : , ,
procedural [] : , ,

procedural language [] :
 process [] : [], , 가 []
 project : ~ (...)
 property [] : () [] / ,
 prototyping [] : ,
 provide A with B = provide B for[to] A: A B
 provided [] : < > () ~
 provision [] : , , , , ,
 proxy [] :

==== Q ===== <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&do=qualified>

[] : () [] ,
 quantum [] : [] (量子)
 query [] : ()
 quote [≡] :

R

rarely if ever : ...
 reasoning [] : ,
 reasonably [] : ,
 recommendation [] :
 refer to A as B : A B []
 refer to A : A , A [] , A [] .
 reference [] : , /
 refine [] : [] , ,
 reflect [≡] : , , [] , [] ,
 registry [] : , ,
 regularity [] : , , ,
 relation [] : ,
 relationship [] : _____

relative URI reference [] : URI
 remedy [] : , []
 reminder [] : [] , ,
 replica [] : , , ,
 representation [] : , , /
 require [] : ~ , ~ []
 required [] : (必修)
 requirement [] : , , , ,
 reside [] : vi. ~ [] , , []
 resolve : , [,] , [/]
 resolve to A [] : A ,
 resolver [] :

•

(by TTA)

respect [] : (,) .
result from A : A , A . “ + result form + ”

- result from = be caused by
 - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
 - This plane crash resulted in the death of 10 passengers.

10

retain [] : []

retrieve [] : , / ()

reverse [] : , [] , , []

risk [] : ~ , ~

robust [] : , []

runtime : (,)

S

salvage [] : , []

selvage [, 美] : selvedge ()가 , (, 가)

sanitize [] : , , .

scalable [] : , 가

scheme [] : _____, ,

schema [] : (,) [], , ()

script [] :

searchable [] : (가) 가 , []

secondary [] : , , ,

secure [] : , ,

segmentation [] : , , ,

selective [] : , , , , [], ,

semantics [] : , , ()

separate A from B : ,

separator [] : , ,

serialization [] :

shaky [] : (, ,) [], , , ,

shell command path [] :

shortcut : ,가 가

shorthand [≡] : , ,

significance [] : , , ,

silently []: , ,
 similarly []: 가 , ,
 simultaneous []: ,
 signal []: , [] .
 single quote, single quotation marks :
 skip on to A : A 가
 snippet []: , ,
 so long as + A : A , A , A
 somehow []: , ,
 sophistication []: , / ,
 sort of : , , () ?
 specialize []: , , ,
 specify []: , , ,
 specification []: () , (仕様), , ,
 spot []: .
 square []: , ,
 statistics []: [] , , []
 standard [≡]: ,
 stand-alone []: ,
 steering committee []: ,
 stopword []: < > (不用語)
 stream []: ()
 strict []: , , ,
 subclass [≡]: / ~ ,
 subject [≡]: / , / , / ,
 subject to A : A [] , A [_____]
 submission []: , , (,)
 subsequent []: , , ,
 subsidiary []: , , ,
 substrate [≡]: ,
 subtract []: (,) , ,
 subtype []: ,
 suffice []: ~ . (for, to do)
 sufficient [≡]: != insufficient [≡]
 suppress [~]: [] , = forcibly put an end to A, ~ []
 swap [互]: , [] , < >
 switch on/off : () (~) /
 synonym []: ,

T

tabular []: , , , []
 take notice of A : A ,
 take no notice of A : A
 take A into consideration : A []
 take the description : .
 target [≡]: , , , , []
 taste : , , , [] , ,
 ternary []: , , ,

terse [] : []
testimonial [] : ,
the first time : , < > ~ , ~
the same is true for[of] A : A 가 , A
think of sth/sb :
throughput [] : () []
tightly [] : , , , ,
timeout : < > ()
timezone :
tinker [] : ,
tortuous [屈] :
transaction [] : , , , ()
transactional [] : [] ,
transitive [] : , , [] , ,
traverse [] : 가 , ,
traversal [] : _____, 가 ,
typically [] : , / ,

U

unary [] : , 1 ,
underlying [] : , , ,
unified [] : ,
unify [] : [] , ,
uniform : , , , , ,
union : ,
unpack [] : ,
unqualified [] : , , , , ,
unwieldy [] : () , []
uppercase [] : () , ()
use [] : , ,

V

variant [] : , , / , , ,
variation [] : , ,
vary [] : , , , , ,
value [] : ,
verbose [] : , , 가
versus [] : ~ [] , ... (對)
via A [] : A , (,)
virtualization [] : () 가 , 가
voucher [] : , , , a sales voucher() , a hotel voucher() , a luncheon voucher()

W

wherever possible [] : 가
whitelist [] :

- ,

white space :

widespread [] :

without regard to[for] A : A , A , A , A

with respect to A : A

withstand [] : ~

work for A : A , ~ , A

workaround [] : 2 , ,

wrap up something : ~

write out : ~ ()

Tip

* !!!

-
-

, [wordbook](#)

From: <http://rwiki.repia.com/> -

. - 2023.12

Permanent link: <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1616559709>

Last update: **2022/03/10 19:52**

