

# A

a bunch of : ,

a collection of : ~

a range of :

abbreviate [ ≡ ] : ~ ,

abbreviated [ ] : ,

abide by [ ] : ~ [ , ]

abort [ ≡ ] : [ ] , , ( )

absent [ ≡ ] : , , ,

above : [ ] [ ] [ ]

accessor [ ] :

active :

adjacent [ ≡ ] : , 가 ,

administration [ ] = admin : , [ ]

afresh [ ] :

aggregate [ ] : , , ,

aggregation [ ] : , , ,

aggregator [ ] :

agile [ ' / ] : , ,

algebra [ ] :

all at once : , [ ]

allow for A : A [ , ] , A [ ]

alternate [ ] : [ ]

alternatively [ ] : , (... ) (instead)

anchor [ ] : , , , , ~

ancillary [ ] : ,

annotation [ ] :

anonymous [ ] : , ,

anon [ ] :

1. , ,
2. anonymous [ ]

append [ ] : ~ , 가

applicable [ ] :

application [ ] : ,

appropriate [ ≡ ] : , , , ,

arbitrary [ ] : , , , ,

architecture [ ] : [ ] , , , ,

archive [ ] : , [ ] ,

argument [ ] :

arithmetic expression :

arity [ ] : 가 . (n-

ray) n . (degree) - : TTA  
 artefact = artifact [ ] : , ,  
 as it were : [ ]  
 as required = according to need :  
 assemble [ ] : ( ) [ ] .  
 assert [ ] : , , ,  
 associate A with B : A B [ , , ] ,  
 assume [ ] : 가 , , [ ], ~ , ( , ) [ , ]  
 asynchronous [ ] : ( )  
 at most [ ] : ,  
 at scale [ ] :  
 at the end of the day : 가 (the most important thing), (ultimately)  
 atomic [ ] : , , , [ , ]  
 attribute [ ≡ ] : ,  
 augment [ ] : , 가  
 authoritative [ ] : , , ,  
 authority [ ] : \_\_\_\_\_, [ pl]  
 axiom [ ] : , 가 가 .

## B

backward = backwards [ ≡ ] : / ,  
 backwards compatibility :  
 be better off than before :  
 be concerned with A [ ] : A 가 . A .  
 behavior [ ] : ( ) , , , , ,  
 benign [ ~ ] : , , ,

- having no significant effect : harmless

best practice [ ] :  
 beware [ ] : ( ) [ ]  
 binary [ ] : 2 , 2  
 blank node [ ] : ( )  
 boilerplate [ ] : ( ) ,  
 boot [ ≡ ] : ( [가]) [ ]  
 bracket [ ] : ( ),  
 brevity [ ] : , ,  
 bring in : ~ 가  
 broadly [ ] : , , , , ,  
 building block :  
 by extension [ ] : 가

## C

cache [     ] : (     ),  
call :     ,  
callee :     ,  
canonical [     ] : [     ] ,     ,     ,  
canonicalization [     ] :     ,  
capability [     ] :     ,     ,  
capitalize [     ] : (     )     , (     )     ,  
capture [     ] :     [     ] ,     ,     ,     ,

case :     ,  
case-sensitive [     ≡ ] : (     )



case-insensitive [     ≡ ] :

cast [     ] : (     ) , (     )  
carat [     ] :     , 10 = 2  
caret [     ] : ( ^ ),  
cascading [     ] :     ,     ,  
character [     ] :     ,  
cheap :     ,  
claim [     ] :     ,     ,  
coalesce [     ] : (     )     ,     , [     ]  
coarse-grained [     ] :     ,     , (     )  
cohort [     ] : (     )     ,     (     )  
가     ,     )  
command line application [     ] :     ,     /     ,     /     ,  
commonplace [     ] :     ,     /     ,     /     ,  
compactly [     ] :     ,  
compatibility [     ] : [     ]가     , (     )  
compatible [     ] :     ,  
complete [     ] :     ,     ,  
complication [     ] : (     ) , (     )  
compound [     ] :     ,  
compute [     } :     ,  
concatenate [     ] : (     ,     )  
concrete [     ] :     ,     , [     ] ,  
concurrent [     ] :     ,  
condition : <     > [     ]     . ~     . <     > [     ]

configurable [     ] :     가  
configure [     ] : <     ,     >     , ...     .  
configuration [     ] :     ,  
conform [     ~ □ ] : (     ,     )     , [     ] (to, with)  
conformable [     ] :     ,     ,     ,  
conformance [     ] :     ,     ,  
conformant [     ] : (     )     ,     -> conforming, conformable  
consideration [     ] :     ,     ,     ,     , [     ]  
consistency [     ] :     ,  
consolidate [     ≡ ] :     ,     ,     ,     ,  
constant [     ] :     ,     ,     ,     ,     ,     /  
constitute [     ≡ ] :     ,  
constraint [     ] :     ,

construct [  $\equiv$  ] : ,  
 consume [ ] : ~ [ ]  
 consumption [  $\pi$  ] : [ ] ( )  
 contextual [ ] : ( ) ,  
 contract [ ] : ,  
 contribute [  $\equiv$  ] : [ ] , [ ]  
 contiguous [ ] : , / ,  
 conundrum [ ] : , (=niddle)  
 conventional [ ] : , [ ] , ,  
 conversion [ ] : , , ,  
 corresponding [ ] : ~ [ ] , ,~  
 cover : ,  
 coverage [ ] : ( ) , , ( ) , craving [ ] : ,  
 credentials [ ] : , , ,  
 cumbersome [ ] : , , ,  
 custom [ ] : , ,

## D

deadlock [ ] : ( ) , , ( ) )  
 deep dive [ ] : ( ) ,  
 de facto [ ] : [ ] [ ]  
 default [ ] : ( , , )/  
 deflation [ ] : , 가 , , [가 ] ,  
 denote [  $\equiv$  ] : , .  
 depend on A [ ] : A , A , A  
 deployment [ ] : , , \_\_\_(  )  
 describe [ ] : ( ) . ( ) ,  
 description [ ] : , , , ,  
 detail [ ] : / ,  
 detailed [ ] : ,  
 detrimental [ ] : (damaging), (to)  
 difference [ ] : ,  
 digestible [ ] : , , ,  
 direct : ~ ..  
 directed [ ] : , , —> ?  
 directed graph [ ] : < >  
 disparate [ ] : , , , ,  
 distinct [ ] : [ ] , , , ,  
 distinction [ ] : ( ) [ ] , , , ,  
 distribution [ ] : \_\_\_(  .exe ? )  
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,  
 document [ ] : ~ , ( )  
 documentation [ ] : , , , , ,  
 domain-specific [ ] : ( )







integrate [ ≡ ] : , 가 , 가  
interoperable [ ] : 가 , 가  
interfere [ ] : . , (with)  
interoperability [ ] : , ( 가 )  
interpret [ ] : intersection [ ] : , ,  
intervene [ ] : , [가 ], [ ], [ ]  
intervening [ ] : ( , , ) [ ]  
inventory [ ] : , , ,  
invert [ ∘ ] : ( ) , ( ) , [ ] ,  
investigate [ ≡ ] : [ , ]  
invocation [ ] : —, [ ], [ ], , [ ]  
invoke : ( ) [ ]  
involve [ ~ ] : , , [ ]  
iterate [ ≡ ] : ( , )  
iterator [ ] :

## J

job board :  
jumbotron : ( ) ,

## L

label [ ] : f , ( )  
large numbers of ~ : ~  
layered [ ] : ,  
leaderboard [ ] : ( ) , ,  
가  
legacy [ ] : ( , ) , ' , ' ,  
legal [ ] :  
leverage [ ] : , , , , , ,  
life cycle [ ] : , ,  
line-break : [ ]  
literacy [ ] : , ( , ) ,  
literal : , / plain literal :  
log : , , , , , ,  
(TTA)/  
logging [ ] :  
look in A : A  
loop [ ] : , ( )  
lowercase [ ] : ( ) , ( )

# M

machinery [            ] :            ,            ,            ,  
 malignant [            ≡ ] : (            ,            )            ,            ,            ,  
 match A against B : A    B            [            ]  
 materialize [            ] :            ,            ,            ,  
 merge [ ≡ ] : ~            ,            ,  
 membership : (            ,            )            ,            (            ,            )  
 metaphysical [            ] :            ,            ,            ,            ,  
 migrate [            ≡ ] :            [            ] , (            ,            .            )  
 mix and match : (            )  
 moderate [            ] :            ,            ,            ,            ,            ,  
 moderator [            ] :            ,            ,            ,  
 moderation [            ] :            ,            ,            , (            ,            )            [            ]  
 morpheme [            ] :            (            ,            )  
 morphological [            ] :            (            )  
 morphological analyzer [            ] :            [            ] :  
 mostly [            ] :            ,            ,  
 much of A : A            ,            A  
 mung [            ] : <            >            ,            , [            ,            ]            ,            ,

# N

namely [            ] :            ,  
 namespace :            ,  
 native [            ] : <            >            ,            ,            ,  
 navigate [            ≡ ] :            ,            ,            [            ]  
 NB [N.B] : (nota bene,            ,            = note well,  
 necessarily [            ] :            ,            ,            ,  
 negation [            ] :            ,            ,            , (            가)  
 nestable [            ] :            , (            가)  
 nested [            ] :            ,  
 nesting [            ] :            ,  
 negate [            ] :            ,            ,            [            ]            ,  
 note : ~            [            ]            . (            )            ,            , ~  
 notation [            ] :            ,  
 notwithstanding [            ] : ~            ,            ,  
 numeronym [            ] :            , ex) i18n - internationalization, L10n - Localization  
 numeric [            ≡ ] = numerical [            ] :            ,            ,

# O

obfuscation [            ] :            ,            , code obfuscation :  
 object :            ,  
 obsolete [            ≡ ] :            가            ,            ,            out of date

occur [            ] :            ,            /            ,            ,            ,            ,            ,  
occurrence [            ] :            [            /            ] ,            ,            ,            ,            ,  
on one's own :            ,            ,

on shaky ground [            ] :            (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [            ] : (            )            ,  
opaque [            ] :            ,            ,            ,            ,  
operation [            ] :            ,            ,            ,            ,            ,  
optimization [            ] :            (最適化)  
optimize, optimise [            ] : ~            [            ]            [            ],  
ordinal [            ] :  
other than A = except A [            ] : A  
otherwise [            ] :            ,            ,            ,  
outline [            ] :            [            ] ,            ,  
output [            ] :            ,            ,            /            ,  
out of the box :            ,  
outside of : {            ] ~            (except)  
outstanding [            ] :            ,            ,            ,            ,            ,            ,  
overflow [            ] :            ,            ,            ,  
override [            ] : (            )가 (            )            , (            )            [            ]  
overview [            ] :            ,            ,  
overwrite [            ] :            ,            ,            ,

## P

pack : [            ]  
pare [            ] : (            )            [            ] ,            [            ]            ,            (down, away)  
parse [            ] : (            )  
pass in :            ,  
peculiar [            ] :            ,            ,            , (            )            ,            ,  
performant [            ] :            ,  
perimeter [            ] :            ,  
permission [            ] :            ,            가 ,            ,  
per se [            ] : <            >            ,            ,  
persist [            ] :            [            ]            ,            (in)  
persistent [ ≒            ] :            ,            /            ,            ,  
plain :            ,            ,  
pointless [            ] :            ,            가            가            ,            ,  
portable [            ] : (            )            가            ,  
portability [            ] : [            ] (            )            (가            ) ,  
practioner [            ] :            ,            가 ,            ,  
precede [            ] : ~            ,            가            ,            ,  
precedence [            ] : (            ) ,            ,            ,            ,            ,            ,  
predicate [            ] : (            )            ,  
preemptive [            ] :            ,            ,            [            ]

preface [ ] : ,  
 preliminary [ ] : , / , , ,  
 primary [ ] : , ,  
 primer [ ] : , /  
 procedure [ ] :  
 procedural [ ] : ,  
 procedural language [ ] :  
 process [ ] : [ ], , 가 [ ]  
 project : ~ ( ... ) , ,  
 property [ ] : ( ) [ ] / ,  
 prototyping [ ] : ,  
 provide A with B = provide B for[to] A: A B  
 provided [ ] : < > ( ) ~  
 provision [ ] : , , , , ,  
 proxy [ ] : .

==== Q ==== <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&do=> qualified

[ ] : ( ) [ ] ,  
 quantum [ ] : [ ] (量子)  
 query [ ] : ( )  
 quote [ ≡ ] :

## R

rarely if ever : ...  
 reasoning [ ] : ,  
 reasonably [ ] : ,  
 recommendation [ ] :  
 refer to A as B : A B [ ]  
 refer to A : A , A [ ] , A [ ] .  
 reference [ ] : , /  
 refine [ ] : [ ] , ,  
 reflect [ ≡ ] : , , [ ] , [ ] ,  
 registry [ ] : , ,  
 regularity [ ] : , , ,

relation [ ] : ,  
 relationship [ ] : \_\_\_\_\_

relative URI reference [ ] : URI  
 remedy [ ] : , [ ]  
 reminder [ ] : [ ] , ,  
 replica [ ] : , , ,  
 representation [ ] : , , /  
 require [ ] : ~ , ~ [ ]  
 required [ ] : (必修)  
 requirement [ ] : , , , ,  
 reside [ ] : vi. ~ [ ] , , [ ]

resolve : [ , ] , [ / ]  
resolve to A [ ] : A ,  
resolver [ ] :

•

(by TTA)'

respect [ ] : ( , ) .  
result from A : A , A . “ + result form + ”

- result from = be caused by
  - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
  - This plane crash resulted in the death of 10 passengers.

10

retain [ ] : [ ]  
retrieve [ ] : , / ( )  
reverse [ ] : [ ] , [ ]  
risk [ ] : ~ , ~  
robust [ ] : , [ ]  
runtime : ( , )

## S

salvage [ ] : , [ ]  
selvage [ , 美 ] : selvedge ( )가 , ( , 가 )  
sanitize [ ] : , , .

scalable [ ] : , 가

scheme [ ] : \_\_\_\_\_ ,  
schema [ ] : ( , ) [ ] , ( )

script [ ] :  
searchable [ ] : ( 가) 가 , [ ]

secondary [ ] : , ,  
secure [ ] : ,  
segmentation [ ] : , ,  
selective [ ] : , , , [ ] ,

semantics [ ] : , ( )  
separate A from B : ,  
separator [ ] : , ,

serialization [ ] :  
shaky [ ] : ( , , ) [ ], , , ,  
shell command path [ ] :  
shortcut : ,가 가  
shorthand [ ≡ ] : , ,  
significance [ ] : , , ,  
silently [ ] : , ,  
similarly [ ] : 가 , ,  
simultaneous [ ] : ,  
signal [ ] : , [ ] .  
single quote, single quotation marks :  
skip on to A : A 가  
snippet [ ] : , ,  
so long as + A : A , A , A  
somehow [ ] : ,  
sophistication [ ] : , / ,  
sort of : , , ( ) ?  
specialize [ ] : , ,  
specify [ ] : , , ,  
specification [ ] : ( ) , (仕様), , ,  
spot [ ] : .  
square [ ] : , ,  
statistics [ ] : [ ] , , [ ]  
standard [ ≡ ] :  
stand-alone [ ] : ,  
steering committee [ ] :  
stopword [ ] : < > (不用語)  
stream [ ] : ( )  
strict [ ] : , , ,  
subclass [ ≡ ] : / ~ ,  
subject [ ≡ ] : / , / , / ,  
subject to A : A [ ] , A [ \_\_\_\_\_ ]  
submission [ ] : , , ( , )  
subsequent [ ] : , , ,  
subsidiary [ ] : , , ,  
substrate [ ≡ ] : ,  
subtract [ ] : ( , ) , ,  
subtype [ ] :  
suffice [ ] : ~ . (for, to do)  
sufficient [ ≡ ] : != insufficient [ ≡ ]  
suppress [ ~ ] : [ ] , = forcibly put an end to A, ~ [ ]  
swap [ ≡ ] : , [ ] , < >  
switch on/off : ( ) (~ ) /  
synonym [ ] : ,

# T

tabular [ ] : , , , [ ]  
take notice of A : A ,

take no notice of A : A

take A into consideration : A [ ]

take the description :

target [ ≡ ] : , , , . [ ]

taste : , , [ ], ,

ternary [ ] : , ,

terse [ ] : [ ]

testimonial [ ] : ,

the first time : , < > ~ , ~

the same is true for[of] A : A 가 , A

think of sth/sb :

throughput [ ] : ( ) [ ]

tightly [ ] : , , , ,

timeout : < > ( )

timezone :

tinker [ ] : ,

tortuous [ ≡ ] :

transaction [ ] : , , , ( )

transactional [ ] : [ ] ,

transitive [ ] : , , [ ] , ,

traverse [ ] : 가 , ,

traversal [ ] : \_\_\_\_\_, 가

typically [ ] : , / ,

## U

unary [ ] : , 1 ,

underlying [ ] : , , ,

unified [ ] : ,

unify [ ] : [ ] , ,

uniform : , , , , ,

union : ,

unpack [ ] : ,

unqualified [ ] : , , , , ,

unwieldy [ ] : ( ), [ ]

uppercase [ ] : ( ) , ( )

use [ ] : , ,

## V

variant [ ] : , , / , , ,

variation [ ] : , ,

vary [ ] : , , , , ,

value [ ] : ,

verbose [ ] : , , 가

versus [ ] : ~ [ ] , ... (對)

via A [            ] : A            , (            ,            )  
 virtualization [            ] : (            ) 가            , 가  
 voucher [            ] :            ,            ,            , a sales voucher(            ), a hotel voucher(            ), a  
 luncheon voucher(            )

## W

wherever possible [            ] : 가  
 whitelist [            ] :            ,


- ,

white space :  
 widespread [            ] :            ,            A            ,            A            , A  
 without regard to[for] A : A            , A            , A            , A  
 with respect to A : A  
 withstand [            ] : ~            .            ,            .  
 work for A : A            , ~            , A            .  
 workaround [            ] : 2            ,            ,  
 wrap up something : ~  
 write out : ~            (            )

## Tip

- \*            !!!
- -
- , [wordbook](#)

From: <http://rwiki.repia.com/> -            . - 2023.12

Permanent link: <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1616632999> 

Last update: **2022/03/10 19:52**