

A

a bunch of :

a collection of : ~

a range of :

abbreviate [Ξ] : ~ ,

abbreviated [] :

abide by [] : ~ [,]

abort [Ξ] : [] , , , ()

absent [Ξ] : , , , ,

above : [] [] []

accessor [] :

active :

adjacent [Ξ] : , 가 ,

administration [] = admin : , []

afresh [] :

aggregate [] : , , ,

aggregation [] : , , , ,

aggregator [] :

agile [' / '] : , ,

algebra [] :

all at once : , []

allow for A : A [,] , A []

alternate [] : []

alternatively [] : , (...) (instead)

anchor [] : , , , , , ~

ancillary [] : ,

annotation [] :

anonymous [] : , ,

anon [] :

1. , ,

2. anonymous []

append [] : ~ , 가

applicable [] :

application [] : ,

appropriate [Ξ] : , , , , ,

arbitrary [] : , , , , , ~

architecture [] : [] , , , , ,

[]

archive [] : , [] ,

argument [] :

arithmetic expression :

arity [] : 가 . (n-

ray) n . (degree) - : TTA
artefact = artifact [] : , ,
as it were : []
as required = according to need :
assemble [] : () [] .
assert [] : , , , ,
associate A with B : A B [, ,] ,
assume [] : 가 , , [], ~ , (,) [,]
asynchronous [] : ()
at most [] : ,
at scale [] :
at the end of the day : 가 (the most important thing), (ultimately)
atomic [] : , , , [,]
attribute [≡] : ,
augment [] : , 가
authoritative [] : , , ,
authority [] : _____, [pl]
axiom [] : , 가 가 .

B

backward = backwards [≡] : / ,
backwards compatibility :
be better off than before :
be concerned with A [] : A 가 . A .
behavior [] : () , , , , ,
benign [~] : , , ,

- having no significant effect : harmless

best practice [] :
beware [] : () []
binary [] : 2 , 2
blank node [] : ()
boilerplate [] : () ,
boot [≡] : ([가]) []
bracket [] : (),
brevity [] : , ,
bring in : ~ 가
broadly [] : , , , , ,
building block :
by extension [] : 가

C

cache [] : (),
 call : ,
 callee : ,
 canonical [] : [] , , ,
 canonicalization [] : ,
 capability [] : , ,
 capitalize [] : () , () ,
 capture [] : [] , , , ,

 case : ,
 case-sensitive [$\models$] : ()

 case-insensitive [$\models$] :

 cast [] : (), ()
 carat [] : , 10 = 2
 caret [] : (^),
 cascading [] : , ,
 character [] :
 cheap : ,
 claim [] : , ,
 coalesce [] : () , , []
 coarse-grained [] : , , ()
 cohort [] : () , ()
 가 , ,)
 command line application [] :
 commonplace [] : , / , / ,
 compactly [] :
 compatibility [] : []가 , ()
 compatible [] :
 complete [] : ,
 complication [] : (), , ()
 compound [] : ,
 compute [] : ,
 concatenate [] : (,)
 concrete [] : , , [] ,
 concurrent [] : ,
 condition : < > [] . ~ . < > []

 configurable [] : 가
 configure [] : < , > ,
 configuration [] : ,
 conform [~ $\sqsubset$] : (,) , [] (to, with)
 conformable [] : , , ,
 conformance [] : , ,
 conformant [] : () , -> conforming, conformable
 consideration [] : , , , , []
 consistency [] :
 consolidate [$\equiv$] : , , , ,
 constant [] : , , , , , /
 constitute [$\equiv$] :
 constraint [] : ,

construct [$\sqsubseteq$] : ,
 consume [] : ~ []
 consumption [π] : [] ()
 contextual [] : () ,
 contract [] : ,
 contribute [$\sqsubseteq$] : [] , []
 contiguous [] : , / ,
 conundrum [] : , (=niddle)
 conventional [] : , [] , ,
 conversion [] : , , ,
 corresponding [] : ~ [] , ,~
 cover : ,
 coverage [] : () , , () , craving [] : ,
 credentials [] : , ,
 cumbersome [] : , , ,
 custom [] : , ,

D

deadlock [] : () , , ()
 deep dive [] : ()
 de facto [] : [] []
 default [] : (, ,)/
 deflation [] : , 가 , [가] ,
 denote [$\sqsubseteq$] : , .
 depend on A [] : A , A , A
 deployment [] : , , ____ ()
 describe [] : () . () ,
 description [] : , , , ,
 detail [] : / ,
 detailed [] : ,
 detrimental [] : (damaging), (to)
 difference [] : ,
 digestible [] : , , ,
 direct : ~ ..
 directed [] : , , —> ?
 directed graph [] : < >
 disparate [] : , , ,
 distinct [] : [] , , ,
 distinction [] : () [] , , ,
 distribution [] : ____ ( .exe ?)
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,
 document [] : ~ , ()
 documentation [] : , , , ,
 domain-specific [] : ()

F

facade [] : () , , , , ,
fallback [] : () , , []
feature [~] : , ,
federate [≡] : ,
feed [~] : , .
fetch [] : 가 [/] , (가)
fine grain [] :
fine-grained [] : , ()
finite [] : ,
first order logic : 1 []
flag [] : (, , ,)
flexible [] : changeable , 가 ,
for now : , ,
format [] : ~ / , ,
formulate [≡] : ~ [,] [], ~ []
fragment [] : , / , XML

fraught [≡] : , , ~ (with)
from scratch [] : [] ,
frustration [] : ,
function-like operators [] :
functionality [] : ()
further [] : , 가 / , 가

G

general-purpose language [] :
generic [] : , , (汎用)
get one's foot in the door : , ~ ()
given A : ~ , ~ 가 , ~ , ~ 가 , ~
glyphicons [] :

glossary [~] : ,
go through : ~ [], [] , []
ground : ,

H

hands-on [] : [] () []

horizontal [] : () , 가
 how-to or howto : , (實用) / ,
 hierarchy [] : , ,

I

identifier [] :
 idiom [] : , ,
 identical [] : , (to/with sb/sth)
 identify [] :
 i.e. = id est [,] : , ,
 if not for = without = in the absence of sth/sb
 if preferred [] :
 illustrative [≡] : (實例)가 ,
 illustration [] : [] , , ,
 immutable [] : , ,
 implementation [] : ,
 implication [] : () , , ,
 implicit [≡] : , , ,
 impractical [] : , , , , , ,
 가
 in combination with A : A []
 in conjunction with A : A
 in favor of A : A , A []
 in line with A : A , A , A , A , A
 in no way : [] ~ (not ~ at all)
 in place : () , 가 , 가 가 ,
 in preference to A : A , A
 in response to A [] : A []
 in the case of : ~ , ~ , ~
 in turn : ,
 incompatible [] : , , ,
 incorporate [≡] : , , () ,
 indentation [] : ,
 indeterminate [≡] : []가 [] , , ,
 index [] : , , [] .
 indicate [≡] : , .
 inefficient [] : , , ,
 infamous [] : , , ,
 inform : , , []
 initial value:
 initialize [] : .
 initialization [/] :
 initiate [≡] : , , , 가 []
 inline [] :
 Infrequently [] : ,
 inputstream [] by TTA :

가

2.

insecure [] : , ,
 instructive [] : , , , ,
 integrate [≡] : ,
 interoperable [] : 가 , 가
 interfere [] : . , (with)
 interoperability [] : (가)
 interpret [] : intersection [] : , ,
 intervene [] : , [가] , [] , []
 intervening [] : (, ,) []
 inventory [] : , , , ,
 invert [○] : () , () , [] ,
 investigate [≡] : [,]
 invocation [] : _____, [] , [] , , []
 invoke : () []
 involve [~] : , , []
 iterate [≡] : (,)
 iterator [] :

J

job board :
 jumbotron : (),

L

label [] : f , ()
 large numbers of ~ : ~
 layered [] : ,
 leaderboard [] : () , ,
 가
 legacy [] : (,) , ' ' ,
 legal [] :
 leverage [] : , , , , , ,
 life cycle [] : , ,
 line-break : []
 literacy [] : , (,) ,
 literal : , / plain literal :
 log : , , , , , ,
 (TTA)/
 logging [] :
 look in A : A

loop [] : , ()
 lowercase [] : () , ()

M

machinery [] : , , ,
 malignant [Ξ] : (,) , , ,
 match A against B : A B []
 materialize [] : , ,
 merge [Ξ] : ~ ,
 membership : (,) , (,)
 metaphysical [] : , , ,
 migrate [Ξ] : [] , (, .)
 mix and match : ()
 moderate [] : , , , , ,
 moderator [] : , , ,
 moderation [] : , , , (,) []
 morpheme [] : ()
 morphological [] : ()
 morphological analyzer [] :
 mostly [] : ,
 much of A : A , A
 mung [] : < > , , [,] ,

N

namely [] : ,
 namespace : ,
 native [] : < > , ,
 navigate [Ξ] : , , []
 NB [N.B] : (nota bene, , = note well,
 necessarily [] : , , ,
 negation [] : , , ,
 nestable [] : , (가)
 nested [] :
 nesting [] :
 negate [] : , , [] , ~
 note : ~ [] . () , , ~
 notation [] :
 notwithstanding [] : ~ , ,
 numeronym [] : , ex) i18n - internationalization, L10n - Localization
 numeric [$\Rightarrow$] = numerical [] : , ,

O

obfuscation [] : , , code obfuscation :

object : ,

obsolete [≡] : 가 , out of date

occur [] : , / , ,

occurrence [] : [/] , , , ,

on one's own : , ,

on shaky ground [] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [] : () ,

opaque [] : , , , ,

operation [] : , , , , ,

optimization [] : (最適化)

optimize, optimise [] : ~ [] [],

ordinal [] :

other than A = except A [] : A

otherwise [] : , , ,

outline [] : [] , ,

output [] : , , /

out of the box : ,

outside of : {] ~ (except)

outstanding [] : , , , , , , ,

overflow [] : , , ,

override [] : ()가 () , () []

overview [] : , ,

overwrite [] : , ,

P

pack : []

pare [] : () [], [] , (down, away)

parse [] : ()

pass in : ,

peculiar [] : , , , () , ,

performant [] : ,

perimeter [] : ,

permission [] : , 가, ,

per se [] : < > , ,

persist [] : [] , (in)

persistent [≡] : , / , ,

plain : , ,

pointless [] : , 가 가 , ,

portable [] : () 가 ,

portability [] : [] () (가) ,
 practioner [] : , 가 , ,
 precede [] : ~ , 가 , , , , , ,
 precedence [] : () , , , , , , , ,
 predicate [] : () , , , , , , , ,
 preemptive [] : , , []
 preface [] : , , , , , , , ,
 preliminary [] : , / , , , ,
 primary [] : , , , , , , , ,
 primer [] : , / , , , , , , , ,
 procedure [] : , , , , , , , ,
 procedural [] : , , , , , , , ,
 procedural language [] : , , , , , , , ,
 process [] : [] , , 가 []
 project : ~ (...) , , , , , , , ,
 property [] : () [] / , , , , , , , ,
 prototyping [] : , , , , , , , ,
 provide A with B = provide B for[to] A: A B
 provided [] : < > () ~
 provision [] : , , , , , , , ,
 proxy [] : , , , , , , , , .

===== Q ===== <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&do=> qualified

[] : () [] ,
 quantum [] : [] (量子)
 query [] : ()
 quote [] : ≡] :

R

rarely if ever : ...
 reasoning [] : ,
 reasonably [] : ,
 recommendation [] :
 refer to A as B : A B []
 refer to A : A , A [] , A [] .
 reference [] : , /
 refine [] : [] , , , , , , , ,
 reflect [] : ≡] : , , , [] , [] ,
 registry [] : , , , , , , , ,
 regularity [] : , , , , , , , ,
 relation [] : ,
 relationship [] : _____
 relative URI reference [] : URI
 remedy [] : , []
 reminder [] : [] , , ,

replica [] : , , ,
representation [] : , , /
require [] : ~ , ~ []
required [] : (必修)
requirement [] : , , , ,
reside [] : vi. ~ [, ,]
resolve : , [,] , [/]
resolve to A [] : A ,
resolver [] :

•

(by TTA)'

respect [] : (,)
result from A : A , A . “ + result form + ”

- result from = be caused by
 - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
 - This plane crash resulted in the death of 10 passengers.

10

retain [] : []
retrieve [] : , / () _____
reverse [] : , [] , , []
risk [] : ~ , ~
robust [] : , , []
runtime : (,)

S

salvage [] : , , []
selvage [, 美] : selvedge ()가 , (, 가)
sanitize [] : , , , .

scalable [] : , 가

scheme [] : _____,
schema [] : (,) [] , ()

script [] :
searchable [] : (가) 가 , []
secondary [] : , , ,
secure [] : , ,

segmentation [] : , , , , [], , ,

selective [] : , , , , , [], , ,

semantics [] : , , ()

separate A from B : ,

separator [] : , ,

serialization [] :

shaky [] : (, ,) [], , , , ,

shell command path [] :

shortcut : , 가 가

shorthand [≡] : , ,

significance [] : , , ,

silently [] : , ,

similarly [] : 가 , ,

simultaneous [] : ,

signal [] : , [] .

single quote, single quotation marks :

skip on to A : A 가

snippet [] : , ,

so long as + A : A , A , A

somehow [] : ,

sophistication [] : , / ,

sort of : , , () ?

specialize [] : , ,

specify [] : , , , (仕様), , ,

specification [] : () , (仕様), , ,

spot [] : .

square [] : , ,

statistics [] : [] , , []

standard [≡] :

stand-alone [] : ,

steering committee [] :

stopword [] : < > (不用語)

stream [] : ()

strict [] : , , ,

subclass [≡] : / ~ ,

subject [≡] : / , / , / ,

subject to A : A [], A [_____]

submission [] : , , (,)

subsequent [] : , , ,

subsidiary [] : , ,

substrate [≡] : ,

subtract [] : (,) , ,

subtype [] :

suffice [] : ~ . (for, to do)

sufficient [≡] : != insufficient [≡]

suppress [~] : [] , = forcibly put an end to A, ~ []

swap [ㅍ] : , [] , < >

switch on/off : () (~) /

synonym [] : ,

T

tabular [] : , , , []
take notice of A : A ,
take no notice of A : A
take A into consideration : A []
take the description : .
target [≡] : , , , , . []
taste : , , , [], , , , .
ternary [] : , , ,
terse [] : []
testimonial [] : ,
the first time : , < , > ~ , ~
the same is true for[of] A : A 가 , A
think of sth/sb :
throughput [] : () []
tightly [] : , , , ,
timeout : < > ()
timezone :
tinker [] : ,
tortuous [≡] :
transaction [] : , , , ()
transactional [] : [] ,
transitive [] : , , , [] , ,
traverse [] : 가 , , ,
traversal [] : —, 가 , ,
typically [] : , / , ,

U

unary [] : , 1 ,
underlying [] : , , ,
unified [] : ,
unify [] : [] , , ,
uniform : , , , , ,
union : ,
unpack [] : ,
unqualified [] : , , , , ,
unwieldy [] : () , []
uppercase [] : () , ()
use [] : , ,

V

variant [] : , , / , , ,

variation [] : , ,
 vary [] : , , , ,
 value [] : ,
 verbose [] : , , 가
 versus [] : ~ [] , ... (對)
 via A [] : A , (,)
 virtualization [] : () 가 , 가
 voucher [] : , , , a sales voucher(), a hotel voucher(), a
 luncheon voucher()

W

wherever possible [] : 가
 whitelist [] : ,

- ,

white space :

widespread [] : , , ,
 without regard to[for] A : A , A , A , A
 with respect to A : A
 withstand [] : ~ . , .
 work for A : A , , ~ , A .
 workaround [] : 2 , ,
 wrap up something : ~
 write out : ~ ()

Tip

* !!!

-
-

, [wordbook](#)

From:
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:
<http://rwiki.repia.com/doku.php?id=wiki:user:emblem98:wordbook&rev=1616654466>

Last update: **2022/03/10 19:52**

