

A

a bunch of : ,

a collection of : ~

a range of :

abbreviate [≡] : ~ ,

abbreviated [] : ,

abide by [] : ~ [,]

abort [≡] : [] , , ()

absent [≡] : , , ,

above : [] [] []

accessor [] :

active :

adjacent [≡] : , 가 ,

administration [] = admin : , []

afresh [] :

aggregate [] : , , ,

aggregation [] : , , ,

aggregator [] :

agile [' /] : , ,

algebra [] :

all at once : , []

allow for A : A [,] , A []

alternate [] : []

alternatively [] : , (...) (instead)

anchor [] : , , , , ~

ancillary [] : ,

annotation [] :

anonymous [] : , ,

anon [] :

1. , ,

2. anonymous []

append [] : ~ , 가

applicable [] :

application [] : ,

appropriate [≡] : , , , ,

arbitrary [] : , , ,

architecture [] : [] , , , ,

archive [] : , [] ,

argument [] :

arithmetic expression :

arity [] : 가 . (n-

ray) n . (degree) - : TTA
 artefact = artifact [] : , ,
 as it were : []
 as required = according to need :
 assemble [] : () [] .
 assert [] : , , , ,
 associate A with B : A B [, ,] ,
 assume [] : 가 , , [], ~ , (,) [,]
 asynchronous [] : ()
 at most [] : ,
 at scale [] :
 at the end of the day : 가 (the most important thing), (ultimately)
 atomic [] : , , , [,]
 attribute [≡] : ,
 augment [] : , 가
 authoritative [] : , , ,
 authority [] : _____, [pl]
 axiom [] : , 가 가 .

B

backward = backwards [≡] : / ,
 backwards compatibility :
 be better off than before :
 be concerned with A [] : A 가 . A .
 behavior [] : () , , , , ,
 benign [~] : , , ,

- having no significant effect : harmless

best practice [] :
 beware [] : () []
 binary [] : 2 , 2
 blank node [] : ()
 boilerplate [] : () ,
 boot [≡] : ([가]) []
 bracket [] : (),
 brevity [] : , ,
 bring in : ~ 가
 broadly [] : , , , , ,
 building block :
 by extension [] : 가

C

cache [] : (),
call : ,
callee : ,
canonical [] : [] , , ,
canonicalization [] : ,
capability [] : , ,
capitalize [] : () , () ,
capture [] : [] , , , ,

case : ,
case-sensitive [≡] : ()

case-insensitive [≡] : ,

cast [] : () , ()
carat [] : , 10 = 2
caret [] : (^),
cascading [] : , ,
character [] : ,
cheap : ,
claim [] : , ,
coalesce [] : () , , [] ,
coarse-grained [] : , , ()
cohort [] : () , ()
가 ,)
command line application [] : ,
commonplace [] : , / , / ,
compactly [] : ,
compatibility [] : []가 , ()
compatible [] : ,
complete [] : ,
complication [] : () , ()
compound [] : ,
compute [} : ,
concatenate [] : (,)
concrete [] : , , [] ,
concurrent [] : ,
condition : < > [] . ~ . < > []

configurable [] : 가
configure [] : < , > ,
configuration [] : ,
conform [~ □] : (,) , [] (to, with)
conformable [] : , , ,
conformance [] : , ,
conformant [] : () , -> conforming, conformable
consideration [] : , , , , []
consistency [] : ,
consolidate [≡] : , , , ,
constant [] : , , , , , /
constitute [≡] : ,
constraint [] : ,

construct [\equiv] : ,
 consume [] : ~ []
 consumption [π] : [] ()
 contextual [] : () ,
 contract [] : ,
 contribute [\equiv] : [] , []
 contiguous [] : , / ,
 conundrum [] : , (=niddle)
 conventional [] : , [] , ,
 conversion [] : , , ,
 corresponding [] : ~ [] , ,~
 cover : ,
 coverage [] : () , () , craving [] : ,
 credentials [] : , ,
 cumbersome [] : , , ,
 custom [] : , ,

D

deadlock [] : () , ()
 deep dive [] : ()
 de facto [] : [] []
 default [] : (,)/
 deflation [] : , 가 , [가] ,
 denote [\equiv] : , .
 depend on A [] : A , A , A
 deployment [] : , , ___()
 describe [] : () . () ,
 description [] : , , , ,
 detail [] : / ,
 detailed [] : ,
 detrimental [] : (damaging), (to)
 difference [] : ,
 digestible [] : , , ,
 direct : ~ ..
 directed [] : , , —> ?
 directed graph [] : < >
 disparate [] : , , ,
 distinct [] : [] , , ,
 distinction [] : () [] , , ,
 distribution [] : ___( .exe ?)
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,
 document [] : ~ , ()
 documentation [] : , , , ,
 domain-specific [] : ()

horizontal [] : () , 가
 how-to or howto : , (實用) / ,
 hierarchy [] : , ,

I

identifier [] :
 idiom [] : , ,
 identical [] : , (to/with sb/sth)
 identify [] :
 i.e. = id est [,] : , ,
 if not for = without = in the absence of sth/sb
 if preferred [] :
 illustrative [≡] : (實例)가 ,
 illustration [] : [] , , ,
 immutable [] : , ,
 implementation [] : ,
 implication [] : () , , ,
 implicit [≡] : , , ,
 impractical [] : , , , , , ,
 가
 in combination with A : A []
 in conjunction with A : A
 in favor of A : A , A []
 in line with A : A , A , A , A , A
 in no way : [] ~ (not ~ at all)
 in place : () , 가 , 가 가 ,
 in preference to A : A , A
 in response to A [] : A []
 in the case of : ~ , ~ , ~ ,
 in turn : ,
 incompatible [] : , , ,
 incorporate [≡] : , , () ,
 indentation [] : ,
 indeterminate [≡] : []가 [] , , ,
 index [] : , , [] .
 indicate [≡] : , .
 inefficient [] : , , ,
 infamous [] : , , , ,
 inform : , , []
 initial value:
 initialize [] : .
 initialization [/] :
 initiate [≡] : , , , 가 []
 inline [] :
 Infrequently [] : ,
 inputstream [] by TTA :

가

2.

insecure [] : , ,
 instructive [] : , , , ,
 integrate [≡] : ,
 interoperable [] : 가 , 가
 interfere [] : . , (with)
 interoperability [] : , (가)
 interpret [] : intersection [] : , ,
 intervene [] : , [가], [], []
 intervening [] : (, ,) []
 inventory [] : , , , ,
 invert [○] : () , () , [] ,
 investigate [≡] : [,]
 invocation [] : _____, [], [], , []
 invoke : () []
 involve [~] : , , []
 iterate [≡] : (,)
 iterator [] :

J

job board :
 jumbotron : () ,

L

label [] : f , ()
 large numbers of ~ : ~
 layered [] : ,
 leaderboard [] : ()
 가
 legacy [] : (,) , ' , ' ,
 legal [] :
 leverage [] : , , , , , ,
 life cycle [] : , ,
 line-break : []
 literacy [] : , (,) ,
 literal : , / plain literal :
 log : , , , , , ,
 (TTA)/
 logging [] :
 look in A : A

loop [] : , ()
 lowercase [] : () , ()

M

machinery [] : , , ,
 malignant [∈] : (,) , , ,
 match A against B : A B []
 materialize [] : , ,
 merge [≅] : ~ ,
 membership : (,) , (,)
 metaphysical [] : , , ,
 migrate [∈] : [] , (, .)
 mix and match : ()
 moderate [] : , , , , ,
 moderator [] : , , ,
 moderation [] : , , , (,) []
 morpheme [] : ()
 morphological [] : ()
 morphological analyzer [] :
 mostly [] : ,
 much of A : A , A
 mung [] : < > , [,] ,

N

namely [] : ,
 namespace : ,
 native [] : < > , ,
 navigate [∈] : , , []
 NB [N.B] : (nota bene, , = note well,
 necessarily [] : , , ,
 negation [] : , , ,
 nestable [] : , (가) ,
 nested [] :
 nesting [] :
 negate [] : , , [] , ~
 note : ~ [] . () , , ~
 notation [] :
 notwithstanding [] : ~ , ,
 numeronym [] : , ex) i18n - internationalization, L10n - Localization
 numeric [⇒] = numerical [] : , ,

O

obfuscation [] : , , , code obfuscation :
 object : ,
 obsolete [≡] : 가 , , out of date
 occur [] : , / ,
 occurrence [] : [/] , , , ,
 on one's own : , ,

on shaky ground [] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [] : () ,
 opaque [] : , , , ,
 operation [] : , , , , ,
 optimization [] : (最適化)
 optimize, optimise [] : ~ [] [],
 ordinal [] :
 other than A = except A [] : A
 otherwise [] : , , ,
 outline [] : [] , ,
 output [] : , , /
 out of the box : ,
 outside of : { } ~ (except)
 outstanding [] : , , , , , , ,
 overflow [] : ,
 override [] : ()가 () , () []
 overview [] : , ,
 overwrite [] : , ,

P

pack : []
 pagination [] :
 pare [] : () [], [] , (down, away)
 parse [] : ()
 pass in : ,
 peculiar [] : , , , () , ,
 performant [] : ,
 perimeter [] : ,
 permission [] : , 가 ,
 per se [] : < > , ,
 persist [] : [] , (in)
 persistent [≡] : , / , ,
 plain : , ,
 pointless [] : , 가 가 , ,

portable [] : () 가 ,
 portability [] : [] () (가) ,
 practioner [] : , 가 , ,
 precede [] : ~ , 가 , , ,
 precedence [] : () , , , , , , ,
 predicate [] : () ,
 preemptive [] : , , []
 preface [] : ,
 preliminary [] : , / , , ,
 primary [] : , ,
 primer [] : , /
 procedure [] :
 procedural [] : ,
 procedural language [] :
 process [] : [] , , 가 []
 project : ~ (...) , ,
 property [] : () [] / ,
 prototyping [] : ,
 provide A with B = provide B for[to] A: A B
 provided [] : < > () ~
 provision [] : , , , , ,
 proxy [] : .

==== Q ===== <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&do=qualified>
 [] : () [] ,
 quantum [] : [] (量子)
 query [] : () .
 quote [≡] :

R

rarely if ever : ...
 reasoning [] : ,
 reasonably [] : ,
 recommendation [] :
 refer to A as B : A B []
 refer to A : A , A [] , A [] .
 reference [] : , /
 refine [] : [] , ,
 reflect [≡] : , , [] , [] ,
 registry [] : , ,
 regularity [] : , , ,
 relation [] : ,
 relationship [] : _____
 relative URI reference [] : URI
 remedy [] : , []

reminder [] : [] , ,
 replica [] : , , ,
 representation [] : , , /
 require [] : ~ , ~ []
 required [] : (必修)
 requirement [] : , , , ,
 reside [] : vi. ~ [, ,]
 resolve : , [,] , [/]
 resolve to A [] : A ,
 resolver [] :

•

(by TTA)'

respect [] : (,) .
 result from A : A , A . “ + result from + ”

- result from = be caused by
 - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
 - This plane crash resulted in the death of 10 passengers.

10

retain [] : []
 retrieve [] : , / () _____
 reverse [] : , [] , , , []
 risk [] : ~ , ~ ,
 robust [] : , , []
 runtime : (, ,)

S

salvage [] : , , []
 selvage [, 美] : selvedge ()가 , (, , 가)
 sanitize [] : , , , , .

scalable [] : , 가

scheme [] : _____, ,
 schema [] : (,) [], , ()

script [] :
 searchable [] : (,)가 가 , []
 secondary [] : , , , ,

T

tabular [] : , , , []

take notice of A : A ,

take no notice of A : A

take A into consideration : A []

take the description : .

target [≡] : , , , , . []

taste : , , [], , , . []

ternary [] : , , ,

terse [] : []

testimonial [] : ,

the first time : , < > ~ , ~

the same is true for[of] A : A 가 , A

think of sth/sb :

throughput [] : () []

tightly [] : , , , ,

timeout : < > ()

timezone :

tinker [] : ,

tortuous [≡] : ,

transaction [] : , , , ()

transactional [] : [] ,

transitive [] : , , [] , ,

traverse [] : 가 , , ,

traversal [] : _____, 가 ,

typically [] : , / ,

U

unary [] : , 1 ,

underlying [] : , , ,

unified [] : ,

unify [] : [] , ,

uniform : , , , , ,

union : ,

unpack [] : ,

unqualified [] : , , , ,

unwieldy [] : () , []

uppercase [] : () , ()

use [] : , ,

V

variant [] : , , / , , ,

variation [] : , ,
 vary [] : , , , ,
 value [] : ,
 verbose [] : , , 가
 versus [] : ~ [] , ... (對)
 via A [] : A , (,)
 virtualization [] : () 가 , 가
 voucher [] : , , , a sales voucher(), a hotel voucher(), a
 luncheon voucher()

W

wherever possible [] : 가
 whitelist [] : ,

- ,

white space :
 widespread [] : , , , ,
 without regard to[for] A : A , A , A , A
 with respect to A : A
 withstand [] : ~ , , .
 work for A : A , , ~ , A .
 workaround [] : 2 , ,
 wrap up something : ~
 write out : ~ ()

Tip

* !!!

- -
- , [wordbook](#)

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link: <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1616666529>

Last update: **2022/03/10 19:52**

