

## A

a bunch of : ,

a collection of : ~

a range of :

abbreviate [  $\Xi$  ] : ~ ,

abbreviated [ ] : ,

abide by [ ] : ~ [ , ]

abort [  $\Xi$  ] : [ ] , , , ( )

absent [  $\Xi$  ] : , , , ,

above : [ ] [ ] [ ]

accessor [ ] :

active :

adjacent [  $\Xi$  ] : , 가 ,

administration [ ] = admin : , [ ]

afresh [ ] :

aggregate [ ] : , , , ,

aggregation [ ] : , , , ,

aggregator [ ] :

agile [ ' / ' ] : , , ,

algebra [ ] :

all at once : , [ ]

allow for A : A [ , ] , A [ ]

alternate [ ] : [ ]

alternatively [ ] : , (... ) (instead)

anchor [ ] : , , , , , ~

ancillary [ ] : ,

annotation [ ] :

anonymous [ ] : , ,

anon [ ] :

1. , ,

2. anonymous [ ]

append [ ] : ~ , 가

applicable [ ] :

application [ ] : ,

appropriate [  $\Xi$  ] : , , , , ,

arbitrary [ ] : , , , , , ~

architecture [ ] : [ ] , , , , ,

[ ]

archive [ ] : , [ ] ,

argument [ ] :

arithmetic expression :

arity [ ] : 가 . (n-

ray) n . (degree) - : TTA  
artefact = artifact [ ] : , ,  
as it were : [ ]  
as required = according to need :  
assemble [ ] : ( ) [ ] .  
assert [ ] : , , , ,  
associate A with B : A B [ , , ] ,  
assume [ ] : 가 , , [ ], ~ , ( , ) [ , ]  
asynchronous [ ] : ( )  
at most [ ] : ,  
at scale [ ] :  
at the end of the day : 가 (the most important thing), (ultimately)  
atomic [ ] : , , , [ , ]  
attribute [ ≡ ] : ,  
augment [ ] : , 가  
authoritative [ ] : , , ,  
authority [ ] : \_\_\_\_\_, [ pl]  
axiom [ ] : , 가 가 .

## B

backward = backwards [ ≡ ] : / ,  
backwards compatibility :  
be better off than before :  
be concerned with A [ ] : A 가 . A .  
behavior [ ] : ( ) , , , , ,  
benign [ ~ ] : , , ,

- having no significant effect : harmless

best practice [ ] :  
beware [ ] : ( ) [ ]  
binary [ ] : 2 , 2  
blank node [ ] : ( )  
boilerplate [ ] : ( ) ,  
boot [ ≡ ] : ( [가]) [ ]  
bracket [ ] : ( ),  
brevity [ ] : , ,  
bring in : ~ 가  
broadly [ ] : , , , , ,  
building block :  
by extension [ ] : 가

## C

cache [     ] :     (     ),  
 call :     ,  
 callee :     ,  
 canonical [     ] :     [     ]     ,     ,     ,  
 canonicalization [     ] :     ,  
 capability [     ] :     ,     ,  
 capitalize [     ] : (     )     , (     )     ,  
 capture [     ] :     [     ]     ,     ,     ,     ,  
  
 case :     ,  
 case-sensitive [      $\models$  ] : (     )  
  
 case-insensitive [      $\models$  ] :  
  
 cast [     ] :     (     ),     (     )  
 carat [     ] :     , 10     = 2  
 caret [     ] :     ( ^ ),  
 cascading [     ] :     ,     ,  
 character [     ] :  
 cheap :     ,  
 claim [     ] :     ,     ,  
 coalesce [     ] : (     )     ,     ,     [     ]  
 coarse-grained [     ] :     ,     ,     (     )  
 cohort [     ] : (     )     ,     (     )  
     가     ,     ,     )  
 command line application [     ] :  
 commonplace [     ] :     ,     /     ,     /     ,  
 compactly [     ] :  
 compatibility [     ] :     [     ]가     , (     )  
 compatible [     ] :  
 complete [     ] :     ,  
 complication [     ] :     (     ),     , (     )  
 compound [     ] :     ,  
 compute [     ] :     ,  
 concatenate [     ] : (     ,     )  
 concrete [     ] :     ,     ,     [     ] ,  
 concurrent [     ] :     ,  
 condition : <     >     [     ]     . ~     . <     >     [     ]  
  
 configurable [     ] :     가  
 configure [     ] : <     ,     >     , ...     .  
 configuration [     ] :     ,  
 conform [     ~  $\sqsubset$  ] : (     ,     )     , [     ] (to, with)  
 conformable [     ] :     ,     ,     ,  
 conformance [     ] :     ,     ,  
 conformant [     ] : (     )     ,     -> conforming, conformable  
 consideration [     ] :     ,     ,     ,     ,     [     ]  
 consistency [     ] :  
 consolidate [      $\equiv$  ] :     ,     ,     ,     ,  
 constant [     ] :     ,     ,     ,     ,     ,     /  
 constitute [      $\equiv$  ] :  
 constraint [     ] :     ,

construct [  $\sqsubseteq$  ] : ,  
 consume [ ] :  $\sim$  [ ]  
 consumption [  $\sqsupset$  ] : [ ] ( )  
 contextual [ ] : ( ) ,  
 contract [ ] : ,  
 contribute [  $\sqsubseteq$  ] : [ ] , [ ]  
 contiguous [ ] : , / ,  
 conundrum [ ] : , (=niddle)  
 conventional [ ] : , [ ] , ,  
 conversion [ ] : , , ,  
 corresponding [ ] :  $\sim$  [ ] , ,  
 cover : ,  
 coverage [ ] : ( ) , , ( ) , craving [ ] : ,  
 credentials [ ] : , ,  
 cumbersome [ ] : , , ,  
 custom [ ] : , ,

## D

deadlock [ ] : ( ) , , ( )  
 deep dive [ ] : ( )  
 de facto [ ] : [ ] [ ]  
 default [ ] : ( , , )/  
 deflation [ ] : , 가 , [가 ] ,  
 denote [  $\sqsubseteq$  ] : , .  
 depend on A [ ] : A , A , A  
 deployment [ ] : , ,  ( )  
 describe [ ] : ( ) . ( ) ,  
 description [ ] : , , , ,  
 detail [ ] : / ,  
 detailed [ ] : ,  
 detrimental [ ] : (damaging), (to)  
 difference [ ] : ,  
 digestible [ ] : , , ,  
 direct :  $\sim$  ..  
 directed [ ] : , ,  $\rightarrow$  ?  
 directed graph [ ] :  $<$   $>$   
 disparate [ ] : , , ,  
 distinct [ ] : [ ] , , ,  
 distinction [ ] : ( ) [ ] , , ,  
 distribution [ ] :  .exe (?)  
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,  
 document [ ] :  $\sim$  , ( )  
 documentation [ ] : , , , ,  
 domain-specific [ ] : ( )



## F

facade [        ] : (        )        ,        ,        ,        ,        ,  
fallback [     ] : (        )        ,        ,        [     ]  
feature [ ~ ] :        ,        ,  
federate [        ≡ ] :        ,  
feed [ ~ ] :        ,        .  
fetch [     ] : 가        [        /        ]        , (        가        )  
fine grain [        ] :  
fine-grained [        ] :        ,        (        )  
finite [        ] :        ,  
first order logic : 1        [     ]  
flag [        ] : (        ,        ,        ,        )  
flexible [        ] : changeable        , 가        ,  
for now :        ,        ,  
format [     ] : ~        /        ,        ,  
formulate [        ≡ ] : ~        [        ,        ]        [        ], ~        [        ]  
fragment [        ] :        ,        /        , XML  
  
fraught [     ≡ ] :        ,        , ~        (with)  
from scratch [        ] :        [     ]        ,  
frustration [        ] :        ,  
function-like operators [        ] :  
functionality [        ] :        (        )  
further [     ] :        , 가        /        ,        가

## G

general-purpose language [        ] :  
generic [        ] :        ,        ,        (汎用)  
get one's foot in the door :        , ~        (        )  
given A : ~        , ~        가        , ~        , ~        가        , ~  
glyphicons [        ] :  
  
glossary [     ~     ] :        ,  
go through : ~        [        ],        [     ]        ,        [     ]  
ground :        ,

## H

hands-on [        ] : [        ] (        )        [        ]

horizontal [                    ] :        (    ) , 가  
 how-to or howto :                    ,                    (實用)                    /                    ,  
 hierarchy [                    ] :                    ,                    ,

## I

identifier [                    ] :  
 idiom [                    ] :                    ,                    ,  
 identical [                    ] :                    ,                    (to/with sb/sth)  
 identify [                    ] :  
 i.e. = id est [                    ,                    ] :                    ,                    ,  
 if not for = without = in the absence of sth/sb  
 if preferred [                    ] :  
 illustrative [                    ≡ ] :                    (實例)가                    ,  
 illustration [                    ] :                    [                    ] ,                    ,                    ,  
 immutable [                    ] :                    ,                    ,  
 implementation [                    ] :                    ,  
 implication [                    ] : (                    )                    ,                    ,                    ,  
 implicit [                    ≡ ] :                    ,                    ,                    ,  
 impractical [                    ] :                    ,                    ,                    ,                    ,                    ,                    ,  
   가  
 in combination with A : A                    [                    ]  
 in conjunction with A : A  
 in favor of A : A                    , A                    [                    ]  
 in line with A : A                    , A                    , A                    , A                    , A  
 in no way :                    [                    ] ~                    (not ~ at all)  
 in place :                    (                    ) , 가                    , 가                    가                    ,  
 in preference to A : A                    , A  
 in response to A [                    ] : A                    [                    ]  
 in the case of : ~                    , ~                    , ~  
 in turn :                    ,  
 incompatible [                    ] :                    ,                    ,                    ,  
 incorporate [                    ≡ ] :                    ,                    , (                    )                    ,  
 indentation [                    ] :                    ,  
 indeterminate [                    ≡ ] :                    [                    ]가                    [                    ]                    ,                    ,                    ,  
 index [                    ] :                    ,                    ,                    [                    ].  
 indicate [                    ≡ ] :                    ,                    .  
 inefficient [                    ] :                    ,                    ,                    ,  
 infamous [                    ] :                    ,                    ,                    ,  
 inform :                    ,                    ,                    [                    ]  
 initial value:  
 initialize [                    ] :                    .  
 initialization [                    /                    ] :  
 initiate [                    ≡ ] :                    ,                    ,                    , 가                    [                    ]  
 inline [                    ] :  
 Infrequently [                    ] :                    ,  
 inputstream [                    ] by TTA :

1.                    ,

## 가

2.

insecure [ ] : , ,  
instructive [ ] : , , ,  
integrate [ ≡ ] : ,  
interoperable [ ] : 가 , 가  
interfere [ ] : . , (with)  
interoperability [ ] : , ( 가 )  
interpret [ ] : intersection [ ] : , ,  
intervene [ ] : , [가 ], [ ], [ ]  
intervening [ ] : ( , , ) [ ]  
inventory [ ] : , , ,  
invert [ ○ ] : ( ) , ( ) , [ ] ,  
investigate [ ≡ ] : [ , ]  
invocation [ ] : \_\_\_\_\_, [ ], [ ], , [ ]  
invoke : ( ) [ ]  
involve [ ~ ] : , , [ ]  
iterate [ ≡ ] : ( , )  
iterator [ ] :

## J

job board :  
jumbotron : ( ),

## K

keystone [ ] : , , , , ,

## L

label [ ] : f , ( )  
large numbers of ~ : ~  
layered [ ] : ,  
leaderboard [ ] : ( ) , ,  
가  
legacy [ ] : ( , ) , ' , ' ,  
legal [ ] :  
leverage [ ] : , , , , , ,  
life cycle [ ] : , ,  
line-break : [ ]

```

literacy [      ] :      , (      ,      )      ,
literal :      ,      / plain literal :
log :      ,      ,      ,      ,      ,
      (TTA)/
logging [      ] :
look in A : A
loop [      ] :      ,      (
lowercase [      ] : (      )      ,      ( )

```

**M**

machinery [ ] : , , ,  
 malignant [  $\equiv$  ] : ( , ) , , ,  
 match A against B : A B [ ]  
 materialize [ ] : , ,  
 merge [  $\equiv$  ] : ~ ,  
 membership : ( , ) , ( , )  
 metaphysical [ ] : , , ,  
 migrate [  $\equiv$  ] : [ ] , ( , . )  
 mix and match : ( )  
 moderate [ ] : , , , , ,  
 moderator [ ] : , ,  
 moderation [ ] : , , , ( , ) [ ]  
 morpheme [ ] : ( )  
 morphological [ ] : ( )  
 morphological analyzer [ ] :  
 mostly [ ] : ,  
 much of A : A , A  
 mung [ ] : < > , [ , ] ,

**N**

namely [ ] : ,  
namespace : ,  
native [ ] : < > ,  
navigate [ ∈ ] : , , [ ]  
NB [N.B] : (nota bene, , = note well,  
necesssarily [ ] : , ,  
negation [ ] : , , ,  
nestable [ ] : , ( 가)  
nested [ ] :  
nesting [ ] :  
negate [ ] : , , [ ] ,  
note : ~ [ ] . ( ) , , ~  
notation [ ] :  
notwithstanding [ ] : ~ , ,

numeronym [ ] : , ex) i18n - internationalization, L10n - Localization  
 numeric [ ⇨ ] = numerical [ ] : , ,

## O

obfuscation [ ] : , , , code obfuscation :

object : ,

obsolete [ ≡ ] : 가 , , out of date

occur [ ] : , / ,

occurrence [ ] : [ / ] , , , , ,

on one's own : , ,

on shaky ground [ ] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [ ] : ( ) ,

opaque [ ] : , , , ,

operation [ ] : , , , , ,

optimization [ ] : (最適化)

optimize, optimise [ ] : ~ [ ] [ ] ,

ordinal [ ] :

other than A = except A [ ] : A

otherwise [ ] : , , ,

outline [ ] : [ ] , ,

output [ ] : , , /

out of the box : ,

outside of : { } ~ (except)

outstanding [ ] : , , , , , , , ,

overflow [ ] : , , ,

override [ ] : ( )가 ( ) , ( ) [ ]

overview [ ] : , ,

overwrite [ ] : , , ,

## P

pack : [ ]

pagination [ ] :

pare [ ] : ( ) [ ] , [ ] , (down, away)

parse [ ] : ( )

pass in : ,

peculiar [ ] : , , , ( ) , ,

performant [ ] : , ,

perimeter [ ] : ,

permission [ ] : , 가 ,

per se [ ] : < > , ,

persist [ ] : [ ] , (in)  
 persistent [ ≡ ] : , / , ,  
 plain : , ,  
 pointless [ ] : , 가 가 , ,  
 portable [ ] : ( ) 가 ,  
 portability [ ] : [ ] ( ) (가 ) ,  
 practioner [ ] : , 가 , ,  
 precede [ ] : ~ , 가 , ,  
 precedence [ ] : ( ) , , , , , ,  
 predicate [ ] : ( ) ,  
 preemptive [ ] : , , [ ]  
 preface [ ] : ,  
 preliminary [ ] : , / , , ,  
 primary [ ] : , ,  
 primer [ ] : , /  
 procedure [ ] :  
 procedural [ ] : ,  
 procedural language [ ] :  
 process [ ] : [ ] , , 가 [ ]  
 project : ~ ( ... ) , ,  
 property [ ] : ( ) [ ] / ,  
 prototyping [ ] : ,  
 provide A with B = provide B for[to] A: A B  
 provided [ ] : < > ( ) ~  
 provision [ ] : , , , , ,  
 proxy [ ] : .

===== Q ===== <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&do=> qualified

[ ] : ( ) [ ] ,  
 quantum [ ] : [ ] (量子)  
 query [ ] : ( ) .  
 quote [ ≡ ] :

## R

rarely if ever : ...  
 reasoning [ ] : ,  
 reasonably [ ] : ,  
 recommendation [ ] :  
 refer to A as B : A B [ ]  
 refer to A : A , A [ ] , A [ ] .  
 reference [ ] : , /  
 refine [ ] : [ ] , ,  
 reflect [ ≡ ] : , , [ ] , [ ] ,  
 registry [ ] : , ,  
 regularity [ ] : , , ,  
 relation [ ] : ,

relationship [ ] : \_\_\_\_\_

relative URI reference [ ] : URI

remedy [ ] : , [ ]

reminder [ ] : [ ] , ,

replica [ ] : , , ,

representation [ ] : , , /

require [ ] : ~ , ~ [ ]

required [ ] : (必修)

requirement [ ] : , , , ,

reside [ ] : vi. ~ [ ] , , [ ]

resolve : , [ ] , [ / ]

resolve to A [ ] : A ,

resolver [ ] :

•

(by TTA) ,

respect [ ] : ( , ) .

result from A : A , A . “ + result form + ”

- result from = be caused by
  - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
  - This plane crash resulted in the death of 10 passengers.

10

retain [ ] : [ ]

retrieve [ ] : , / ( ) \_\_\_\_\_

reverse [ ] : , [ ] , , [ ]

risk [ ] : ~ , ~

robust [ ] : , , [ ]

runtime : ( , )

## S

salvage [ ] : , , [ ]

selvage [ , 美] : selvedge ( )가 , ( , 가 )

sanitize [ ] : , , , .

scalable [ ] : , 가

scheme [ ] : \_\_\_\_\_ ,

schema [ ] : ( , ) [ ] , ( )

script [ ] :  
searchable [ ] : ( 가) 가 , [ ]  
secondary [ ] : , , ,  
secure [ ] : , ,  
segmentation [ ] : , ,  
selective [ ] : , , , , [ ], ,  
semantics [ ] : , , ( )  
separate A from B : ,  
separator [ ] : , ,  
serialization [ ] :  
shaky [ ] : ( , , ) [ ], , , ,  
shell command path [ ] :  
shortcut : , 가 가  
shorthand [ ≡ ] : , ,  
significance [ ] : , , ,  
silently [ ] : , ,  
similarly [ ] : 가 , ,  
simultaneous [ ] : ,  
signal [ ] : , [ ] .  
single quote, single quotation marks :  
skip on to A : A 가  
snippet [ ] : , ,  
so long as + A : A , A , A  
somehow [ ] : ,  
sophistication [ ] : , / ,  
sort of : , , ( ) ?  
specialize [ ] : , ,  
specify [ ] : , , ,  
specification [ ] : ( ) , (仕様), , ,  
spot [ ] : .  
square [ ] : , ,  
stash [ ] : ( ) 가[ .  
statistics [ ] : [ ] , , [ ]  
standard [ ≡ ] :  
stand-alone [ ] : ,  
steering committee [ ] :  
stopword [ ] : < > (不用語)  
stream [ ] : ( )  
strict [ ] : , , ,  
subclass [ ≡ ] : / ~ ,  
subject [ ≡ ] : / , / , / ,  
subject to A : A [ ], A [\_\_\_\_\_]   
submission [ ] : , , ( , )  
subsequent [ ] : , , ,  
subsidiary [ ] : , ,  
substrate [ ≡ ] : ,  
subtract [ ] : ( , ) , ,  
subtype [ ] :  
suffice [ ] : ~ . (for, to do)  
sufficient [ ≡ ] : != insufficient [ ≡ ]

suppress [ ~ ] : [ ] ,= forcibly put an end to A, ~ [ ]  
swap [ ㅍ ] : , [ ] , < >  
switch on/off : ( ) (~ ) /  
synonym [ ] : ,

## T

tabular [ ] : , , , [ ]  
take notice of A : A ,  
take no notice of A : A  
take A into consideration : A [ ]  
take the description : .  
target [ ≡ ] : , , , , . [ ]  
taste : , , , [ ] , ,  
ternary [ ] : , , ,  
terse [ ] : [ ]  
testimonial [ ] : ,  
the first time : , < > ~ , ~  
the same is true for[of] A : A 가 , A  
think of sth/sb :  
throughput [ ] : ( ) [ ]  
tightly [ ] : , , , ,  
timeout : < > ( )  
timezone :  
tinker [ ] : ,  
tortuous [ ≡ ] :  
transaction [ ] : , , , ( )  
transactional [ ] : [ ] ,  
transitive [ ] : , , , [ ] , ,  
traverse [ ] : 가 , ,  
traversal [ ] : \_\_\_\_\_, 가 ,  
typically [ ] : , / ,

## U

unary [ ] : , 1 ,  
underlying [ ] : , , ,  
unified [ ] : ,  
unify [ ] : [ ] , ,  
uniform : , , , , ,  
union : ,  
unpack [ ] : ,  
unqualified [ ] : , , , ,  
unwieldy [ ] : ( ) , [ ]  
uppercase [ ] : ( ) , ( )  
use [ ] : , ,

## V

variant [            ] :            ,            ,            /            ,            ,            ,  
 variation [            ] :            ,            ,            ,  
 vary [            ] :            ,            ,            ,            ,            ,  
 value [            ] :            ,            ,  
 verbose [            ] :            ,            ,            가  
 versus [            ] : ~            [            ]            , ... (對)  
 via A [            ] : A            , (            ,            )  
 virtualization [            ] : (            ) 가            , 가  
 voucher [            ] :            ,            ,            , a sales voucher(            ), a hotel voucher(            ), a  
 luncheon voucher(            )

## W

wherever possible [            ] : 가  
 whitelist [            ] :            ,

- ,            .

white space :  
 widespread [            ] :            ,            , A            , A            , A  
 without regard to[for] A : A            , A            , A            , A  
 with respect to A : A  
 withstand [            ] : ~            .            ,            .  
 work for A : A            ,            , ~            , A            .  
 workaround [            ] : 2            ,            ,  
 wrap up something : ~  
 write out : ~            (            )

## Tip

\*            !!!

- 
- 

, [wordbook](#)

From:  
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:  
<http://rwiki.repia.com/doku.php?id=wiki:user:emblem98:wordbook&rev=1617587184>

Last update: **2022/03/10 19:52**

