

A

a bunch of :

a collection of : ~

a range of :

abbreviate [\equiv] : ~ ,

abbreviated [] : ,

abide by [] : ~ [,]

abort [\equiv] : [] , , ()

absent [\equiv] : , , ,

above : [] [] []

accessor [] :

active :

adjacent [\equiv] : , 가 ,

administration [] = admin : , []

afresh [] :

aggregate [] : , , ,

aggregation [] : , , ,

aggregator [] :

agile [' /] : , ,

algebra [] :

all at once : , []

allow for A : A [,] , A []

alternate [] : []

alternatively [] : , (...) (instead)

anchor [] : , , , , ~

ancillary [] : ,

annotation [] :

anonymous [] : , ,

anon [] :

1. , ,
2. anonymous []

append [] : ~ , 가

applicable [] :

application [] : ,

appropriate [\equiv] : , , , ,

arbitrary [] : , , ,

architecture [] : [] , , , ,

archive [] : , [] ,

argument [] :

arithmetic expression :

arity [] : 가 . (n-

ray) n . (degree) - : TTA
 artefact = artifact [] : , ,
 as it were : []
 as required = according to need :
 assemble [] : () [] .
 assert [] : , , , ,
 associate A with B : A B [, ,] ,
 assume [] : 가 , , [], ~ , (,) [,]
 asynchronous [] : ()
 at most [] : ,
 at scale [] :
 at the end of the day : 가 (the most important thing), (ultimately)
 atomic [] : , , , [,]
 attribute [≡] : ,
 augment [] : , 가
 authoritative [] : , , ,
 authority [] : _____, [pl]
 axiom [] : , 가 가 .

B

backward = backwards [≡] : / ,
 backwards compatibility :
 be better off than before :
 be concerned with A [] : A 가 . A .
 behavior [] : () , , , , ,
 benign [~] : , , ,

- having no significant effect : harmless

best practice [] :
 beware [] : () []
 binary [] : 2 , 2
 blank node [] : ()
 boilerplate [] : () ,
 boot [≡] : ([가]) []
 bracket [] : (),
 brevity [] : , ,
 bring in : ~ 가
 broadly [] : , , , , ,
 building block :
 by extension [] : 가

C

cache [] : (),
 call : ,
 callee : ,
 canonical [] : [] , , ,
 canonicalization [] : ,
 capability [] : , ,
 capitalize [] : () , () ,
 capture [] : [] , , , ,

case : ,
 case-sensitive [≡] : ()

case-insensitive [≡] :

cast [] : () , ()
 carat [] : , 10 = 2
 caret [] : (^) ,
 cascading [] : , ,
 character [] : ,
 cheap : ,
 claim [] : , ,
 coalesce [] : () , , [] ,
 coarse-grained [] : , , ()
 cohort [] : () , ()
 가 ,)
 command line application [] : , / , / , ,
 commonplace [] : , / , / , ,
 compactly [] : ,
 compatibility [] : []가 , ()
 compatible [] : ,
 complete [] : , ,
 complication [] : () , , ()
 compound [] : , ,
 compute [} : , ,
 concatenate [] : (,)
 concrete [] : , , [] , ,
 concurrent [] : , ,
 condition : < > [] . ~ . < > []

configurable [] : 가 ,
 configure [] : < , > ,
 configuration [] : , ,
 conform [~ □] : (,) , [] (to, with)
 conformable [] : , , ,
 conformance [] : , ,
 conformant [] : () , -> conforming, conformable
 consideration [] : , , , , []
 consistency [] : ,
 consolidate [≡] : , , , ,
 constant [] : , , , , , /
 constitute [≡] : ,
 constraint [] : ,

construct [\equiv] : ,
 consume [] : ~ []
 consumption [π] : [] ()
 contextual [] : () ,
 contract [] : ,
 contribute [\equiv] : [] , []
 contiguous [] : , / ,
 conundrum [] : , (=niddle)
 conventional [] : , [] , ,
 conversion [] : , , ,
 corresponding [] : ~ [] , ,~
 cover : ,
 coverage [] : () , , () , craving [] : ,
 credentials [] : , , ,
 cumbersome [] : , , ,
 custom [] : , , ,

D

deadlock [] : () , , ())
 deep dive [] : () ,
 de facto [] : [] []
 default [] : (, ,)/
 deflation [] : , 가 , , [가] ,
 denote [\equiv] : , .
 depend on A [] : A , A , A
 deployment [] : , , ___()
 describe [] : () . () ,
 description [] : , , , ,
 detail [] : / ,
 detailed [] : ,
 detrimental [] : (damaging), (to)
 difference [] : ,
 digestible [] : , , ,
 direct : ~ ..
 directed [] : , , —> ?
 directed graph [] : < >
 disparate [] : , , , ,
 distinct [] : [] , , , ,
 distinction [] : () [] , , , ,
 distribution [] : ___( .exe ?)
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,
 document [] : ~ , ()
 documentation [] : , , , , ,
 domain-specific [] : ()

F

facade [] : () , , , ,
 fallback [] : () , , []
 feature [~] : , ,
 federate [≡] : ,
 feed [~] : , .
 fetch [] : 가 [/] , (가)
 fine grain [] :
 fine-grained [] : , ()
 finite [] : ,
 first order logic : 1 []
 flag [] : () , ,)
 flexible [] : changeable , 가 ,
 for now : , ,
 format [] : ~ / , ,
 formulate [≡] : ~ [,] [] , ~ []
 fragment [] : , / , XML
 fraught [≡] : , , ~ (with)
 from scratch [] : , [] ,
 frustration [] : ,
 function-like operators [] :
 functionality [] : ()
 further [] : , 가 / , 가

G

general-purpose language [] :
 generic [] : , (汎用)
 get one's foot in the door : , ~ ()
 given A : ~ , ~ 가 , ~) , ~ 가 , ~
 glyphicons [] :
 glossary [~] : ,
 go through : ~ [] , [] , []
 ground : ,

H

hands-on [] : [] () []

horizontal [] : () , 가
 how-to or howto : , (實用) / ,
 hierarchy [] : , ,

I

identifier [] :
 idiom [] : , ,
 identical [] : , (to/with sb/sth)
 identify [] :
 i.e. = id est [,] : , ,
 if not for = without = in the absence of sth/sb
 if preferred [] :
 illustrative [≡] : (實例)가 ,
 illustration [] : [] , , ,
 immutable [] : , ,
 implementation [] : ,
 implication [] : () , , ,
 implicit [≡] : , , ,
 impractical [] : , , , , ,
 가
 in combination with A : A []
 in conjunction with A : A
 in favor of A : A , A []
 in line with A : A , A , A , A , A
 in no way : [] ~ (not ~ at all)
 in place : () , 가 , 가 가 ,
 in preference to A : A , A
 in response to A [] : A []
 in the case of : ~ , ~ , ~ ,
 in turn : ,
 incompatible [] : , , ,
 incorporate [≡] : , , () ,
 indentation [] : ,
 indeterminate [≡] : []가 [] , , ,
 index [] : , , [] .
 indicate [≡] : , .
 inefficient [] : , ,
 infamous [] : , , ,
 inform : , , []
 initial value:
 initialize [] : .
 initialization [/] :
 initiate [≡] : , , , 가 []
 inline [] :
 Infrequently [] : ,
 inputstream [] by TTA :

literacy [] : , (,) ,
 literal : , / plain literal :
 log : , , , , ,
 (TTA)/
 logging [] :
 look in A : A
 loop [] : , ()
 lowercase [] : () , ()

M

machinery [] : , , ,
 malignant [≡] : (,) , , ,
 match A against B : A B []
 materialize [] : , ,
 merge [≡] : ~ ,
 membership : (,) , (,)
 metaphysical [] : , , ,
 migrate [≡] : [] , (, .)
 mix and match : ()
 moderate [] : , , , , ,
 moderator [] : , , ,
 moderation [] : , , , (,) []
 morpheme [] : ()
 morphological [] : ()
 morphological analyzer [] :
 mostly [] : ,
 much of A : A , A
 mung [] : < > , [,] ,

N

namely [] : ,
 namespace : ,
 native [] : < > , ,
 navigate [≡] : , , []
 NB [N.B] : (nota bene, = note well,
 necessarily [] : , , ,
 negation [] : , , , (가)
 nestable [] : , (가)
 nested [] :
 nesting [] :
 negate [] : , , [] ,
 note : ~ [] . () , , ~
 notation [] :
 notwithstanding [] : ~ , ,

numeronym [] : , ex) i18n - internationalization, L10n - Localization
numeric [⇨] = numerical [] : , ,

O

obfuscation [] : , , , code obfuscation :

object : ,

obsolete [≡] : 가 , , out of date

occur [] : , / ,

occurrence [] : [/] , , , , ,

on one's own : , ,

on shaky ground [] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [] : () ,

opaque [] : , , , ,

operation [] : , , , , ,

optimization [] : (最適化)

optimize, optimise [] : ~ [] [],

ordinal [] :

other than A = except A [] : A

otherwise [] : , , ,

outline [] : [] , ,

output [] : , , /

out of the box : ,

outside of : { } ~ (except)

outstanding [] : , , , , , , , , ,

overflow [] : , , , , ,

override [] : ()가 () , () []

overview [] : , ,

overwrite [] : , , ,

P

pack : []

pagination [] :

pare [] : () [], [] , (down, away)

parse [] : ()

pass in : ,

peculiar [] : , , , () , ,

performant [] : ,

perimeter [] : ,

permission [] : , 가, ,

per se [] : < > , ,

persist [] : [] , (in)
 persistent [≡] : , / , ,
 plain : , ,
 pointless [] : , 가 가 , ,
 portable [] : () 가 ,
 portability [] : [] () (가) ,
 practioner [] : , 가 , ,
 precede [] : ~ , 가 , ,
 precedence [] : () , , , , , , ,
 predicate [] : () ,
 preemptive [] : , , []
 preface [] : , ,
 preliminary [] : , / , , ,
 primary [] : , ,
 primer [] : , /
 procedure [] :
 procedural [] : ,
 procedural language [] :
 process [] : [] , , 가 []
 project : ~ (...) , ,
 property [] : () [] / ,
 prototyping [] : ,
 provide A with B = provide B for[to] A: A B
 provided [] : < > () ~
 provision [] : , , , , ,
 proxy [] : .

===== Q ===== <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&do=qualified>

[] : () [] ,
 quantum [] : [] (量子)
 query [] : () .
 quote [≡] :

R

rarely if ever : ...
 reasoning [] : ,
 reasonably [] : ,
 recommendation [] :
 refer to A as B : A B []
 refer to A : A , A [] , A [] .
 reference [] : , /
 refine [] : [] , ,
 reflect [≡] : , , [] , [] ,
 registry [] : , ,
 regularity [] : , , ,
 relation [] : ,

relationship [] : _____

relative URI reference [] : URI

remedy [] : , []

reminder [] : [] , ,

replica [] : , , ,

representation [] : , , /

require [] : ~ , ~ []

required [] : (必修)

requirement [] : , , , ,

reside [] : vi. ~ [] , , []

resolve : , [] , [/]

resolve to A [] : A ,

resolver [] :

•

(by TTA)'

respect [] : (,) .

result from A : A , A . “ + result form + ”

- result from = be caused by
 - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
 - This plane crash resulted in the death of 10 passengers.

10

retain [] : []

retrieve [] : , / ()

reverse [] : , [] , , []

risk [] : ~ , ~

robust [] : , , []

runtime : (,)

S

salvage [] : , , []

selvage [, 美] : selvedge ()가 , (, 가)

sanitize [] : , , , .

scalable [] : , 가

scheme [] : _____, ,

schema [] : (,) [] , ()

script [] :
 searchable [] : (가) 가 , []
 secondary [] : , , , ,
 secure [] : , , , ,
 segmentation [] : , , , , [] , ,
 selective [] : , , , , , [] , ,
 semantics [] : , , ()
 separate A from B : ,
 separator [] : , ,
 serialization [] :
 shaky [] : (, ,) [] , , , ,
 shell command path [] :
 shortcut : , 가 가
 shorthand [≡] : , ,
 significance [] : , , , ,
 silently [] : , , , ,
 similarly [] : 가 , , , ,
 simultaneous [] : , ,
 signal [] : , [] .
 single quote, single quotation marks :
 skip on to A : A 가
 snippet [] : , , , ,
 so long as + A : A , A , A
 somehow [] : , , , ,
 sophistication [] : , / , ,
 sort of : , , () ?
 specialize [] : , , , ,
 specify [] : , , , ,
 specification [] : () , (仕様), , ,
 spot [] : .
 square [] : , , , ,
 stash [] : () 가 [] .
 statistics [] : [] , , []
 standard [≡] :
 stand-alone [] : , ,
 steering committee [] :
 stopword [] : < > (不用語)
 stream [] : ()
 strict [] : , , , ,
 subclass [≡] : / ~ , ,
 subject [≡] : / , / , / ,
 subject to A : A [] , A [_____]
 submission [] : , , (,)
 subsequent [] : , , , ,
 subsidiary [] : , , , ,
 substrate [≡] : , , , ,
 subtract [] : (,) , , ,
 subtype [] :
 suffice [] : ~ . (for, to do)
 sufficient [≡] : != insufficient [≡]

suppress [~] : [] , = forcibly put an end to A, ~ []
 swap [ㅍ] : , [] , < >
 switch on/off : () (~) /
 synonym [] : ,

T

tabular [] : , , , []
 take notice of A : A ,
 take no notice of A : A
 take A into consideration : A []
 take the description : .
 target [ㅅ] : , , , , []
 taste : , , , [] , , ,
 ternary [] : , , ,
 terse [] : []
 testimonial [] : ,
 the first time : , < > ~ , ~
 the same is true for[of] A : A 가 , A
 think of sth/sb :
 throughput [] : () []
 tightly [] : , , , ,
 timeout : < > ()
 timezone :
 tinker [] : ,
 tortuous [ㅁ] :
 transaction [] : , , , ()
 transactional [] : [] ,
 transitive [] : , , , [] , ,
 traverse [] : 가 , , ,
 traversal [] : _____, 가 ,
 typically [] : , / ,

U

unary [] : , 1 ,
 underlying [] : , , , [] ,
 unified [] : ,
 unify [] : [] , , ,
 uniform : , , , , , ,
 union : ,
 unpack [] : ,
 unqualified [] : , , , , ,
 unwieldy [] : () , []
 uppercase [] : () , ()
 use [] : , ,

V

variant [] : , , / , , ,
 variation [] : , , , ,
 vary [] : , , , , ,
 value [] : , , , , ,
 verbose [] : , , , 가
 versus [] : ~ [] , ... (對)
 via A [] : A , (,)
 virtualization [] : () 가 , 가
 voucher [] : , , , a sales voucher(), a hotel voucher(), a
 luncheon voucher()

W

wherever possible [] :] : 가
 whitelist [] : ,

- ,
- .

white space :
 whole number: []
 widespread [] : , , A , , A , A
 without regard to[for] A : A , A , A , A
 with respect to A : A
 withstand [] : ~ . , .
 work for A : A , , ~ , A .
 workaround [] : 2 , , .
 wrap up something : ~
 write out : ~ ()

Tip

- * !!!
- -
- , [wordbook](#)

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link: <http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1617789176> 

Last update: 2022/03/10 19:52

