

A

a bunch of :

a collection of : ~

a range of :

abbreviate [≡] : ~ ,

abbreviated [] : ,

abide by [] : ~ [,]

abort [≡] : [] , , ()

absent [≡] : , , ,

above : [] [] []

accessor [] :

active :

adjacent [≡] : , 가 ,

administration [] = admin : , []

afresh [] :

aggregate [] : , , ,

aggregation [] : , , ,

aggregator [] :

agile [' /] : , ,

algebra [] :

all at once : , []

allow for A : A [,] , A []

alternate [] : []

alternatively [] : , (...) (instead)

anchor [] : , , , , ~

ancillary [] : ,

annotation [] :

anonymous [] : , ,

anon [] :

1. , ,

2. anonymous []

append [] : ~ , 가

applicable [] :

application [] : ,

appropriate [≡] : , , , ,

arbitrary [] : , , ,

architecture [] : [] , , , ,

archive [] : , [] ,

argument [] :

arithmetic expression :

arity [] : 가 . (n-

ray) n . (degree) - : TTA
artefact = artifact [] : , ,
as it were : []
as required = according to need :
assemble [] : () [] .
assert [] : , , , ,
associate A with B : A B [, ,] ,
assume [] : 가 , , [], ~ , (,) [,]
asynchronous [] : ()
at most [] : ,
at scale [] :
at the end of the day : 가 (the most important thing), (ultimately)
atomic [] : , , , [,]
attribute [≡] : ,
augment [] : , 가
authoritative [] : , , ,
authority [] : _____, [pl]
axiom [] : , 가 가 .

B

backward = backwards [≡] : / ,
backwards compatibility :
be better off than before :
be concerned with A [] : A 가 . A .
behavior [] : () , , , , ,
benign [~] : , , ,

- having no significant effect : harmless

best practice [] :
beware [] : () []
binary [] : 2 , 2
blank node [] : ()
boilerplate [] : () ,
boot [≡] : ([가]) []
bracket [] : (),
brevity [] : , ,
bring in : ~ 가
broadly [] : , , , , ,
building block :
by extension [] : 가

C

cache [] : (),
call : ,
callee : ,
canonical [] : [] , , ,
canonicalization [] : ,
capability [] : , ,
capitalize [] : () , () ,
capture [] : [] , , , ,

case : ,
case-sensitive [≡] : () ,



case-insensitive [≡] : ,

cast [] : (), () ,
carat [] : , 10 = 2
caret [] : (^),
cascading [] : , ,
character [] : ,
cheap : ,
claim [] : , ,
coalesce [] : () , , [] ,
coarse-grained [] : , , () ,
cohort [] : () , () ,
가 , () ,
command line application [] : ,
commonplace [] : , / , / , ,
compactly [] : ,
compatibility [] : []가 , () ,
compatible [] : ,
complete [] : ,
complication [] : (), , () ,
compound [] : ,
compute [] : ,
concatenate [] : (,) ,
concrete [] : , , [] ,
concurrent [] : ,
condition : < > [] . ~ . < > [] ,

configurable [] : 가 ,
configure [] : < , > ,
configuration [] : , ,
conform [~ □] : (,) , [] (to, with) ,
conformable [] : , , ,
conformance [] : , ,
conformant [] : () , -> conforming, conformable
consideration [] : , , , , [] ,
consistency [] : ,
consolidate [≡] : , , , ,
constant [] : , , , , , , / ,
constitute [≡] : ,
constraint [] : ,

construct [\equiv] : ,
 consume [] : ~ []
 consumption [π] : []()
 contextual [] : () ,
 contract [] : ,
 contribute [\equiv] : [] , []
 contiguous [] : , / ,
 conundrum [] : , (=niddle)
 conventional [] : , [] , ,
 conversion [] : , , ,
 corresponding [] : ~ [] , ,~
 cover : ,
 coverage [] : () , , () , craving [] : ,
 credentials [] : , , ,
 cumbersome [] : , , ,
 custom [] : , ,

D

deadlock [] : () , ()
 deep dive [] : ()
 de facto [] : [] []
 default [] : (,)/
 deflation [] : , 가 , [가] ,
 denote [\equiv] : , .
 depend on A [] : A , A , A
 deployment [] : , , ___()
 describe [] : () . () ,
 description [] : , , , ,
 detail [] : / ,
 detailed [] : ,
 detrimental [] : (damaging), (to)
 difference [] : ,
 digestible [] : , , ,
 direct : ~ ..
 directed [] : , , —> ?
 directed graph [] : < >
 disparate [] : , , ,
 distinct [] : [] , , ,
 distinction [] : () [] , , ,
 distribution [] : ___( .exe ?)
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,
 document [] : ~ , ()
 documentation [] : , , , ,
 domain-specific [] : ()

F

facade [] : () , , , ,
 fallback [] : () , , []
 feature [~] : , ,
 federate [≡] : ,
 feed [~] : , .
 fetch [] : 가 [/] , (가)
 fine grain [] :
 fine-grained [] : , ()
 finite [] : ,
 first order logic : 1 []
 flag [] : () , ,)
 flexible [] : changeable , 가 ,
 for now : , ,
 format [] : ~ / , ,
 formulate [≡] : ~ [,] [] , ~ []
 fragment [] : , / , XML
 fraught [≡] : , , ~ (with)
 from scratch [] : , [] ,
 frustration [] : ,
 function-like operators [] :
 functionality [] : ()
 further [] : , 가 / , 가

G

general-purpose language [] :
 generic [] : , (汎用)
 get one's foot in the door : , ~ ()
 given A : ~ , ~ 가 , ~) , ~ 가 , ~
 glyphicons [] :
 glossary [~] : ,
 go through : ~ [] , [] , []
 ground : ,

H

hands-on [] : [] () []

horizontal [] : () , 가
 how-to or howto : , (實用) / ,
 hierarchy [] : , ,

I

identifier [] :
 idiom [] : , ,
 identical [] : , (to/with sb/sth)
 identify [] :
 i.e. = id est [,] : , ,
 if not for = without = in the absence of sth/sb
 if preferred [] :
 illustrative [≡] : (實例)가 ,
 illustration [] : [] , , ,
 immutable [] : , ,
 implementation [] : ,
 implication [] : () , , ,
 implicit [≡] : , , ,
 impractical [] : , , , , , ,
 가
 in combination with A : A []
 in conjunction with A : A
 in favor of A : A , A []
 in line with A : A , A , A , A , A
 in no way : [] ~ (not ~ at all)
 in place : () , 가 , 가 가 ,
 in preference to A : A , A
 in response to A [] : A []
 in the case of : ~ , ~ , ~ ,
 in turn : ,
 incompatible [] : , , ,
 incorporate [≡] : , , () ,
 indentation [] : ,
 indeterminate [≡] : []가 [] , , ,
 index [] : , , [] .
 indicate [≡] : , .
 inefficient [] : , , ,
 infamous [] : , , , ,
 inform : , , []
 initial value:
 initialize [] : .
 initialization [/] : ,
 initiate [≡] : , , , 가 []
 inline [] :
 Infrequently [] : ,
 inputstream [] by TTA :

가

2.

insecure [] : , ,
 instructive [] : , , , ,
 integrate [≡] : , ,
 interoperable [] : 가 , , 가
 interfere [] : . , , (with)
 interoperability [] : , , (가)
 interpret [] : intersection [] : , ,
 intervene [] : , , [가], [], []
 intervening [] : (, ,) []
 inventory [] : , , , , ,
 invert [○] : () , () , [] ,
 investigate [≡] : [,]
 invocation [] : _____, [], [], , []
 invoke : () []
 involve [~] : , , []
 iterate [≡] : (,)
 iterator [] :

J

job board :
 jumbotron : () ,

K

keystone [] : , , , , ,

L

label [] : f , ()
 large numbers of ~ : ~
 layered [] : ,
 leaderboard [] : () , , ,
 가
 legacy [] : (,) , ' , ' ,
 legal [] :
 leverage [] : , , , , , ,
 life cycle [] : , ,
 line-break : []

literacy [] : , (,) ,
 literal : , / plain literal :
 log : , , , , ,
 (TTA)/
 logging [] :
 look in A : A
 loop [] : , ()
 lowercase [] : () , ()

M

machinery [] : , , ,
 malignant [≡] : (,) , , ,
 match A against B : A B []
 materialize [] : , ,
 merge [≡] : ~ ,
 membership : (,) , (,)
 metaphysical [] : , , ,
 migrate [≡] : [] , (, .)
 mix and match : ()
 moderate [] : , , , , ,
 moderator [] : , , ,
 moderation [] : , , , (,) []
 morpheme [] : ()
 morphological [] : ()
 morphological analyzer [] :
 mostly [] : ,
 much of A : A , A
 mung [] : < > , [,] ,

N

namely [] : ,
 namespace : ,
 native [] : < > , ,
 navigate [≡] : , , []
 NB [N.B] : (nota bene, = note well,
 necesssarily [] : , , ,
 negation [] : , , , (가)
 nestable [] : , (가)
 nested [] :
 nesting [] :
 negate [] : , , [] ,
 note : ~ [] . () , , ~
 notation [] :
 notwithstanding [] : ~ , ,

persist [] : [] , (in)
 persistent [≡] : , / , ,
 plain : , ,
 pointless [] : , 가 가 , ,
 portable [] : () 가 , ,
 portability [] : [] () (가) ,
 power: (ex) 4 to the power of 3 is 64
 practioner [] : , 가 , ,
 precede [] : ~ , 가 , , , ,
 precedence [] : () , , , , , , ,
 predicate [] : () ,
 preemptive [] : , , []
 preface [] : ,
 preliminary [] : , / , , ,
 primary [] : , ,
 primer [] : , /
 procedure [] :
 procedural [] : ,
 procedural language [] :
 process [] : [] , , 가 []
 product [≡] : () ,
 project : ~ (...) , ,
 property [] : () [] / ,
 prototyping [] : ,
 provide A with B = provide B for[to] A: A B
 provided [] : < > () ~
 provision [] : , , , , ,
 proxy [] : .

Q

qualified [] : () [] ,
 quantum [] : [] (量子)
 query [] : () .
 quote [≡] :

R

rarely if ever : ...
 reasoning [] : ,
 reasonably [] : ,
 recommendation [] :
 refer to A as B : A B []
 refer to A : A , A [] , A [] .
 reference [] : , /

refine [] : [] , ,
 reflect [≡] : [] , [] ,
 registry [] : , ,
 regularity [] : , , ,

relation [] : ,
 relationship [] : _____

relative URI reference [] : URI
 remedy [] : , []
 reminder [] : [] , ,
 replica [] : , , ,
 representation [] : , , /
 require [] : ~ , ~ []
 required [] : (必修)
 requirement [] : , , , ,
 reside [] : vi. ~ [] , , []
 resolve : , [] , [/]
 resolve to A [] : A ,
 resolver [] :

-

(by TTA)'

respect [] : (,) .
 result from A : A , A . “ + result from + ”

- result from = be caused by
 - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
 - This plane crash resulted in the death of 10 passengers.

10

retain [] : []
 retrieve [] : , / () _____
 reverse [] : [] , , []
 risk [] : ~ , ~
 robust [] : , []
 runtime : (,)

S

salvage [] : , []
 selvage [,美] : selvedge ()가 , (, 가)

sanitize [] : , , , .

scalable [] : , 가

scheme [] : _____, ,

schema [] : (,) [], , ()

script [] :

searchable [] : (가) 가 , []

secondary [] : , , , ,

secure [] : , ,

segmentation [] : , , , ,

selective [] : , , , , , [], ,

semantics [] : , , ()

separate A from B : ,

separator [] : , ,

serialization [] :

shaky [] : (, ,) [], , , , ,

shell command path [] :

shortcut : ,가 가

shorthand [≡] : , ,

significance [] : , , ,

silently [] : , ,

similarly [] : 가 , ,

simultaneous [] : ,

signal [] : , [] .

single quote, single quotation marks :

skip on to A : A 가

snippet [] : , ,

so long as + A : A , A , A

somehow [] : ,

sophistication [] : , / ,

sort of : , , () ?

specialize [] : , , ,

specify [] :

specification [] : () , (仕様), , ,

spot [] :

square [] : , ,

stash [] : () 가[.

statistics [] : [] , , []

standard [≡] :

stand-alone [] :

steering committee [] :

stopword [] : < > (不用語)

stream [] : ()

strict [] : , , ,

subclass [≡] : / ~ ,

subject [≡] : / , / , / ,

subject to A : A [], A [_____]

submission [] : , , (,)

subsequent [] : , , ,

subsidiary [] : , ,
 substrate [≡] : ,
 subtract [] : (,) , ,
 subtype [] :
 suffice [] : ~ . (for, to do)
 sufficient [≡] : != insufficient [≡]
 suppress [~] : [] , = forcibly put an end to A, ~ []
 swap [≡] : , [] , < >
 switch on/off : () (~) /
 synonym [] : ,

T

tabular [] : , , , []
 take notice of A : A ,
 take no notice of A : A
 take A into consideration : A []
 take the description : .
 target [≡] : , , , , . []
 taste : , , , [] , , . []
 ternary [] : , , ,
 terse [] : []
 testimonial [] : ,
 the first time : , < > ~ , ~
 the same is true for[of] A : A 가 , A
 think of sth/sb :
 throughput [] : () []
 tightly [] : , , , ,
 timeout : < > ()
 timezone :
 tinker [] : ,
 tortuous [≡] :
 transaction [] : , , , ()
 transactional [] : [] ,
 transitive [] : , , , [] , ,
 traverse [] : 가 , ,
 traversal [] : _____, 가 ,
 typically [] : , / [] ,

U

unary [] : , 1 ,
 underlying [] : , , , ,
 unified [] : ,
 unify [] : [] , , ,
 uniform : , , , , , ,

union : ,
 unpack [] : ,
 unqualified [] : , , , ,
 unwieldy [] : (), []
 uppercase [] : () , ()
 use [] : , ,

V

variant [] : , , / , , ,
 variation [] : , ,
 vary [] : , , , , ,
 value [] : ,
 verbose [] : , , 가
 versus [] : ~ [] , ... (對)
 via A [] : A , (,)
 virtualization [] : () 가 , 가
 voucher [] : , , , a sales voucher(), a hotel voucher(), a luncheon voucher()

W

wherever possible [] : 가
 whitelist [] : ,

- ,

white space :
 whole number: []
 widespread [] : , A , A , A
 without regard to[for] A : A , A , A
 with respect to A : A
 withstand [] : ~ , A
 work for A : A , ~ , A
 workaround [] : 2 , ,
 wrap up something : ~
 write out : ~ ()

Tip

- * !!!
-
-

, [wordbook](#)

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1621470895>

Last update: **2022/03/10 19:52**

