

ray) n . (degree) - : TTA
artefact = artifact [] : , ,
as it were : []
as required = according to need :
assemble [] : () [] .
assert [] : , , ,
associate A with B : A B [, ,] , ,
assume [] : 가 , , [,], ~ , (,) [,]
asynchronous [] : ()
at most [] : ,
at scale [] :
at the end of the day : 가 (the most important thing), (ultimately)
atomic [] : , , , , [,]
attribute [≡] : ,
augment [] : , 가
authoritative [] : , , ,
authority [] : ___, [pl]
axiom [] : , 가 .
.

B

backward = backwards [≡] : / ,
backwards compatibility :
be better off than before :
be concerned with A [] : A . A
behavior [] : () , , , , ,
benign [~] : , , ,
• having no significant effect : harmless

best practice [] :
beware [] : () []
binary [] : 2 , 2
blank node [] : ()
boilerplate [] : ()
boot [≡] : ([가]) []
bracket [] : (),
brevity [] : , ,
bring in : ~ 가
broadly [] : , , , , ,
building block :
by extension [] : .
.

C

cache [] : (),
call : ,
callee : ,
canonical [] : [] , , , , ,
canonicalization [] :
capability [] : , ,
capitalize [] : () , , () , ,
capture [] : [] , , , , ,

case : ,
case-sensitive [] : ()

case-insensitive [] :

cast [] : (), ()
carat [] : , 10 = 2
caret [] : (^),
cascading [] : , , ,
character [] :
cheap : ,
claim [] : , ,
coalesce [] : () , , , [] ()
coarse-grained [] : , , , ()
cohort [] : () , , ()
 가 , ,
command line application [] :
commonplace [] : , / , / ,
compactly [] :
compatibility [] : [] 가 , ()
compatible [] :
complete [] : ,
complication [] : (), , ()
compound [] : ,
compute [] : ,
concatenate [] : (,)
concrete [] : , , , [] ,
concurrent [] : ,
condition : < > [] . ~ . < > []

configurable [] : 가
configure [] : < , > , ...
configuration [] : , ,
conform [~ㅁ] : (,) , [](to, with)
conformable [] : , , , ,
conformance [] : , , ,
conformant [] : () , , -> conforming, conformable
consideration [] : , , , , []
consistency [] :
consolidate [] : , , , , , /
constant [] : , , , , , ,
constitute [] : ,
constraint [] : ,

construct [≡] : ,
consume [] : ~ []
consumption [π] : []()
contextual [] : (),
contract [] : ,
contribute [≡] : [] , []
contiguous [] : , / ,
conundrum [] : , (=niddle)
conventional [] : , [] , ,
conversion [] : , , ,
corresponding [] : ~ [] , ,~
cover : ,
coverage [] : () , , () , craving [] : ,
credentials [] : , ,
cumbersome [] : , ,
custom [] : , ,

D

deadlock [] : () , , ()
deep dive [] : ()
de facto [] : [] []
default [] : (),
deflation [] : , 가 , , [가] ,
denote [≡] : ,
depend on A [] : A , A , A
deployment [] : , , ___(Fix Me!)
describe [] : () . (),
description [] : , , ,
detail [] : / ,
detailed [] : ,
detrimental [] : (damaging), (to)
difference [] : ,
digestible [] : ,
direct : ~ ..
directed [] : , , —> ?
directed graph [] : < >
disparate [] : ,
distinct [] : [],
distinction [] : () [],
distribution [] : ___(Fix Me!).exe ?)
dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,
document [] : ~ , , ()
documentation [] : , , ,
domain-specific [] : , ()

E

F

facade [] : () , , , , , []
fallback [] : () , , , , []
feature [~] : , ,
federate [⚡] : ,
feed [~] : , .
fetch [] : 가 [] / [] , (가)
fine grain [] :
fine-grained [] : , ()
finite [] : ,
first order logic : 1 []
flag [] : (,)
flexible [] : changeable , 가 ,
for now : ,
format [] : ~ / , ,
formulate [⚡] : ~ [] , [] , [] , ~ []
fragment [] : , / , XML
fraught [⚡] : , , ~ (with)
from scratch [] : [] ,
frustration [] : ,
function-like operators [] :
functionality [] : ()
further [] : , 가 / , 가

G

general-purpose language [] :
generic [] : , , (汎用)
get one's foot in the door : , ~ ()
given A : ~ , ~ 가 , ~ , ~ 가 , ~
glyphicons [] :
glossary [~] : ,
go through : ~ [] , [] , []
ground :

H

hands-on [] : []() []

horizontal [] : () , 가
 how-to or howto : , , (實用) / ,
 hierarchy [] : , ,

|

identifier [] :
 idiom [] : , ,
 identical [] : , (to/with sb/sth)
 identify [] :
 i.e. = id est [] : , ,
 if not for = without = in the absence of sth/sb
 if preferred [] :
 illustrative [↳] : (實例)가 ,
 illustration [] : [], , ,
 immutable [] : , ,
 implementation [] : , ,
 implication [] : () , , ,
 implicit [⇌] : , , ,
 impractical [] : , , , , ,
 가
 in combination with A : A []
 in conjunction with A : A
 in favor of A : A , A []
 in line with A : A , A , A , A , A
 in no way : [] ~ (not ~ at all)
 in place : (), 가 , 가 , 가 ,
 in preference to A : A , A
 in response to A [] : A []
 in the case of : ~ , ~ , ~
 in turn :
 incompatible [] : , , , ,
 incorporate [⇌] : , , , () , ,
 indentation [] : , ,
 indeterminate [⇌] : [] 가 [] , , , ,
 index [] : , , , [].
 indicate [⇌] : , , .
 inefficient [] : , , , ,
 infamous [] : , , , ,
 inform : , , , []
 initial value:
 initialize [] :
 initialization [] : /
 initiate [⇌] : , , , , , 가 []
 inline [] :
 Infrequently [] : , ,
 inputstream [] by TTA :

1.

가

2.

insecure [] : , , ,
instructive [] : , , , ,
integrate [≡] : ,
interoperable [] : 가 , , ,
interfere [] : . , , , (with)
interoperability [] : , , (가)
interpret [] : intersection [] : , ,
intervene [] : , [가] , [], []
intervening [] : (, ,) []
inventory [] : , , , ,
invert [⚡] : () , () , [] ,
investigate [≡] : [,]
invocation [] : __, [], [], , []
invoke : () []
involve [~] : , , []
iterate [≡] : (,)
iterator [] :

J

job board :
jumbotron : (),

K

keystone [] : , , , , ,

L

label [] : f , ()
large numbers of ~ : ~
layered [] : ,
leaderboard [] : () , ,
legacy [] : (,) , , , ,
legal [] :
leverage [] : , , , , ,
life cycle [] : , , ,
line-break : []

```

literacy [ ] : , ( ) ,
literal : , / plain literal :
log : , , , ,
      (TTA)/

logging [ ] :
look in A : A

loop [ ] : , ( )
lowercase [ ] : ( ) , ( )

```

M

machinery [] : , , ,
malignant [\in] : (,) , , ,
match A against B : A B []
materialize [] : , ,
merge [\equiv] : ~ ,
membership : (,) , (,)
metaphysical [] : , , , ,
migrate [\in] : [] , (, .)
mix and match : ()
moderate [] : , , , , ,
moderator [] : , , ,
moderation [] : , , , (,)) []
morpheme [] : ()
morphological [] : ()
morphological analyzer [] :
mostly [] : ,
much of A : A , A
mung [] : < > , , [, ,] ,

N

namely [] : ,
namespace : ,
native [] : < > ,

navigate [≡] : , , []
NB [N.B.] : (nota bene, , = note well,
necessarily [] : , , ,
negation [] : , , ,
nestable [] : , (가) ,
nested [] :
nesting [:
negate [] : , , [] , ,
note : ~ [] . () , , ~
notation [] :
notwithstanding [] : ~ , ,

numeronym [] : , ex) i18n - internationalization, L10n - Localization
numeric [↗] = numerical [] : , , ,

O

obfuscation [] : , , , code obfuscation :
object : ,
obsolete [⇌] : 가 , , , out of date
occur [] : , / ,
occurrence [] : [/] , , , , ,
on one's own : , , ,
on shaky ground [] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [] : () ,
opaque [] : , , , ,
operation [] : , , , , ,
optimization [] : (最適化)
optimize, optimise [] : ~ [] [],
ordinal [] :
other than A = except A [] : A
otherwise [] : , , ,
outline [] : [] , ,
output [] : , , /
out of the box : ,
outside of : { }~ (except)
outstanding [] : , , , , ,
overflow [] : , ,
override [] : () 가 () , () [],
overview [] : , , ,
overwrite [] : , , ,

P

pack : []
pagination [] :
pare [] : () [] , [] , , (down, away)
parse [] : ()
pass in : ,
peculiar [] : , , , , () , , ,
performant [] : , , ,
perimeter [] : , ,
permission [] : , 가, ,
per se [] : < > , , ,

persist [] : [] , (in)
 persistent [≡] : , / , ,
 plain : , ,
 plain English [] : () []
 pointless [] : , 가 가 ,
 portable [] : () 가 ,
 portability [] : []() (가) ,
 power: (ex) 4 to the power of 3 is 64
 practitioner [] : , 가 ,
 precede [] : ~ , 가 ,
 precedence [] : (), , , , , ,
 predicate [] : () ,
 preemptive [] : , , []
 preface [] : ,
 preliminary [] : , / , , ,
 primary [] : , ,
 primer [] : , /
 procedure [] :
 procedural [] : ,
 procedural language [] :
 process [] : [], , 가 []
 product [≡] : () ,
 project : ~ (...) , ,
 property [] : () [] / ,
 prototyping [] : ,
 provide A with B = provide B for[to] A: A B
 provided [] : < > () ~
 provision [] : , , , , ,
 proxy [] :
 ,

Q

qualified [] : () [] ,
 quantum [] : [] (量子)
 query [] : () .
 quote [≡] :

R

rarely if ever : ...
 reasoning [] : ,
 reasonably [] : ,
 recommendation [] :
 refer to A as B : A B []
 refer to A : A , A [] , A [] .

reference [] : , /
refine [] : [] , , ,
reflect [≡] : , , , [] , [] , ,
registry [] : , , ,
regularity [] : , , , ,

relation [] : ,
relationship [] : _____

relative URI reference [] : URI
remedy [] : , []
reminder [] : [] , ,
replica [] : , , ,
representation [] : , , , /
require [] : ~ , ~ []
required [] : (必修)
requirement [] : , , , ,
reside [] : vi. ~ [] , , []
resolve : , [,] , [/]
resolve to A [] : A ,
resolver [] :

•

(by TTA)

respect [] : (,) . . . “ + result form + ”
result from A : A . A . . . “ + result form + ”

- result from = be caused by
 - The car accident resulted from engine failure.

result in A : A . A . . . “ + result in + ”

- result in A = cause A
 - This plane crash resulted in the death of 10 passengers.

10

retain [] : []
retrieve [] : , , / () _____
reverse [] : , [] , , , , []
risk [] : ~ , ~
robust [] : , , , []
runtime : (, ,)

S

salvage [] : , , []

subsequent [] : , , ,
subsidiary [] : , , ,
substrate [≡] : , ,
subtract [] : (,) , ,
subtype [] :
suffice [] : ~ . (for, to do)
sufficient [≡] : != insufficient [≡]
supprress [~] : [] , = forcibly put an end to A, ~ []
swap [꿩] : , [] , < >
switch on/off : () (~) /
synonym [] : ,

T

tabular [] : , , , []
take notice of A : A
take no notice of A : A
take A into consideration : A []
take the description :
target [≡] : , , , , , , []
taste : , , , [] , ,
ternary [] : , , ,
terse [] : []
testimonial [] : ,
the first time : < > ~ , ~
the same is true for(of) A : A 가 , A
think of sth/sb :
throughput [] : () []
tightly [] : , , , ,
timeout : < > ()
timezone :
tinker [] : ,
tortuous [≡] :
transaction [] : , , , ()
transactional [] : [] ,
transitive [] : , , , [] , ,
traverse [] : 가 , , ,
traversal [] : ___, 가 , ,
typically [] : , , /

U

unary [] : , 1 ,
underlying [] : , , , ,
unified [] : , ,
unify [] : [] , ,

uniform : , , , , ,
union : ,
unpack [] : ,
unqualified [] : , , , ,
unwieldy [] : () , []
uppercase [] : () , ()
use [] : , , ,

V

variant [] : , , / , , ,
variation [] : , , ,
vary [] : , , , , ,
value [] : ,
verbose [] : , , , 가
versus [] : ~ [] , ... (對)
via A [] : A , (, ,)
virtualization [] : () 가 , 가
voucher [] : , , , , a sales voucher(), a hotel voucher(), a luncheon voucher()

W

wherever possible [] : 가
whitelist [] : ,
• ,
.

white space :
whole number: []
widespread [] : , , ,
without regard to[for] A : A , A , A , A
with respect to A : A
withstand [] : ~ . , , .
work for A : A , , ~ , A
workaround [] : 2 , ,
wrap up something : ~
write out : ~ ()

Tip

- * !!!
-
-

, wordbook

From:
<http://rwiki.requia.com/> -

. - 2023.12



Permanent link:

<http://rwiki.requia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1622526658>

Last update: **2022/03/10 19:52**