

A

a bunch of :

a collection of : ~

a range of :

abbreviate [\equiv] : ~ ,

abbreviated [] : ,

abide by [] : ~ [,]

abort [\equiv] : [] , , ()

absent [\equiv] : , , ,

above : [] [] []

accessor [] :

active :

adjacent [\equiv] : , 가 ,

administration [] = admin : , []

afresh [] :

aggregate [] : , , ,

aggregation [] : , , ,

aggregator [] :

agile [' /] : , ,

algebra [] :

all at once : , []

allow for A : A [,] , A []

alternate [] : []

alternatively [] : , (...) (instead)

anchor [] : , , , , ~

ancillary [] : ,

annotation [] :

anonymous [] : , ,

anon [] :

1. , ,
2. anonymous []

append [] : ~ , 가

applicable [] :

application [] : ,

appropriate [\equiv] : , , , ,

arbitrary [] : , , ,

architecture [] : [] , , , ,

archive [] : , [] ,

argument [] :

arithmetic expression :

arity [] : 가 . (n-

ray) n . (degree) - : TTA
artefact = artifact [] : , ,
as it were : []
as required = according to need :
ASAP [,]: As soon as possible, 가
assemble [] : () [] .
assert [] : , , ,
associate A with B : A B [, ,] ,
assume [] : 가 , , [], ~ , (,) [,]
asynchronous [] : ()
at most [] : ,
at scale [] :
at the end of the day : 가 (the most important thing), (ultimately)
atomic [] : , , , [,]
attribute [≡] : ,
augment [] : , 가
authoritative [] : , , ,
authority [] : _____, [pl]
axiom [] : , 가 가 .

B

backward = backwards [≡] : / ,
backwards compatibility :
be better off than before :
be concerned with A [] : A 가 . A .
behavior [] : () , , , , ,
benign [~] : , , ,
• having no significant effect : harmless

best practice [] :
beware [] : () []
binary [] : 2 , 2
blank node [] : ()
boilerplate [] : () ,
boot [≡] : ([가]) []
bracket [] : (),
brevity [] : , ,
bring in : ~ 가
broadly [] : , , , , ,
BTW : by the way,
building block :
by extension [] : 가

C

cache [] : (),
call : ,
callee : ,
canonical [] : [] , , ,
canonicalization [] : ,
capability [] : , ,
capitalize [] : () , () ,
capture [] : [] , , , ,

case : ,
case-sensitive [≡] : ()



case-insensitive [≡] : ,

cast [] : () , ()
carat [] : , 10 = 2
caret [] : (^),
cascading [] : , ,
character [] : ,
cheap : ,
claim [] : , ,
coalesce [] : () , , []
coarse-grained [] : , , ()
cohort [] : () , ()
가 ,)
command line application [] : / , / ,
commonplace [] : , / , / ,
compactly [] : ,
compatibility [] : []가 , ()
compatible [] : ,
complete [] : ,
complication [] : () , ()
compound [] : ,
compute [] : ,
concatenate [] : (,)
concrete [] : , , [] ,
concurrent [] : ,
condition : < > [] . ~ . < > []

configurable [] : 가
configure [] : < , > ,
configuration [] : ,
conform [~ ≡] : (,) , [] (to, with)
conformable [] : , , ,
conformance [] : , ,
conformant [] : () , -> conforming, conformable
consideration [] : , , , []
consistency [] : ,

consolidate [\equiv] : , , , /
 constant [] : , , , , , /
 constitute [\equiv] :
 constraint [] : ,
 construct [\equiv] : ,
 consume [] : ~ []
 consumption [π] : [] ()
 contextual [] : () ,
 contract [] : ,
 contribute [\equiv] : [] , []
 contiguous [] : , / ,
 conundrum [] : , (=niddle)
 conventional [] : , [] , , ,
 conversion [] : , , ,
 corresponding [] : ~ [] , , ~
 cover : ,
 coverage [] : () , , () , craving [] : ,
 credentials [] : , , ,
 cumbersome [] : , , , ,
 custom [] : , ,

D

deadlock [] : () , , ()
 deep dive [] : ()
 de facto [] : [] []
 default [] : (, ,)/
 deflation [] : , 가 , , [가] ,
 denote [\equiv] : , .
 depend on A [] : A , A , A
 deployment [] : , , ___()
 describe [] : () . () ,
 description [] : , , , ,
 detail [] : / ,
 detailed [] : ,
 detrimental [] : (damaging), (to)
 difference [] : ,
 digestible [] : , , ,
 direct : ~ ..
 directed [] : , , —> ?
 directed graph [] : < >
 disparate [] : , , , ,
 distinct [] : [] , , , ,
 distinction [] : () [] , , , ,
 distribution [] : ___( .exe ?)
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,
document [] : ~ , ()
documentation [] : , , , , ,
domain-specific [] : ()
dormant [] : (休止)
double quote, double quotation marks :
dry : , , ,
dry stuff :
dump [] :
(copy)
dungeon [] : () ,
duplicate [≡] : , / , ,
duration [] : ,
dwell on/upon A [] : A [], A [], A

E

edge [스] : 가 , , , ,
e.g.: (exempli gratia[美 - / 英 -]
ellipse [] :
embed : ~ , ,
enable [] :
enclose [] : [] ,
encode [] : ,
encoding [] : ,
endeavour[英] = endeavor [美] [] : , / , (to)
endpoint [] : (線分) , ,
ensure [] : ~ [] ,
entail [] : , , ,
entailment [] : , , ?
entity [] : , , , , ,
entry [] : , 가 , , , , ,
equivalent [] : , 가 [] , , , , ,
Equivalently [] : , , 가
eradicate [≡] : , (=wipe out)
error handler [] :
ethnography [] : , 가

evident [] : , ,
excessive [] : ,
executable [] : () ,
existentially [] :
existing [] : ,
explicit [() ≡] : , ,
exponentiation [] :
expressiveness [] : , ,
expressivity [] : , , ,
extension [] : , , () () , () ()
extensive [] : , ,

external [] : , (...), (to)

F

facade [] : () , , , , ,
 fallback [] : () , , []
 feature [~] : , ,
 federate [≡] : ,
 feed [~] : , .
 fetch [] : 가 [/] , (가)
 fine grain [] :
 fine-grained [] : , ()
 finite [] : ,
 first order logic : 1 []
 flag [] : (,)
 flexible [] : changeable , 가 ,
 for now : , ,
 format [] : ~ / , ,
 formulate [≡] : ~ [,] [], ~ []
 fragment [] : , / , XML
 fraught [≡] : , , ~ (with)
 from scratch [] : [] ,
 frustration [] : ,
 function-like operators [] :
 functionality [] : ()
 further [] : , 가 / , 가

G

general-purpose language [] :
 generic [] : , , (汎用)
 get one's foot in the door : , ~ ()
 given A : ~ , ~ 가 , ~ , ~ 가 , ~
 glyphicons [] :
 glossary [~] : ,
 go through : ~ [], [] , []
 ground : ,

H

hands-on [] : [] () []
 hierarchy [] : , ,
 hipster [] : 1940 ,

horizontal [] : () , 가
 how-to or howto : , , (實用) / ,

I

identifier [] :
 idiom [] : , ,
 identical [] : , (to/with sb/sth)
 identify [] :
 i.e. = id est [,] : , ,
 if not for = without = in the absence of sth/sb
 if preferred [] :
 illustrative [] : (實例)가 ,
 illustration [] : [] , , ,
 immutable [] : , ,
 implementation [] : , ,
 implication [] : () , , ,
 implicit [∈] : , , ,
 impractical [] : , , , , , , ,
 가
 in combination with A : A []
 in conjunction with A : A
 in favor of A : A , A []
 in line with A : A , A , A , A , A
 in no way : [] ~ (not ~ at all)
 in place : () , 가 , 가 가 ,
 in preference to A : A , A
 in response to A [] : A []
 in the case of : ~ , ~ , ~
 in turn : ,
 incompatible [] : , , , () ,
 incorporate [∈] : , , , () ,
 indentation [] : , ,
 indeterminate [∈] : []가 [] , [] , , ,
 index [] : , , , [] .
 indicate [∈] : , .
 inefficient [] : , , , ,
 infamous [] : , , , , ,
 inform : , , []
 initial value:
 initialize [] : .
 initialization [/] :

initiate [≡] : , , , 가 []
 inline [] :
 Infrequently [] : ,
 inputstream [] by TTA :

1. 가 ,
2. 가 .

insecure [] : , ,
 instructive [] : , , , ,
 integrate [≡] : ,
 interoperable [] : 가 , , 가
 interfere [] : . , , (with)
 interoperability [] : , (가)
 interpret [] : intersection [] : , ,
 intervene [] : , [가], [], []
 intervening [] : (, ,) []
 inventory [] : , , , ,
 invert [∘] : () , () , [] ,
 investigate [≡] : [,]
 invocation [] : _____, [], [], , []
 invoke : () []
 involve [~] : , , []
 iterate [≡] : (,)
 iterator [] :

J

job board :
 jumbotron : () ,

K

keystone [] : , , , , ,

L

label [] : f , ()
 large numbers of ~ : ~
 layered [] : ,
 leaderboard [] : () , ,

가
 legacy [] : (,) , ' ' ,
 legal [] :
 leverage [] : , , , , , ,
 life cycle [] : , ,
 line-break : []
 literacy [] : , (,) ,
 literal : , / plain literal :
 log : , , , , , ,
 (TTA)/
 logging [] :
 look in A : A
 loop [] : , ()
 lowercase [] : () , ()

M

machinery [] : , , ,
 malignant [≡] : (,) , , ,
 match A against B : A B []
 materialize [] : , ,
 merge [≡] : ~ ,
 membership : (,) , (,)
 metaphysical [] : , , ,
 migrate [≡] : [] , (, .)
 mix and match : ()
 moderate [] : , , , , ,
 moderator [] : , ,
 moderation [] : , , , (,) []
 morpheme [] : ()
 morphological [] : ()
 morphological analyzer [] :
 mostly [] : ,
 much of A : A , A
 mung [] : < > , [,] ,

N

namely [] : ,
 namespace : ,
 native [] : < > , , ,
 navigate [≡] : , , []
 NB [N.B] : (nota bene, , = note well,
 necessarily [] : , , ,
 negation [] : , , , (가) ,
 nestable [] : , (가) ,

nested [] :
 nesting [] :
 negate [] : , [] ,
 note : ~ [] . () , ~
 notation [] :
 notwithstanding [] : ~
 numeronym [] : , ex) i18n - internationalization, L10n - Localization
 numeric [⇨] = numerical [] : ,

O

obfuscation [] : , , code obfuscation :
 object : ,
 obsolete [≡] : 가 , out of date
 occur [] : , / ,
 occurrence [] : [/] , , , ,
 on one's own : , ,
 on shaky ground [] : (=without a firm basis)
 on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task
 onwards = onward [] : () ,
 opaque [] : , , ,
 operation [] : , , , , ,
 optimization [] : (最適化)
 optimize, optimise [] : ~ [] [],
 ordinal [] :
 other than A = except A [] : A
 otherwise [] : , , ,
 outline [] : [] , ,
 output [] : , , /
 out of the box : ,
 outside of : {] ~ (except)
 outstanding [] : , , , , , , ,
 overflow [] : , , ,
 override [] : ()가 () , () []
 overview [] : , , ,
 overwrite [] : , , ,

P

pack : []
 pagination [] :
 pare [] : () [], [] , (down, away)
 parse [] : ()

pass in : ,
peculiar [] : , , , () , ,
performant [] : , ,
perimeter [] : ,
permission [] : , 가, ,
per se [] : < > , ,
persist [] : [] , (in)
persistent [≡] : , / , ,
plain : , ,
plain English [] : () []
pointless [] : , 가 가 , ,
portable [] : () 가 ,
portability [] : [] () (가) ,
power: (ex) 4 to the power of 3 is 64
practioner [] : , 가, ,
precede [] : ~ , 가 , ,
precedence [] : () , , , , , ,
predicate [] : () ,
preemptive [] : , , []
preface [] : ,
preliminary [] : , / , , ,
primary [] : , ,
primer [] : , /
procedure [] :
procedural [] : ,
procedural language [] :
process [] : [] , , 가 []
product [≡] : () ,
project : ~ (...) , ,
property [] : () [] / ,
prototyping [] : ,
provide A with B = provide B for[to] A: A B
provided [] : < > () ~
provision [] : , , , , ,
proxy [] : .

Q

qualified [] : () [] ,
quantum [] : [] (量子)
query [] : () .
quote [≡] :

R

rarely if ever : ...
 reasoning [] : ,
 reasonably [] : ,
 recommendation [] :
 refer to A as B : A B []
 refer to A : A , A [] , A [] .
 reference [] : , /
 refine [] : [] , ,
 reflect [\equiv] : , , [] , [] ,
 registry [] : , ,
 regularity [] : , , ,

relation [] : ,
 relationship [] : _____

relative URI reference [] : URI
 remedy [] : , []
 reminder [] : [] , ,
 replica [] : , , ,
 representation [] : , , /
 require [] : ~ , ~ []
 required [] : (必修)
 requirement [] : , , , ,
 reside [] : vi. ~ [] , , []
 resolve : , [] , [/]
 resolve to A [] : A ,
 resolver [] :

•

(by TTA)'

respect [] : (,) .
 result from A : A , A . “ + result from + ”

- result from = be caused by
 - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
 - This plane crash resulted in the death of 10 passengers.

retain [] : []
 retrieve [] : , / (_____)_____
 reverse [] : , [] , , []
 risk [] : ~ , ~
 robust [] : , , []
 runtime : (,)

S

- salvage [] : , []
- selvage [, 美] : selvedge ()가 , (, 가)
- sanitize [] : , , , .

- scalable [] : , 가

- scheme [] : _____, ,
- schema [] : (,) [], , ()

- script [] :
- searchable [] : (가) 가 , []
- secondary [] : , , ,
- secure [] : , , ,
- segmentation [] : , , ,
- selective [] : , , , , [], ,

- semantics [] : , , ()
- separate A from B : ,
- separator [] : , ,
- serialization [] :
- shaky [] : (, ,) [], , , ,
- shell command path [] :
- shortcut : , 가 가
- shorthand [≡] : , ,
- significance [] : , , ,
- silently [] : , , ,
- similarly [] : 가 , , ,
- simultaneous [] : , ,
- signal [] : , [] .
- single quote, single quotation marks :
- skip on to A : A 가
- snippet [] : , , ,
- so long as + A : A , , A , A , A
- somehow [] : , , ,
- sophistication [] : , / , ,
- sort of : , , (,) ?
- specialize [] : , , ,
- specify [] : , , ,
- specification [] : () , (仕様), , ,
- spot [] : .
- square [] : , , ,
- stash [] : () 가 [] .
- statistics [] : [] , , []
- standard [≡] :
- stand-alone [] : , ,
- steering committee [] :
- stopword [] : < > (不用語)
- stream [] : ()

strict [] : , , ,
subclass [≡] : / ~ ,
subject [≡] : / , / , / ,
subject to A : A [], A []
submission [] : , , (,)
subsequent [] : , , ,
subsidiary [] : , , ,
substrate [≡] : , ,
subtract [] : (,) , ,
subtype [] : ,
suffice [] : ~ . (for, to do)
sufficient [≡] : != insufficient [≡]
supprress [~] : [] , = forcibly put an end to A, ~ []
swap [≡] : , [] , < , >
switch on/off : () (~) /
synonym [] : , ,

T

tabular [] : , , , []
take notice of A : A , ,
take no notice of A : A ,
take A into consideration : A []
take the description : .
target [≡] : , , , , . []
taste : , , , [], , , . []
ternary [] : , , ,
terse [] : []
testimonial [] : , ,
the first time : , < > ~ , ~ ,
the same is true for[of] A : A 가 , A ,
think of sth/sb : ,
throughput [] : () []
tightly [] : , , , ,
timeout : < > ()
timezone : ,
tinker [] : , ,
tortuous [≡] : , ,
transaction [] : , , , ()
transactional [] : [] , ,
transitive [] : , , , [] , ,
traverse [] : 가 , , ,
traversal [] : _____, 가 , ,
typically [] : , , / , ,

U

unary [] : , 1 ,
 underlying [] : , , ,
 unified [] : , ,
 unify [] : [] , , ,
 uniform : , , , , , ,
 union : ,
 unpack [] : ,
 unqualified [] : , , , , ,
 unwieldy [] : () , [] ,
 uppercase [] : () , ()
 use [] : , ,

V

variant [] : , , / , , ,
 variation [] : , , ,
 vary [] : , , , , , ,
 value [] : ,
 verbose [] : , , 가
 versus [] : ~ [] , ... (對)
 via A [] : A , (,)
 virtualization [] : () 가 , 가
 voucher [] : , , , , a sales voucher() , a hotel voucher() , a
 luncheon voucher()

W

wherever possible [] : 가
 whitelist [] : ,

- ,

white space :
 whole number: []
 widespread [] : , , A , , A , A
 without regard to[for] A : A , A , A , A
 with respect to A : A
 withstand [] : ~ , ,
 work for A : A , , ~ , A
 workaround [] : 2 , ,
 wrap up something : ~
 write out : ~ ()

Tip

*

!!!

-
-

, [wordbook](#)

From:
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:
<http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1622533189>

Last update: **2022/03/10 19:52**

