

# A

a bunch of : ,

a collection of : ~

a range of :

abbreviate [ ≡ ] : ~ ,

abbreviated [ ] : ,

abide by [ ] : ~ [ , ]

abort [ ≡ ] : [ ] , , ( )

absent [ ≡ ] : , , ,

above : [ ] [ ] [ ]

accessor [ ] :

active :

adjacent [ ≡ ] : , 가 ,

administration [ ] = admin : , [ ]

afresh [ ] :

aggregate [ ] : , , ,

aggregation [ ] : , , ,

aggregator [ ] :

agile [ ' / ] : , ,

algebra [ ] :

all at once : , [ ]

allow for A : A [ , ] , A [ ]

alternate [ ] : [ ]

alternatively [ ] : , (... ) (instead)

anchor [ ] : , , , , ~

ancillary [ ] :

annotation [ ] :

anonymous [ ] : , ,

anon [ ] :

1. , ,
2. anonymous [ ]

append [ ] : ~ , 가

applicable [ ] :

application [ ] : ,

appropriate [ ≡ ] : , , , ,

arbitrary [ ] : , , ,

architecture [ ] : [ ] , , , ,

archive [ ] : , [ ] ,

argument [ ] :

arithmetic expression :

arity [ ] : 가 . (n-

ray) n . (degree) - : TTA  
 artefact = artifact [ ] : , ,  
 as it were : [ ]  
 as required = according to need :  
 ASAP [ ] : As soon as possible, 가  
 assemble [ ] : ( ) [ ] .  
 assert [ ] : , , ,  
 associate A with B : A B [ , , ] ,  
 assume [ ] : 가 , , [ ], ~ , ( , ) [ , ]  
 asynchronous [ ] : ( )  
 at most [ ] : ,  
 at scale [ ] :  
 at the end of the day : 가 (the most important thing), (ultimately)  
 atomic [ ] : , , , [ , ]  
 attribute [ ≡ ] : ,  
 augment [ ] : , 가  
 authoritative [ ] : , , ,  
 authority [ ] : \_\_\_\_\_, [ pl]  
 axiom [ ] : , 가 가 .

## B

backward = backwards [ ≡ ] : / ,  
 backwards compatibility :  
 be better off than before :  
 be concerned with A [ ] : A 가 . A .  
 behavior [ ] : ( ) , , , , ,  
 benign [ ~ ] : , , ,

- having no significant effect : harmless

best practice [ ] :  
 beware [ ] : ( ) [ ]  
 binary [ ] : 2 , 2  
 blank node [ ] : ( )  
 boilerplate [ ] : ( ) ,  
 boot [ ≡ ] : ( [가] ) [ ]  
 bracket [ ] : ( ),  
 brevity [ ] : , ,  
 bring in : ~ 가  
 broadly [ ] : , , , , ,  
 BTW : by the way,  
 building block :  
 by extension [ ] : 가

## C

cache [     ] : (                    ),  
 call :                    ,  
 callee :                    ,  
 canonical [                    ] : [     ]                    ,                    ,                    ,  
 canonicalization [                    ] :                    ,  
 capability [                    ] :                    ,                    ,  
 capitalize [                    ] : (                    )                    , (                    )                    ,  
 capture [     ] :                    [     ]                    ,                    ,                    ,                    ,

case :                    ,  
 case-sensitive [                    ≡ ] : (                    )

case-insensitive [                    ≡ ] :                   

cast [     ] : (                    ), (                    )  
 carat [     ] :                    , 10                    = 2  
 caret [     ] : ( ^ ),  
 cascading [                    ] :                    ,                    ,  
 character [                    ] :                    ,  
 cheap :                    ,  
 claim [                    ] :                    ,                    ,  
 coalesce [                    ] : (                    )                    ,                    , [     ]                    (                    )  
 coarse-grained [                    ] :                    ,                    ,                    (                    )  
 cohort [                    ] : (                    )                    ,                    (                    )  
       가                    ,                    )  
 command line application [                    ] :                    /                    /                    ,  
 commonplace [                    ] :                    ,                    /                    /                    ,  
 compactly [                    ] :                    ,  
 compatibility [                    ] : [     ]가                    , (                    )  
 compatible [                    ] :                    ,  
 complete [                    ] :                    ,                    ,  
 complication [                    ] : (                    ),                    , (                    )  
 compound [                    ] :                    ,  
 compute [                    } :                    ,                    ,  
 concatenate [                    ] : (                    ,                    )  
 concrete [                    ] :                    ,                    , [     ] ,  
 concurrent [                    ] :                    ,  
 condition : <                    > [     ]                    . ~                    . <                    > [     ]

configurable [                    ] :                    가  
 configure [                    ] : <                    ,                    >                    , ...                    .  
 configuration [                    ] :                    ,                    ,  
 conform [     ~ ≡ ] : (                    ,                    )                    , [     ] (to, with)  
 conformable [                    ] :                    ,                    ,                    ,  
 conformance [                    ] :                    ,                    ,  
 conformant [                    ] : (                    )                    ,                    -> conforming, conformable  
 consideration [                    ] :                    ,                    ,                    ,                    [     ]  
 consistency [                    ] :                    ,                    ,                    ,                    [     ]

consolidate [ ɛ ] : , , , /  
 constant [ ] : , , , , , /  
 constitute [ ɛ ] :  
 constraint [ ] : ,  
 construct [ ɛ ] : ,  
 consume [ ] : ~ [ ]  
 consumption [ ɪ ] : [ ] ( )  
 contextual [ ] : ( ) ,  
 contract [ ] : ,  
 contribute [ ɛ ] : [ ] , [ ]  
 contiguous [ ] : , / ,  
 conundrum [ ] : , (=niddle)  
 conventional [ ] : , [ ] , , ,  
 conversion [ ] : , , ,  
 corresponding [ ] : ~ [ ] , , ~  
 cover : ,  
 coverage [ ] : ( ) , , ( ) , craving [ ] : ,  
 credentials [ ] : , , ,  
 cumbersome [ ] : , , , ,  
 custom [ ] : , ,

## D

deadlock [ ] : ( ) , , ( ) )  
 deep dive [ ] : ( ) ,  
 de facto [ ] : [ ] [ ]  
 default [ ] : ( , , )/  
 deflation [ ] : , 가 , , [가 ] ,  
 denote [ ɛ ] : , .  
 depend on A [ ] : A , A , A  
 deployment [ ] : , , \_\_\_(  )  
 describe [ ] : ( ) . ( ) ,  
 description [ ] : , , , ,  
 detail [ ] : / ,  
 detailed [ ] : ,  
 detrimental [ ] : (damaging), (to)  
 difference [ ] : ,  
 digestible [ ] : , , ,  
 direct : ~ ..  
 directed [ ] : , , —> ?  
 directed graph [ ] : < >  
 disparate [ ] : , , , ,  
 distinct [ ] : [ ] , , , ,  
 distinction [ ] : ( ) [ ] , , , ,  
 distribution [ ] : \_\_\_(  .exe ? )  
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,  
document [ ] : ~ , ( )  
documentation [ ] : , , , , ,  
domain-specific [ ] : ( )  
dormant [ ] : (休止)  
double quote, double quotation marks :  
dry : , , ,  
dry stuff :  
dump [ ] :  
(copy)  
dungeon [ ] : ( ) ,  
duplicate [ ≡ ] : , / , ,  
duration [ ] : ,  
dwell on/upon A [ ] : A [ ], A [ ], A

### E

edge [ 스 ] : 가 , , ,  
e.g.: ( exempli gratia[美 - / 英 - ]  
ellipse [ ] :  
embed : ~ , ,  
enable [ ] :  
enclose [ ] : [ ] ,  
encode [ ] : ,  
encoding [ ] : ,  
endeavour[英] = endeavor [美] [ ] : , / , (to)  
endpoint [ ] : (線分 ) , ,  
ensure [ ] : ~ [ ] ,  
entail [ ] : , , ,  
entailment [ ] : , , ?  
entity [ ] : , , , , ,  
entry [ ] : , 가 , , , , ,  
equivalent [ ] : , 가 [ ] , , , , ,  
Equivalently [ ] : , , 가  
eradicate [ ≡ ] : , (=wipe out)  
error handler [ ] :  
ethnography [ ] : , 가  
  
evident [ ] : , ,  
excessive [ ] : ,  
executable [ ] : ( ) ,  
existentially [ ] :  
existing [ ] : ,  
explicit [ ( ) ≡ ] : , ,  
exponentiation [ ] :  
expressiveness [ ] : , ,  
expressivity [ ] : , , ,  
extension [ ] : , , ( ) ( ) , ( ) ( )  
extensive [ ] : , ,

external [ ] : , (...), (to)

## F

facade [ ] : ( ) , , , , ,  
 fallback [ ] : ( ) , , [ ]  
 feature [ ~ ] : , ,  
 federate [ ≡ ] : ,  
 feed [ ~ ] : , .  
 fetch [ ] : 가 [ / ] , ( 가 )  
 fine grain [ ] :  
 fine-grained [ ] : , ( )  
 finite [ ] : ,  
 first order logic : 1 [ ]  
 flag [ ] : ( , )  
 flexible [ ] : changeable , 가 ,  
 for now : , ,  
 format [ ] : ~ / , ,  
 formulate [ ≡ ] : ~ [ , ] [ ], ~ [ ]  
 fragment [ ] : , / , XML  
 fraught [ ≡ ] : , , ~ (with)  
 from scratch [ ] : [ ] ,  
 frustration [ ] : ,  
 function-like operators [ ] :  
 functionality [ ] : ( )  
 further [ ] : , 가 / , 가

## G

general-purpose language [ ] :  
 generic [ ] : , , (汎用)  
 get one's foot in the door : , ~ ( )  
 given A : ~ , ~ 가 , ~ , ~ 가 , ~  
 glyphicons [ ] :  
 glossary [ ~ ] : ,  
 go through : ~ [ ], [ ] , [ ]  
 ground : ,

# H

hands-on [ ] : [ ] ( ) [ ]  
 hierarchy [ ] : , ,  
 hipster [ ] : 1940 ,

horizontal [ ] : ( ) , 가  
 how-to or howto : , , (實用) / ,

# I

identifier [ ] :  
 idiom [ ] : , ,  
 identical [ ] : , (to/with sb/sth)  
 identify [ ] :  
 i.e. = id est [ , ] : , ,  
 if not for = without = in the absence of sth/sb  
 if preferred [ ] :  
 illustrative [ ≡ ] : (實例)가 ,  
 illustration [ ] : [ ] , , ,  
 immutable [ ] : , ,  
 implementation [ ] : , ,  
 implication [ ] : ( ) , , ,  
 implicit [ ≡ ] : , , ,  
 impractical [ ] : , , , , , , ,  
 가  
 in combination with A : A [ ]  
 in conjunction with A : A  
 in favor of A : A , A [ ]  
 in line with A : A , A , A , A , A  
 in no way : [ ] ~ (not ~ at all)  
 in place : ( ) , 가 , 가 가 ,  
 in preference to A : A , A  
 in response to A [ ] : A [ ]  
 in the case of : ~ , ~ , ~  
 in turn : ,  
 incompatible [ ] : , , ,  
 incorporate [ ≡ ] : , , , ( ) ,  
 indentation [ ] : , ,  
 indeterminate [ ≡ ] : [ ]가 [ ] , , , ,  
 index [ ] : , , , [ ] .  
 indicate [ ≡ ] : , .  
 inefficient [ ] : , , ,  
 infamous [ ] : , , , ,  
 inform : , , [ ]  
 initial value:  
 initialize [ ] : .  
 initialization [ / ] :

initiate [ ≡ ] : , , , 가 [ ]  
 inline [ ] :  
 Infrequently [ ] : ,  
 inputstream [ ] by TTA :

1. 가 ,
2. 가 .

insecure [ ] : , ,  
 instructive [ ] : , , , ,  
 integrate [ ≡ ] : ,  
 interoperable [ ] : 가 , , 가  
 interfere [ ] : . , , (with)  
 interoperability [ ] : , ( 가 )  
 interpret [ ] : intersection [ ] : , ,  
 intervene [ ] : , [가 ], [ ], [ ]  
 intervening [ ] : ( , , ) [ ]  
 inventory [ ] : , , , ,  
 invert [ ∘ ] : ( ) , ( ) , [ ] ,  
 investigate [ ≡ ] : [ , ]  
 invocation [ ] : \_\_\_\_\_, [ ], [ ], , [ ]  
 invoke : ( ) [ ]  
 involve [ ~ ] : , , [ ]  
 iterate [ ≡ ] : ( , )  
 iterator [ ] :

## J

job board :  
 jumbotron : ( ) ,

## K

keystone [ ] : , , , , ,

## L

label [ ] : f , ( )  
 large numbers of ~ : ~  
 layered [ ] : ,  
 leaderboard [ ] : ( ) , ,

가  
 legacy [ ] : ( , ) , ' ' ,  
 legal [ ] :  
 leverage [ ] : , , , , , ,  
 life cycle [ ] : , ,  
 line-break : [ ]  
 literacy [ ] : , ( , ) ,  
 literal : , / plain literal :  
 log : , , , , , ,  
 (TTA)/  
 logging [ ] :  
 look in A : A  
 loop [ ] : , ( )  
 lowercase [ ] : ( ) , ( )

### M

machinery [ ] : , , ,  
 malignant [ ≡ ] : ( , ) , , ,  
 match A against B : A B [ ]  
 materialize [ ] : , ,  
 merge [ ≡ ] : ~ ,  
 membership : ( , ) , ( , )  
 metaphysical [ ] : , , ,  
 migrate [ ≡ ] : [ ] , ( , . )  
 mix and match : ( )  
 moderate [ ] : , , , , ,  
 moderator [ ] : , ,  
 moderation [ ] : , , , ( , ) [ ]  
 morpheme [ ] : ( )  
 morphological [ ] : ( )  
 morphological analyzer [ ] :  
 mostly [ ] : ,  
 much of A : A , A  
 mung [ ] : < > , [ , ] ,

### N

namely [ ] : ,  
 namespace : ,  
 native [ ] : < > , , ,  
 navigate [ ≡ ] : , , [ ]  
 NB [N.B] : (nota bene, , = note well,  
 necessarily [ ] : , , ,  
 negation [ ] : , , , ( 가)  
 nestable [ ] : , ( 가) ,

nested [ ] :  
 nesting [ ] :  
 negate [ ] : , [ ] ,  
 note : ~ [ ] . ( ) , ~  
 notation [ ] :  
 notwithstanding [ ] : ~  
 numeronym [ ] : , ex) i18n - internationalization, L10n - Localization  
 numeric [ ⇨ ] = numerical [ ] : ,

## O

obfuscation [ ] : , , code obfuscation :  
 object : ,  
 obsolete [ ≡ ] : 가 , out of date  
 occur [ ] : , / ,  
 occurrence [ ] : [ / ] , , , ,  
 on one's own : , ,  
 OMW : On My Way, 가 ~, 가 ~

on shaky ground [ ] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [ ] : ( ) ,  
 opaque [ ] : , , , ,  
 operation [ ] : , , , , ,  
 optimization [ ] : (最適化)  
 optimize, optimise [ ] : ~ [ ] [ ],  
 ordinal [ ] :  
 other than A = except A [ ] : A  
 otherwise [ ] : , , ,  
 outline [ ] : [ ] , ,  
 output [ ] : , , /  
 out of the box : ,  
 outside of : { ] ~ (except)  
 outstanding [ ] : , , , , , , ,  
 overflow [ ] : ,  
 override [ ] : ( )가 ( ) , ( ) [ ]  
 overview [ ] : , ,  
 overwrite [ ] : , ,

## P

pack : [ ]  
 pagination [ ] :  
 pare [ ] : ( ) [ ], [ ] , (down, away)

parse [ ] : ( )  
 pass in : ,  
 peculiar [ ] : , , , ( ) , ,  
 performant [ ] : ,  
 perimeter [ ] : ,  
 permission [ ] : , 가, ,  
 per se [ ] : < > , ,  
 persist [ ] : [ ] , (in)  
 persistent [ ≡ ] : , / , ,  
 plain : , ,  
 plain English [ ] : ( ) [ ]  
 pointless [ ] : , 가 가 , ,  
 portable [ ] : ( ) 가 ,  
 portability [ ] : [ ] ( ) (가 ) ,  
 power: (ex) 4 to the power of 3 is 64  
 practioner [ ] : , 가, ,  
 precede [ ] : ~ , 가 , ,  
 precedence [ ] : ( ) , , , , , ,  
 predicate [ ] : ( ) ,  
 preemptive [ ] : , , [ ]  
 preface [ ] : ,  
 preliminary [ ] : , / , , ,  
 primary [ ] : , ,  
 primer [ ] : , /  
 procedure [ ] :  
 procedural [ ] : ,  
 procedural language [ ] :  
 process [ ] : [ ] , , 가 [ ]  
 product [ ≡ ] : ( ) ,  
 project : ~ ( ... ) , ,  
 property [ ] : ( ) [ ] / ,  
 prototyping [ ] : ,  
 provide A with B = provide B for[to] A: A B  
 provided [ ] : < > ( ) ~  
 provision [ ] : , , , , ,  
 proxy [ ] : .

# Q

qualified [ ] : ( ) [ ] ,  
 quantum [ ] : [ ] (量子)  
 query [ ] : ( ) .  
 quote [ ≡ ] :

# R

rarely if ever : ...

reasoning [ ] : ,

reasonably [ ] : ,

recommendation [ ] :

refer to A as B : A B [ ]

refer to A : A , A [ ] , A [ ] .

reference [ ] : , /

refine [ ] : [ ] , ,

reflect [  $\equiv$  ] : , , [ ] , [ ] ,

registry [ ] : , ,

regularity [ ] : , , ,

relation [ ] : ,

relationship [ ] : \_\_\_\_\_

relative URI reference [ ] : URI

remedy [ ] : , [ ]

reminder [ ] : [ ] , ,

replica [ ] : , , ,

representation [ ] : , , /

require [ ] : ~ , ~ [ ]

required [ ] : (必修)

requirement [ ] : , , , ,

reside [ ] : vi. ~ [ ] , , [ ]

resolve : , [ ] , [ / ]

resolve to A [ ] : A ,

resolver [ ] :

- 

(by TTA)'

respect [ ] : ( , ) .

result from A : A , A . “ + result from + ”

- result from = be caused by
  - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
  - This plane crash resulted in the death of 10 passengers.

retain [ ] : [ ]

retrieve [ ] : , / ( \_\_\_\_\_ ) \_\_\_\_\_

reverse [            ] :            , [            ]            ,            , [            ]  
 risk [            ] : ~            , ~  
 robust [            ] :            ,            , [            ]  
 runtime :            (            ,            )

# S

salvage [            ] :            ,            , [            ]  
 selvage [            , 美 ] : selvedge (            )가            ,            (            ,            가            )  
 sanitize [            ] :            ,            ,            ,            .

scalable [            ] :            ,            가

scheme [            ] : \_\_\_\_\_,            ,  
 schema [            ] : (            ,            ) [            ],            ,            (            )

script [            ] :  
 searchable [            ] : (            ,            가)            가            , [            ]

secondary [            ] :            ,            ,            ,            ,  
 secure [            ] :            ,            ,            ,            ,  
 segmentation [            ] :            ,            ,            ,            ,  
 selective [            ] :            ,            ,            ,            ,            [            ],            ,

semantics [            ] :            ,            , (            )  
 separate A from B :            ,            ,

separator [            ] :            ,            ,            ,  
 serialization [            ] :            ,            ,            ,            ,            ,            ,  
 shaky [            ] : (            ,            ,            ) [            ],            ,            ,            ,            ,

shell command path [            ] :            ,            ,            ,            ,            ,            ,  
 shortcut :            , 가            가

shorthand [ ≡            ] :            ,            ,            ,            ,            ,            ,

significance [            ] :            ,            ,            ,            ,            ,            ,  
 silently [            ] :            ,            ,            ,            ,            ,            ,

similarly [            ] :            가            ,            ,            ,            ,            ,            ,  
 simultaneous [            ] :            ,            ,            ,            ,            ,            ,

signal [            ] :            ,            , [            ]            .  
 single quote, single quotation marks :  
 skip on to A : A            가

snippet [            ] :            ,            ,            ,            ,            ,            ,  
 so long as +            A : A            ,            , A            , A            , A            , A            ,

somehow [            ] :            ,            ,            ,            ,            ,            ,  
 sophistication [            ] :            ,            ,            /            ,            ,            ,            ,

sort of :            ,            , (            ,            ,            )            ?  
 specialize [            ] :            ,            ,            ,            ,            ,            ,

specify [            ] :            ,            ,            ,            ,            ,            ,  
 specification [            ] : (            )            ,            (仕様),            ,            ,            ,

spot [            ] :            .  
 square [            ] :            ,            ,            ,            ,            ,            ,

stash [            ] : (            )            가 [            ]            .  
 statistics [            ] : [            ]            ,            , [            ]            ,            , [            ]

standard [ ≡ ] :  
stand-alone [ ] : ,  
steering committee [ ] :  
stopword [ ] : < > (不用語)  
stream [ ] : ( )  
strict [ ] : , , ,  
subclass [ ≡ ] : / ~ ,  
subject [ ≡ ] : / , / , / ,  
subject to A : A [ ] , A [ \_\_\_\_\_ ]  
submission [ ] : , , ( , )  
subsequent [ ] : , , ,  
subsidiary [ ] : , , ,  
substrate [ ≡ ] : ,  
subtract [ ] : ( , ) , ,  
subtype [ ] :  
suffice [ ] : ~ . (for, to do)  
sufficient [ ≡ ] : != insufficient [ ≡ ]  
supprress [ ~ ] : [ ] , = forcibly put an end to A, ~ [ ]  
swap [ ㅍ ] : , [ ] , < >  
switch on/off : ( ) (~ ) /  
synonym [ ] : ,

## T

tabular [ ] : , , , [ ]  
take notice of A : A ,  
take no notice of A : A  
take A into consideration : A [ ]  
take the description : .  
target [ ≡ ] : , , , . [ ]  
taste : , , , [ ] , , .  
ternary [ ] : , , ,  
terse [ ] : [ ]  
testimonial [ ] : ,  
the first time : , < > ~ , ~  
the same is true for[of] A : A 가 , A  
think of sth/sb :  
throughput [ ] : ( ) [ ]  
tightly [ ] : , , , ,  
timeout : < > ( )  
timezone :  
tinker [ ] : ,  
tortuous [ ≡ ] :  
transaction [ ] : , , , ( )  
transactional [ ] : [ ] ,  
transitive [ ] : , , [ ] , ,  
traverse [ ] : 가 , , ,  
traversal [ ] : \_\_\_\_\_, 가 ,

typically [ ] : , / ,

### U

unary [ ] : , 1 ,  
 underlying [ ] : , , ,  
 unified [ ] : ,  
 unify [ ] : [ ] , ,  
 uniform : , , , , ,  
 union : ,  
 unpack [ ] : ,  
 unqualified [ ] : , , , ,  
 unwieldy [ ] : ( ), [ ]  
 uppercase [ ] : ( ) , ( )  
 use [ ] : , ,

### V

variant [ ] : , , / , , ,  
 variation [ ] : , ,  
 vary [ ] : , , , , ,  
 value [ ] : ,  
 verbose [ ] : , , 가  
 versus [ ] : ~ [ ] , ... (對)  
 via A [ ] : A , ( , )  
 virtualization [ ] : ( ) 가 , 가  
 voucher [ ] : , , , a sales voucher( ), a hotel voucher( ), a luncheon voucher( )

### W

wherever possible [ ] : 가  
 whitelist [ ] : ,

- .

white space :  
 whole number: [ ]  
 widespread [ ] : , , A , A , A  
 without regard to[for] A : A , A , A , A  
 with respect to A : A  
 withstand [ ] : ~ . , .  
 work for A : A , ~ , A .  
 workaround [ ] : 2 , ,  
 wrap something : ~

write out : ~ ( )

## Tip

\* [!!!](#)

- 
- 

, [wordbook](#)

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1622533295> 

Last update: **2022/03/10 19:52**