

A

a bunch of : ,

a collection of : ~

a range of :

abbreviate [Ξ] : ~ ,

abbreviated [] : ,

abide by [] : ~ [,]

abort [Ξ] : [] , , , ()

absent [Ξ] : , , , ,

above : [] [] []

accessor [] :

active :

adjacent [Ξ] : , 가 ,

administration [] = admin : , []

afresh [] : ,

aggregate [] : , , ,

aggregation [] : , , , ,

aggregator [] :

agile [' / '] : , ,

algebra [] :

all at once : , []

allow for A : A [,] , A []

alternate [] : []

alternatively [] : , (...) (instead)

anchor [] : , , , , , ~

ancillary [] : ,

annotation [] :

anonymous [] : , ,

anon [] :

1. , ,

2. anonymous []

append [] : ~ , 가

applicable [] :

application [] : ,

appropriate [Ξ] : , , , , ,

arbitrary [] : , , , , , ~

architecture [] : [] , , , , ,

[]

archive [] : , [] ,

argument [] :

arithmetic expression :

arity [] : 가 . (n-

ray) n . (degree) - : TTA
artefact = artifact [] : , ,
as it were : []
as required = according to need :
ASAP [,]: As soon as possible, 가
assemble [] : () [] .
assert [] : , , ,
associate A with B : A B [, ,] ,
assume [] : 가 , , [], ~ , (,) [,]
asynchronous [] : ()
at most [] : ,
at scale [] :
at the end of the day : 가 (the most important thing), (ultimately)
atomic [] : , , , [,]
attribute [≡] : ,
augment [] : , 가
authoritative [] : , , ,
authority [] : _____, , [pl]
axiom [] : , 가 가 .

B

backward = backwards [≡] : / ,
backwards compatibility :
be better off than before :
be concerned with A [] : A 가 . A .
behavior [] : () , , , , ,
benign [~] : , , ,

- having no significant effect : harmless

best practice [] :
beware [] : () []
binary [] : 2 , 2
blank node [] : ()
boilerplate [] : () ,
boot [≡] : ([가]) []
bracket [] : (),
brevity [] : , ,
bring in : ~ 가
broadly [] : , , , , ,
BTW : by the way,
building block :
by extension [] : 가

C

cache [] : (),
 call : ,
 callee : ,
 canonical [] : [] , , ,
 canonicalization [] : ,
 capability [] : , ,
 capitalize [] : () , () ,
 capture [] : [] , , , ,

 case : ,
 case-sensitive [$\models$] : ()

 case-insensitive [$\models$] :

 cast [] : (), ()
 carat [] : , 10 = 2
 caret [] : (^),
 cascading [] : , ,
 character [] :
 cheap : ,
 claim [] : , ,
 coalesce [] : () , , []
 coarse-grained [] : , , ()
 coercion [$\equiv$] : , ,
 cohort [] : () , ()
 가 , ,)
 command line application [] :
 commonplace [] : , / , / ,
 compactly [] :
 compatibility [] : []가 , ()
 compatible [] :
 complete [] : ,
 complication [] : (), , ()
 compound [] : ,
 compute [] : ,
 concatenate [] : (,)
 concrete [] : , , [] ,
 concurrent [] : ,
 condition : < > [] . ~ . < > []

 configurable [] : 가
 configure [] : < , > ,
 configuration [] : ,
 conform [~ $\sqsubset$] : (,) , [] (to, with)
 conformable [] : , , ,
 conformance [] : , ,
 conformant [] : () , -> conforming, conformable
 consideration [] : , , , , []

consistency [] :
consolidate [Ξ] : , , ,
constant [] : , , , , , /
constitute [Ξ] :
constraint [] : ,
construct [Ξ] : ,
consume [] : ~ []
consumption [Π] : [] ()
contextual [] : () ,
contract [] : ,
contribute [Ξ] : [] , []
contiguous [] : , / ,
conundrum [] : , (=niddle)
conventional [] : , [] , ,
conversion [] : , , ,
corresponding [] : ~ [] , ,~
counterintuitive [] : ,
cover : ,
coverage [] : () , , () , craving [] : ,
credentials [] : , ,
cumbersome [] : , , ,
custom [] : , ,

D

deadlock [] : () , , ())
deep dive [] : () ,
de facto [] : [] []
default [] : (, , ,)/
deflation [] : , 가 , , [가] ,
denote [Ξ] : , .
depend on A [] : A , A , A
deployment [] : , , ____ ()
describe [] : () . () ,
description [] : , , , ,
detail [] : / ,
detailed [] : ,
detrimental [] : (damaging), (to)
difference [] : ,
digestible [] : , , ,
direct : ~ ..
directed [] : , , —> ?
directed graph [] : < >
disparate [] : , , , ,
distinct [] : [] , , , ,
distinction [] : () [] , , , ,
distribution [] : ____ ( .exe ?)
dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 , ,
 document [] : ~ , ()
 documentation [] : , , , ,
 domain-specific [] : ()
 dormant [] : , (休止)
 double quote, double quotation marks :
 dry : , , ,
 dry stuff :
 dump [] :
 (copy)
 dungeon [] : () ,
 duplicate [≡] : , / , ,
 duration [] : ,
 dwell on/upon A [] : A [], A [], A

E

edge [ㅅ] : 가 , , , ,
 e.g.: (exempli gratia[美 - / 英 -]
 ellipse [] :
 embed : ~ , ,
 enable [] :
 enclose [] : [] ,
 encode [] : ,
 encoding [] : ,
 endeavour[英] = endeavor [美] [] : , / , (to)
 endpoint [] : (線分) , ,
 ensure [] : ~ [] ,
 entail [] : , , ,
 entailment [] : , , ?
 entity [] : , , , , ,
 entry [] : , 가 , , , , ,
 equivalent [] : , 가 [] , , , , ,
 Equivalently [] : , , 가
 eradicate [≡] : , (=wipe out)
 error handler [] :
 ethnography [] : , 가
 evident [] : , ,
 excessive [] : ,
 executable [] : () ,
 existentially [] :
 existing [] : ,
 explicit [() ≡] : , , ,
 exponentiation [] :
 expressiveness [] : , , ,
 expressivity [] : , , , ,

F

G

Printed on 2026/09/03 11:49

initiate [Ξ] : , , , 가 []
inline [] :
Infrequently [] : ,
inputstream [] by TTA :

1. 가 ,
2. 가 .

insecure [] : , , ,
instructive [] : , , , ,
integrate [Ξ] : , ,
interoperable [] : 가 , , 가
interfere [] : . , , (with)
interoperability [] : , (가)
interpret [] : intersection [] : , ,
intervene [] : , [가] , [] , []
intervening [] : (, ,) []
inventory [] : , , , ,
invert [$\circ$] : () , () , [] ,
investigate [Ξ] : [,]
invocation [] : —, [] , [] , , []
invoke : () []
involve [$\sim$] : , , []
iterate [Ξ] : (,)
iterator [] :

J

job board :
jumbotron : () ,

K

keystone [] : , , , , ,

L

label [] : f , ()
large numbers of $\sim$: $\sim$
layered [] : ,
leaderboard [] : () , ,

nested [] :
 nesting [] :
 negate [] : , [] ,
 note : ~ [] . () , ~
 notation [] :
 notwithstanding [] : ~
 numeronym [] : , ex) i18n - internationalization, L10n - Localization
 numeric [] = numerical [] : ,

O

obfuscation [] : , , code obfuscation :
 object : ,
 obsolete [] ≡ : 가 , out of date
 occur [] : , / ,
 occurrence [] : [/] , , , ,
 on one's own : , ,
 OMW : On My Way, 가 ~, 가 ~

on shaky ground [] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [] : () ,
 opaque [] : , , ,
 operation [] : , , , , ,
 optimization [] : (最適化)
 optimize, optimise [] : ~ [] [] ,
 ordinal [] :
 other than A = except A [] : A
 otherwise [] : , ,
 outline [] : [] , ,
 output [] : , , /
 out of the box : ,
 outside of : { } ~ (except)
 outstanding [] : , , , , , ,
 overflow [] : ,
 override [] : ()가 () , () []
 overview [] : , ,
 overwrite [] : , ,

P

pack : []
 pagination [] :
 pare [] : () [] , [] , (down, away)

parse [] : ()
 pass in : ,
 peculiar [] : , , , () , ,
 performant [] : ,
 perimeter [] : ,
 permission [] : , 가 ,
 per se [] : < > , ,
 persist [] : [] , (in)
 persistent [≡] : , / , ,
 plain : , ,
 plain English [] : () []
 pointless [] : , 가 가 , ,
 portable [] : () 가 ,
 portability [] : [] () (가) ,
 power: (ex) 4 to the power of 3 is 64
 practioner [] : , 가 ,
 precede [] : ~ , 가 , ,
 precedence [] : () , , , , , ,
 predicate [] : () ,
 preemptive [] : , , []
 preface [] : ,
 preliminary [] : , / , , ,
 primary [] : , ,
 primer [] : , /
 procedure [] :
 procedural [] : ,
 procedural language [] :
 process [] : [] , , 가 []
 product [≡] : () ,
 project : ~ (...) , ,
 property [] : () [] / ,
 prototyping [] : ,
 provide A with B = provide B for[to] A: A B
 provided [] : < > () ~
 provision [] : , , , , ,
 proxy [] : .
 ,
 .

Q

qualified [] : () [] ,
 quantum [] : [] (量子)
 query [] : ()
 quote [≡] :

R

rarely if ever : ...

reasoning [] : ,

reasonably [] : ,

recommendation [] :

refer to A as B : A B []

refer to A : A , A [] , A [] .

reference [] : , /

refine [] : [] , ,

reflect [$\equiv$] : , , [] , [] ,

registry [] : , ,

regularity [] : , , ,

relation [] : ,

relationship [] : _____

relative URI reference [] : URI

remedy [] : , []

reminder [] : [] , ,

replica [] : , , ,

representation [] : , , /

require [] : ~ , ~ []

required [] : (必修)

requirement [] : , , , ,

reside [] : vi. ~ [] , , []

resolve : , [] , [/]

resolve to A [] : A ,

resolver [] :

•

(by TTA)'

respect [] : (,) .

result from A : A , A . “ + result from + ”

- result from = be caused by
 - The car accident resulted from engine failure. .

result in A : A . A . “ + result in + ”

- result in A = cause A
 - This plane crash resulted in the death of 10 passengers. .

10

retain [] : []

retrieve [] : , / (____)_____

reverse [] : , [] , , []
 risk [] : ~ , ~
 robust [] : , []
 runtime : (,)

S

salvage [] : , []
 selvage [, 美] : selvedge ()가 , (, 가)
 sanitize [] : , , .

scalable [] : , 가

scheme [] : _____, ,
 schema [] : (,) [], , ()

script [] :
 searchable [] : (가) 가 , []
 secondary [] : , , ,
 secure [] : , ,
 segmentation [] : , ,
 selective [] : , , , , [], ,

semantics [] : , , ()

separate A from B : ,

separator [] : , ,

serialization [] :

shaky [] : (, ,) [], , , ,

shell command path [] :

shortcut : , 가 가

shorthand [≡] : , ,

significance [] : , , ,

silently [] : , ,

similarly [] : 가 , ,

simultaneous [] : ,

signal [] : , [] .

single quote, single quotation marks :

skip on to A : A 가

snippet [] : , ,

so long as + A : A , A , A

somehow [] : ,

sophistication [] : , / ,

sort of : , , () ?

specialize [] : , ,

specify [] : , , ,

specification [] : () , (仕様), , ,

spot [] : .

square [] : , ,

stash [] : () 가[.

statistics [] : [] , , []

standard [≡] :
stand-alone [] : ,
steering committee [] :
stopword [] : < > (不用語)
stream [] : ()
strict [] : , , ,
subclass [≡] : / ~ ,
subject [≡] : / , / , / ,
subject to A : A [], A [_____]]
submission [] : , , (,)
subsequent [] : , , ,
subsidiary [] : , , ,
substrate [≡] : ,
subtract [] : (,) , ,
subtype [] :
suffice [] : ~ . (for, to do)
sufficient [≡] : != insufficient [≡]
supprress [~] : [] ,= forcibly put an end to A, ~ []
swap [ㄷ] : , [] , < >
switch on/off : () (~) /
synonym [] : ,

T

tabular [] : , , , []
take notice of A : A ,
take no notice of A : A
take A into consideration : A []
take the description : .
target [≡] : , , , , . []
taste : , , , [] , ,
ternary [] : , , ,
terse [] : []
testimonial [] : ,
the first time : , < > ~ , ~
the same is true for[of] A : A 가 , A
think of sth/sb :
throughput [] : () []
tightly [] : , , , ,
timeout : < > ()
timezone :
tinker [] : ,
tortuous [≡] :
transaction [] : , , , ()
transactional [] : [] ,
transitive [] : , , [] , ,
traverse [] : 가 , ,
traversal [] : _____, 가 ,

write out : ~ ()

Tip

* !!!

-
-

, [wordbook](#)

From:
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:
<http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1623825302>

Last update: **2022/03/10 19:52**

