

A

a bunch of : ,

a collection of : ~

a range of :

abbreviate [≡] : ~ ,

abbreviated [] : ,

abide by [] : ~ [,]

abort [≡] : [] , , ()

absent [≡] : , , ,

above : [] [] []

accessor [] :

active :

adjacent [≡] : , 가 ,

administration [] = admin : , []

afresh [] :

aggregate [] : , , ,

aggregation [] : , , ,

aggregator [] :

agile [' /] : , ,

algebra [] :

all at once : , []

allow for A : A [,] , A []

alternate [] : []

alternatively [] : , (...) (instead)

anchor [] : , , , , ~

ancillary [] :

annotation [] :

anonymous [] : , ,

anon [] :

1. , ,
2. anonymous []

append [] : ~ , 가

applicable [] :

application [] : ,

appropriate [≡] : , , , ,

arbitrary [] : , , , ,

architecture [] : [] , , , ,

archive [] : , [] ,

argument [] :

arithmetic expression :

arity [] : 가 . (n-

ray) n . (degree) - : TTA
 artefact = artifact [] : , ,
 as it were : []
 as required = according to need :
 ASAP [,]: As soon as possible, 가
 assemble [] : () [] .
 assert [] : , , ,
 associate A with B : A B [, ,] ,
 assume [] : 가 , , [], ~ , (,) [,]
 asynchronous [] : ()
 at most [] : ,
 at scale [] :
 at the end of the day : 가 (the most important thing), (ultimately)
 atomic [] : , , , [,]
 attribute [≡] : ,
 augment [] : , 가
 authoritative [] : , , ,
 authority [] : _____, [pl]
 axiom [] : , 가 가 .

B

backward = backwards [≡] : / ,
 backwards compatibility :
 be better off than before :
 be concerned with A [] : A 가 . A .
 behavior [] : () , , , , ,
 benign [~] : , , ,
 • having no significant effect : harmless

best practice [] :
 beware [] : () []
 binary [] : 2 , 2
 blank node [] : ()
 boilerplate [] : () ,
 boot [≡] : ([가]) []
 bracket [] : (),
 brevity [] : , ,
 bring in : ~ 가
 broadly [] : , , , , ,
 BTW : by the way,
 building block :
 by extension [] : 가



C

cache [] : (),
 call : ,
 callee : ,
 canonical [] : [] , , ,
 canonicalization [] : ,
 capability [] : , ,
 capitalize [] : () , () ,
 capture [] : [] , , , ,
 case : ,
 case-sensitive [≡] : ()
 case-insensitive [≡] : ,
 cast [] : () , ()
 caret [] : (^) ,
 cascading [] : , ,
 character [] : ,
 cheap : ,
 claim [] : , ,
 coalesce [] : () , , []
 coarse-grained [] : , , ()
 coercion [≡] : , ,
 cohort [] : () , ()
 가 , ,)
 command line application [] : ,
 commonplace [] : , / , / ,
 compactly [] : ,
 compatibility [] : []가 , ()
 compatible [] : ,
 complete [] : ,
 complication [] : () , , ()
 compound [] : ,
 compute [} : ,
 concatenate [] : (,)
 concrete [] : , , [] ,
 concurrent [] : ,
 condition : < > [] . ~ . < > []

configurable [] : 가
 configure [] : < , > ,
 configuration [] : ,
 conform [~ ≡] : (,) , [] (to, with)
 conformable [] : , , ,
 conformance [] : , ,
 conformant [] : () , -> conforming, conformable
 consideration [] : , , , []
 consistency [] : ,
 consolidate [≡] : , , , ,
 constant [] : , , , , , /

constitute [\in] :
 constraint [] : ,
 construct [\in] : ,
 consume [] : ~ []
 consumption [π] : [] ()
 contextual [] : () ,
 contract [] : ,
 contribute [\in] : [] , []
 contiguous [] : , / ,
 conundrum [] : , (=niddle)
 conventional [] : , [] , , ,
 conversion [] : , , ,
 corresponding [] : ~ [] , , ~
 counterintuitive [] : ,
 cover : ,
 coverage [] : () , , () , craving [] : ,
 credentials [] : , , ,
 cumbersome [] : , , , ,
 custom [] : , , ,

D

deadlock [] : () , , ()
 deep dive [] : ()
 de facto [] : [] []
 default [] : (, 가 ,)/
 deflation [] : , 가 , , [가] ,
 denote [\in] : , .
 depend on A [] : A , A , A
 deployment [] : , , ____ ()
 describe [] : () . () ,
 description [] : , , , ,
 detail [] : / ,
 detailed [] : ,
 detrimental [] : (damaging), (to)
 difference [] : ,
 digestible [] : , , ,
 direct : ~ ..
 directed [] : , , —> ?
 directed graph [] : < >
 disparate [] : , , , ,
 distinct [] : [] , , , ,
 distinction [] : () [] , , , ,
 distribution [] : ____ ( .exe ?)
 dive in[into] something : ,

- to start doing something suddenly and energetically, often without stopping to think

do the trick : 가 . ,

F

facade [] : () , , , , ,
 fallback [] : () , , , []
 feature [~] : , , ,
 federate [≡] : , ,
 feed [~] : , , .
 fetch [] : 가 [/] , (가)
 fine grain [] :
 fine-grained [] : , , ()
 finite [] : , ,
 first order logic : 1 []
 flag [] : (,)
 flexible [] : changeable , 가 ,
 for now : , , ,
 format [] : ~ / , , ,
 formulate [≡] : ~ [,] [] , ~ []
 fragment [] : , , / , XML
 fraught [≡] : , , ~ (with)
 from scratch [] : , [] ,
 frustration [] : , ,
 function-like operators [] :
 functionality [] : ()
 further [] : , 가 / , 가

G

general-purpose language [] :
 generic [] : , , (汎用)
 get one's foot in the door : , ~ ()
 given A : ~ , ~ 가 , ~) , ~ 가 , ~
 glyphicons [] :
 glossary [~] : , ,
 go through : ~ [] , [] , []
 ground : ,

H

hands-on [] : [] () []

1. 가 ,
2. 가 .

insecure [] : , ,
 instructive [] : , , , ,
 integrate [≡] : , ,
 interoperable [] : 가 , , 가
 interfere [] : . , , (with)
 interoperability [] : , (가)
 interpret [] : intersection [] : , ,
 intervene [] : , [가], [], []
 intervening [] : (, ,) []
 inventory [] : , , , ,
 invert [○] : () , () , [] ,
 investigate [≡] : [,]
 invocation [] : _____, [], [], , []
 invoke : () []
 involve [~] : , , []
 iterate [≡] : (,)
 iterator [] :

J

job board :
 jumbotron : () ,

K

keystone [] : , , , , ,

L

label [] : f , ()
 large numbers of ~ : ~
 layered [] : ,
 leaderboard [] : () , , ,
 가
 legacy [] : (,) , ' , ' ,
 legal [] :
 leverage [] : , , , , , ,
 life cycle [] : , ,

line-break : []
 literacy [] : , (,) ,
 literal : , / plain literal :
 log : , , , , ,
 (TTA)/
 logging [] :
 look in A : A
 loop [] : , ()
 lowercase [] : () , ()

M

machinery [] : , , ,
 malignant [≡] : (,) , , ,
 match A against B : A B []
 materialize [] : , ,
 merge [≡] : ~ ,
 membership : (,) , (,)
 metaphysical [] : , , ,
 migrate [≡] : [] , (, .)
 mix and match : ()
 moderate [] : , , , , ,
 moderator [] : , , ,
 moderation [] : , , , (,) []
 morpheme [] : ()
 morphological [] : ()
 morphological analyzer [] :
 mostly [] : ,
 much of A : A , A
 mung [] : < > , [,] ,

N

namely [] : ,
 namespace : ,
 native [] : < > , , ,
 navigate [≡] : , , []
 NB [N.B] : (nota bene, , = note well,
 necessarily [] : , , ,
 negation [] : , , , (가)
 nestable [] : , (가)
 nested [] :
 nesting [] :
 negate [] : , [] ,
 note : ~ [] . () , , ~
 notation [] :

notwithstanding [] : ~
 numeronym [] : , ex) i18n - internationalization, L10n - Localization
 numeric [⇨] = numerical [] : ,

O

obfuscation [] : , , code obfuscation :
 object : ,
 obsolete [≡] : 가 , , out of date
 occur [] : , / ,
 occurrence [] : [/] , , , ,
 on one's own : , ,
 OMW : On My Way, 가 ~, 가 ~

on shaky ground [] : (=without a firm basis)

on the fly : busy / while still in the air / in a hurry and often without preparation / simultaneously with another task

onwards = onward [] : () ,
 opaque [] : , , , ,
 operation [] : , , , , ,
 optimization [] : (最適化)
 optimize, optimise [] : ~ [] [],
 ordinal [] :
 other than A = except A [] : A
 otherwise [] : , , ,
 outline [] : [] , ,
 output [] : , , /
 out of the box : ,
 outside of : { } ~ (except)
 outstanding [] : , , , , , , ,
 overflow [] : , , ,
 override [] : ()가 () , () []
 overview [] : , , ,
 overwrite [] : , , ,

P

pack : []
 pagination [] :
 pare [] : () [], [] , (down, away)
 parse [] : ()
 pass in : ,
 peculiar [] : , , , () , ,
 performant [] : ,
 perimeter [] : ,

permission [] : , 가, ,
 per se [] : < > , ,
 persist [] : [] , (in)
 persistent [≡] : , / , ,
 plain : , ,
 plain English [] : () []
 pointless [] : , 가 가 , ,
 portable [] : () 가 , ,
 portability [] : [] () (가) ,
 power: (ex) 4 to the power of 3 is 64
 practioner [] : , 가, ,
 precede [] : ~ , 가 , , ,
 precedence [] : () , , , , , , ,
 predicate [] : () ,
 preemptive [] : , , []
 preface [] : , ,
 preliminary [] : , / , , ,
 primary [] : , ,
 primer [] : , /
 procedure [] :
 procedural [] : ,
 procedural language [] :
 process [] : [] , , 가 []
 product [≡] : () ,
 project : ~ (...) , ,
 property [] : () [] / ,
 prototyping [] : ,
 provide A with B = provide B for[to] A: A B
 provided [] : < > () ~
 provision [] : , , , , ,
 proxy [] : .

Q

qualified [] : () [] ,
 quantum [] : [] (量子)
 query [] : () .
 quote [≡] :

R

rarely if ever : ...
 reasoning [] : ,
 reasonably [] : ,
 recommendation [] :

refer to A as B : A B []
refer to A : A , A [] , A [] .
reference [] : , /
refine [] : [] , ,
reflect [\equiv] : , , [] , [] ,
registry [] : , ,
regularity [] : , , ,

relation [] : ,
relationship [] : _____

relative URI reference [] : URI
remedy [] : , []
reminder [] : [] , ,
replica [] : , , ,
representation [] : , , /
require [] : ~ , ~ []
required [] : (必修)
requirement [] : , , , ,
reside [] : vi. ~ [] , , []
resolve : , [] , [/]
resolve to A [] : A ,
resolver [] :

•

(by TTA)'

respect [] : (,) .
result from A : A , A . “ + result form + ”

- result from = be caused by
 - The car accident resulted from engine failure.

result in A : A . A . “ + result in + ”

- result in A = cause A
 - This plane crash resulted in the death of 10 passengers.

10

retain [] : []
retrieve [] : , / (_____)_____
reverse [] : , [] , , []
risk [] : ~ , ~
robust [] : , , []
runtime : (,)

S

- salvage []: , , []
- selvage [,美]: selvedge ()가 , (, 가)
- sanitize []: , , , .
- scalable []: , 가
- scheme []: _____, ,
- schema []: (,) [], , ()
- script []:
- searchable []: (가) 가 , []
- secondary []: , , ,
- secure []: , ,
- segmentation []: , ,
- selective []: , , , , [], ,
- semantics []: , , ()
- separate A from B: ,
- separator []: , ,
- serialization []:
- shaky []: (, ,) [], , , ,
- shell command path []:
- shortcut: ,가 가
- shorthand [≡]: , ,
- significance []: , , ,
- silently []: , ,
- similarly []: 가 , ,
- simultaneous []: ,
- signal []: , [] .
- single quote, single quotation marks:
- skip on to A: A 가
- snippet []: , ,
- so long as + A: A , A , A
- somehow []: , ,
- sophistication []: , / ,
- sort of: , , () ?
- specialize []: , , ,
- specify []:
- specification []: () , (仕様), , ,
- spot []: .
- square []: , ,
- stash []: () 가[.
- statistics []: [] , , []
- standard [≡]:
- stand-alone []: ,
- steering committee []:
- stopword []: < > (不用語)
- stream []: ()

strict [] : , , ,
subclass [≡] : / ~ ,
subject [≡] : / , / , / ,
subject to A : A [], A []
submission [] : , , (,)
subsequent [] : , , ,
subsidiary [] : , , ,
substrate [≡] : , ,
subtract [] : (,) , ,
subtype [] : ,
suffice [] : ~ . (for, to do)
sufficient [≡] : != insufficient [≡]
supprress [~] : [] , = forcibly put an end to A, ~ []
swap [≡] : , [] , < , >
switch on/off : () (~) /
synonym [] : , ,

T

tabular [] : , , , []
take notice of A : A , ,
take no notice of A : A ,
take A into consideration : A []
take the description : .
target [≡] : , , , , . []
taste : , , , [], , , . []
ternary [] : , , ,
terse [] : []
testimonial [] : , ,
the first time : , < > ~ , ~ ,
the same is true for[of] A : A 가 , A ,
think of sth/sb : ,
throughput [] : () []
tightly [] : , , , ,
timeout : < > ()
timezone : ,
tinker [] : , ,
tortuous [≡] : , ,
transaction [] : , , , ()
transactional [] : [] , ,
transitive [] : , , , [] , ,
traverse [] : 가 , , ,
traversal [] : _____, 가 , ,
typically [] : , , / , ,

U

unary [] : , 1 ,
 underlying [] : , , ,
 unified [] : , , ,
 unify [] : [] , , ,
 uniform : , , , , ,
 union : ,
 unpack [] : , ,
 unqualified [] : , , , ,
 unwieldy [] : () , [] ,
 uppercase [] : () , ()
 use [] : , , ,

V

variant [] : , , / , , ,
 variation [] : , , ,
 vary [] : , , , , ,
 value [] : ,
 verbose [] : , , 가
 versus [] : ~ [] , ... (對)
 via A [] : A , (,)
 virtualization [] : () 가 , 가
 voucher [] : , , , a sales voucher() , a hotel voucher() , a
 luncheon voucher()

W

wherever possible [] : 가
 whitelist [] : , ,
 • , ,
 • .
 white space :
 whole number: []
 widespread [] : , A , A , A , A
 without regard to[for] A : A , A , A , A
 with respect to A : A
 withstand [] : ~ . , A .
 work for A : A , , ~ , A .
 workaround [] : 2 , , ,
 wrap up something : ~
 write out : ~ ()

Tip

*

!!!

-
-

, [wordbook](#)

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:user:emblim98:wordbook&rev=1623825342>

Last update: **2022/03/10 19:52**

