

# Visual Studio Code

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-12

Alt + z (Toggle)

Alt

setting

mac: cmd + ,  
windows: ctrl + ,

windows: windowsKey + ; ( )

## Tip

1. vsCodeOpenFolder.reg
2. vsCodeOpenFolder.reg

```
Windows Registry Editor Version 5.00
; Open files
[HKEY_CLASSES_ROOT*\shell\Open with VS Code]
@="Edit with VS Code"
"Icon"="\"C:\\Program Files\\Microsoft VS Code\\Code.exe\",0"
[HKEY_CLASSES_ROOT*\shell\Open with VS Code\command]
@="\"C:\\Program Files\\Microsoft VS Code\\Code.exe\" \"%1\""
```

*; This will make it appear when you right click ON a folder*

```

; The "Icon" line can be removed if you don't want the icon to appear
[HKEY_CLASSES_ROOT\Directory\shell\vscode]
@="Open Folder as VS Code Project"
"Icon"="\"C:\\Program Files\\Microsoft VS Code\\Code.exe\",0"
[HKEY_CLASSES_ROOT\Directory\shell\vscode\command]
@="\"C:\\Program Files\\Microsoft VS Code\\Code.exe\" \"%1\""
; This will make it appear when you right click INSIDE a folder
; The "Icon" line can be removed if you don't want the icon to appear
[HKEY_CLASSES_ROOT\Directory\Background\shell\vscode]
@="Open Folder as VS Code Project"
"Icon"="\"C:\\Program Files\\Microsoft VS Code\\Code.exe\",0"
[HKEY_CLASSES_ROOT\Directory\Background\shell\vscode\command]
@="\"C:\\Program Files\\Microsoft VS Code\\Code.exe\" \"%V\""

```

### 3. vsCodeOpenFolder.reg

```

Note:          C:\\Program Files\\Microsoft VS Code\\Code.exe
,
VS Code

```

```

Tip :          Note
              • vscodeopenfolder.zip

```

Alt

```
View - Appearance - Show Menu Bar
```



- [VSCode](#)      [format](#)    [\[VSCode\]](#)
- 

## Plugin

\* Visual Studio Code : Text Editor

## Plugin

1. Material Theme :

- 2. Material Theme Icons :
- 3. Prettier - Code formatter :
  - Ctrl + ,( ) → Settings > User > Text Editor > Formatting - Format On Save
  - Settings prettier - Prettier: Tab Width 2
  - Settings prettier quote - JavaScript > Preferences:Quote Style single
  - Settings prettier quote - TypeScript > Preferences:Quote Style single
- 4. Bracket Pair Colorizer : 가
- 5. Indent Rainbow : 4가
- 6. Auto Rename Tag : HTML/XML
- 7. CSS Peek : HTML CSS ( style Ctrl + -> CSS )
- 8. HTML CSS SUPPORT : HTML id, class
- 9. Live Server : HTML , HTML
  - > Open with Live Server or Alt+L Alt+O
- 10. Markdown Preview : VS Code ,
  - readme.md , Ctrl+Shift+p > Markdown: Oepn Preview-> Preview readme.md
- 11. HTML to CSS autocompletion : HTML CSS
- 12. kite- by - AI
- 13. StandardJS - JavaScript Standard Style
- 15. htmltagwrap - - Alt + W -

## remote ssh

- 

## Ref

- HTML, CSS
  1. [jsbin.com](https://jsbin.com)
  2. [jsfiddle.net](https://jsfiddle.net)
  3. [codesandbox.io](https://codesandbox.io)

10 by

Emmet, HTML by

[Emmet - the essential toolkit for web-developers](#)

[kite-](#) by - AI

## Terminal

Terminal

- View > terminal .

cmd

- cmd



- powershell
- Ctrl + Shift + P Command Paletter
- Terminal: Select Default Shell > Command Prompt
- vscode select box cmd가
- cmd window cmd

## VS Code

1. **.vscode** → C:\Users\ \.vscode
  2. **Code** → C:\Users\ \AppData\Roaming\Code
  3. \ \ Microsoft Visual Studio Code
- [VS Code](#)

## Showing path in file-tabs in Visual Studio Code

File » Preferences » Settings » “workbench label format” » Workbench>Editor:Label Format » short

[Showing path in file-tabs in Visual Studio Code](#)

## Tip

- [\[VS Code\] Extension](#)
- [VS code snippets - html](#)
- [Firefox Developer Edition VS Code](#)
- [\[vscode\]](#)

## Ref

- [Right click on Windows folder and open with Visual Studio Code](#)
- [Visual Studio Code Java](#)
  - [VS Code Windows](#)
- [JavaScript Standard Style](#)
- [, eleven, , , vscode](#)

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:util:vscode>



Last update: **2023/03/25 18:03**