

Hot Deploy

* description : How to set Hot Deploy to Tomcat Server * author : * email :
shlim@repia.com * lastupdate : 2021-10-08 Fri

Hot Deploy

- Java 가 가 Java
-

Step

- Eclipse JAVA
 - Eclipse JAVA **1.8**
 - Eclipse JAVA 11 Tomcat Runtime JRE **Workbench default JRE**
 - Tomcat Runtime JRE **1.8** (

1. MVN Repository - Springloaded 1.2.8.RELEASE **springloaded-1.2.8.RELEASE.jar**
()



2. springloaded Tomcat Server .

3. Tomcat Server Overview **Open launch configuration** .



4. Edit Configuration properties > Arguments > VM arguments: > Apply
> OK

```
-javaagent: -noverify // form
-javaagent:D:\downloaded_programs\springloaded-1.2.8.RELEASE.jar -noverify
// example
```



5. Tomcat Server Overview

- Server Options
- Publishing **Automatically publish when resources change**



6. Tomcat Server Overview

- Modules
 - Path
 - Edit
 - Edit Web Module
- Auto reloading enabled** > OK



-> springloaded가 , WAS 가

Source of this article

[IT] (Hot Deploy)

Eclipse, tomcat hot deploy (with springloaded)

Tomcat Runtime JRE

- Eclipse JRE 1.8
 - 'Servers' > > 'Overview' > 'Runtime Environment' **Installed JREs**



- 1.8 JRE 가



* 1.8 JRE 가



- **-add Hot Deploy**



, slaptear, tomcat, was, hot, deploy, hotdeploy

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

http://rwiki.repia.com/doku.php?id=wiki:was:tomcat:hot_deploy&rev=1675227791



Last update: **2023/02/01 14:03**

