

# Hot Deploy

\* description : How to set Hot Deploy to Tomcat Server \* author : shlim@repia.com \* email : shlim@repia.com \* lastupdate : 2021-10-08 Fri

## Hot Deploy

- Java 가 가 Java
- 

### Step

- Eclipse JAVA
  - Eclipse JAVA **1.8**
  - Eclipse JAVA 11 Tomcat Runtime JRE **Workbench default JRE** 가 가
    - Tomcat Runtime JRE **1.8** . ( )

1. MVN Repository - Springloaded 1.2.8.RELEASE **springloaded-1.2.8.RELEASE.jar**  
( )



2. springloaded Tomcat Server .

3. Tomcat Server Overview **Open launch configuration** .



4. Edit Configuration properties > Arguments > VM arguments: > Apply > OK

```
-javaagent: -noverify // form
-javaagent:D:\downloaded_programs\springloaded-1.2.8.RELEASE.jar -noverify
// example
```



5. Tomcat Server Overview

- Server Options
- Publishing **Automatically publish when resources change**



## 6. Tomcat Server Overview

- Modules
- Path
- Edit
- Edit Web Module

**Auto reloading enabled**

> OK



-> springloaded가 , WAS 가

## Source of this article

[IT ] (Hot Deploy)

Eclipse, tomcat hot deploy (with springloaded)

## Tomcat Runtime JRE

- Eclipse JRE 1.8
  - 'Servers' > > 'Overview' > 'Runtime Environment' **Installed JREs**



- 1.8 JRE 가



- 1.8 JRE 가



- **-add Hot Deploy**



, slaptear, tomcat, was, hot, deploy, hotdeploy

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

[http://rwiki.repia.com/doku.php?id=wiki:was:tomcat:hot\\_deploy&rev=1675227896](http://rwiki.repia.com/doku.php?id=wiki:was:tomcat:hot_deploy&rev=1675227896)



Last update: **2023/02/01 14:04**