

# Selenium

- description :
- author :
- email : hylee@repia.com
- lastupdate : 2020-11-11

## Selenium ?

Selenium  
Selenium  
Selenium

API



- firefox
- Chrome
- safari
- IE
- 



Tip

Drive가 가

## Chrome Driver Download



driver

[Chrome](#)



## maven

```
<dependency>
  <groupId>org.seleniumhq.selenium</groupId>
  <artifactId>selenium-java</artifactId>
  <version>2.35.0</version>
</dependency>
```

## Selenium java code

```
package main;

import java.util.concurrent.TimeUnit;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

public class SeleniumTest
{

    public static void main(String[] args)
    {
        // TODO Auto-generated method stub
        chromTest();
    }

    public static void chromTest() throws IllegalStateException
    {
        WebDriver driver = null;
        try
        {
            // drvier -
            System.setProperty("webdriver.chrome.driver",
"D:\\eclipse_repository\\eGovFrameDev-3.9.0-64bit\\workspace\\parsingApi\\util\\chromedriver.exe");
            // Chrome
            driver = new ChromeDriver();
            //
            // JavascriptExecutor js = (JavascriptExecutor) driver;

            // element
            //
            // js.executeScript("arguments[0].click();", element);

            // URL
```

```
// URL
driver.get(
"https://www.google.com/search?q=%EA%B5%AC%EA%B8%80%EB%B2%88%EC%97%AD&oq=%EA
%B5%AC%EA%B8%80%EB%B2%88%EC%97%AD&aqs=chrome..69i57j35i39j0l4.2179j0j7&sourc
eid=chrome&ie=UTF-8");
//
driver.manage().timeouts().implicitlyWait(2, TimeUnit.SECONDS);
// xpath selector.
WebElement element = driver.findElement(By.xpath("//*[@id='tw-
source-text-ta']"));

// test
String[] s_array = new String[2];
s_array[0] = "This book aims to strengthen an understanding of
the sculptural possibilities of form and space through developing a visual
language and structure that recognizes and ";
s_array[1] = "gives priority to 3dimensional visual perception
It is written so as to apply to both the active process of shaping 3D form
and space and analyzing any existing visual situation Introduction";

//
for (String aa : s_array)
{

    element.sendKeys(aa);

    //
    Thread.sleep(1000);

    // css selector.
    WebElement elementd =
driver.findElement(By.cssSelector("#tw-target-text > span"));

    System.out.println("elementd : " + elementd.getText());

    // element
    element.clear();
}

} catch (Throwable e)
{
    e.printStackTrace();
} finally
{
    driver.close();

    // test
    System.exit(0);
}
```

```
//
```

```
}
```

```
}
```

## consol

```
elementd :
```

가

```
elementd : 3
```

```
. \\  
3
```

## Tip

## Troubleshooting

## Ref

, [java](#), [selenium](#)

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:java:selenium&rev=1605099771>



Last update: **2022/03/10 19:52**